



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1046323

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #34170	API No. 1515-003-24884-00-00
Name: Sirius Energy Corp.	Spot Description:
Address 1: 526 COUNTRY PL, SOUTH	NW_SE_NE_SW Sec. 13 Twp. 21 S. R. 20 ▼ East West
Address 2:	1,953 Feet from North / South Line of Section
City: ABILENE State: TX Zip: 79606 + 7032	3,031 Feet from   ✓ East /   West Line of Section
Contact Person: Randy Teter  Phone: ( 785 ) 4488571	Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: License # 32079	County: Anderson  West Van Winkle M-17
Name: Leis, John E.	
Wellsite Geologist: n/a	
Purchaser:	
Designate Type of Completion:	Elevation: Ground: 1054 Kelly Bushing: 1059
✓ New Well Re-Entry Workover	Total Depth: 730 Plug Back Total Depth:
✓ Oil WSW SWD SIOW  Gas D&A ENHR SIGW	Amount of Surface Pipe Set and Cemented at: 21 Feet  Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd	
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	· ·
If Workover/Re-entry: Old Well Info as follows:	leet depth tow/ox on a
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to S	Children Chi
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD Permit #:	QuarterSec TwpS. R East
ENHR Permit #:	County: Permit #:
GSW Permit #:	County: Permit #:
09/02/2010 09/02/2010 09/02/2010	
Spud Date or Recompletion Date  Date Reached TD  Recompletion Date  Completion Date or Recompletion Date	

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:	<del> </del>			
Confidential Release Date:				
<b>✓</b> Wireline Log Received	•			
Geologist Report Received				
UIC Distribution				
ALT I Approved by: NAOMI JAMES Date: 11	/02/2010			

Side Two

1046323

perator Name: Sirius	Energy Corp.		Lease Nar	ne:	St van wi	IIKIE	Well #:W-	17		
ec. <u>13</u> Twp. <u>21</u>	s. R. <u>20</u>	✓ East	County: Anderson							
me tool open and close	ed, flowing and shut if gas to surface te	d base of formations per t-in pressures, whether s st, along with final chart( well site report.	hut-in pressur	e reached	d static level	, hydrostatic press	sures, bottom h	nole tempe	rature, fluid	
Drill Stem Tests Taken				✓ Log Formation (Top), Depth			d Datum	Sample		
Samples Sent to Geolog	,			Name			Тор	Datum GL		
Cores Taken		Yes No Yes No Yes No		Squirrel sand		650		GL	GL <sub>.</sub>	
ist All E. Logs Run:										
Gamma ray / Neutron / C	CCL									
		CASING	RECORD	New	✓Used					
		Report all strings set								
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / F		Setting Depth	Type of Cement	# Sacks Used		nd Percent Iditives	
Surface	9.875	7	20	2	1	Portland	6			
Production	5.625	2.875	6.5	7.	21	owc	66	Kol sea	ıl 40%	
		ADDITIONA	AL CEMENTING	3 / SQUEE	ZE RECOR	D				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks U	ised	Type and Percent Additives		es			
Shots Per Foot	PERFORAT Specify	PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfor						ement Squeeze Record d of Material Used) Depth		
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes N				
Date of First, Resumed I	Production, SWD or E	NHR. Producing M	ethod:		as Lift	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water		Bbls.	Gas-Oil Ratio		Gravity	
DISPOSITIO		Open Hole	METHOD OF (	COMPLET Dually C	Comp.	Commingled  Submit ACO-4)	PRODUC	TION INTER	VAL:	



### MIDWEST SURVEYS

LOGGING • PERFORATING • CONSULTING • M.I.T. SERVICES
P. O. Box 68 • Osawatomie, KS 66064
Phone 913-755-2128 • Fax 913-755-6533

### **Perforation Record**

Company:	Sirius Energy Corp.			
Lease/Field:	West Van Winkle Lease			
Well:	M-17			
County, State:	Anderson County, Kansas			
Service Order #:	22813			
Purchase Order #:	N/A			
Date:	9/10/2010			
	650.0 to 656.0 13 Perfs 656.5 to 666.5 21 Perfs 667.0 to 677.0 21 Perfs			
Type of Jet, Gun or Charge	2" DML RTG 180 Degree Phase			
Number of Jets, Guns or Charges:	Fifty Five (55)			
Casing Size:	2 7/8"			

## **GARNETT TRUE VALUE HOMECENTER**

410 N Maple Garnett, KS 66032 {785} 448-7106 FAX {785} 448-7135 Merchant Copy INVOICE

TOTAL

\$992,90

			1912/10	AUNT AL VIT		
Page: 1			Involce: 101	163104		
Special :			Time:	11:40:24		
Instructions :			Ship Date:	09/02/10		
; Saig rep. #: MARLIN MARLIN BRUBAKER			Invoice Date:	09/02/10		
	1	Acot rep code:	Due Date:	10/08/10		
Sold To: SIRIUS ENERGY CORP	Ship To: SIRIUS ENERGY CORP					
526 COUNTRYPLACE SOUTH ABILENE, TX 79606-7032	(325) 665-	9152				
	(325) 665-	9162				
Customer#: 0001860	Customer PO:	Or	der By:	<del></del>		

ORDER SHIP U/M ITEM# DESCRIPTION Alt Price/Uom PRICE **EXTENSION** 60.00 60.00 P BAG CPFA FLY ASH MIX 80 LBS PER BAG 6,2900 BAG 6.2900 377.40 60.00 60.00 P BAG CPPC PORTLAND CEMENT-94# 8.9900 BAG 8.9900 539.40 Surface casing and production casing are cemented with company tools. 6 sacks portland cement are used for surface casing. 33 sacks portland cement and 33 sacks fly ash are used for production casing (=40% kol seal). The remaining cement and fly ash from this ticket are used for plugging purposes as per the submitted CP-1 and CP-4. FILLED BY CHECKED BY DATE SHIPPED Sales total \$916.80 Customer Pick up RECEIVED COMPLETE AND IN GOOD CONDITION Taxable 916.80 0.00 Sales tex Non-taxable 76.10

1 - Merchant Copy