Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

			DELIVERABILIT	Y TEST RE	CEIVED 032006
Type Test: Open Flow X Shut-in	•	2-23-05	API No. 15 -10	JAN 3-20,8 1679 9	<u>0</u> 3-2006
Deliverabilty Pressure			·	TOU N	VICHITA
Company Monument Resources, Inc.		Lease C. Heim		Well #10	Number /
County Location NW,SW,NE	Section 19	TWP 8S	RNG (E/W) 22E	Acre 40	s Attributed
Field	Reservoir McLouth/Bu	rgess	Gas Gathering Conne COG Transmis	ection ssion Corporat	ion
Completion Date 5/10/87	Plug Back Total De 1272	epth .	Packer Set at 1084 '		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Casing Size Weight 9.5#	Internal Diameter	Set at 1272	Perforations 1180' - 118	36' and 1068'	- 1074'
Tubing Size Weight 2 3/8" 4.7#	Internal Diameter	Set at 1190	Perforations	То	
Type Completion (Describe) Gas	Type Fluid Product	tion	Pump Unit oktrovers Pump	g•P©rogerX Yes/Na	
Producing Thru (Annulus / Tubing)	% Carbon Dioxide		% Nitrogen	Gas Gravity	- G ₉ :
Annulus Vertical Depth(H)	Pre	essure Taps		(Meter Run)	(Kontron) Size
Pressure Buildup: Shut in 12-22	2005 at 8:30	(AM) (P M} Taken	12-23 200		
, , , , , , , , , , , , , , , , , , ,			19		
	OBSER	EVED SURFACE DATA	Α	Duration of Shut-in_	24 Hours
Static / Orifice	tial Temperature Temperature	Wallhaad Pressill	(P _w) or (P _t) or (P _c)	Duration L (Hours)	iquid Produced (Barrels)
Shut-In — — —		50		24	
Flow					
	FLOW S	STREAM ATTRIBUTE	S		Flauring
$ \begin{array}{c cccc} & \textbf{Plate} & \textbf{\textit{Circle one:}} & \textbf{\textit{Pres}} \\ \textbf{Coefflecient} & \textbf{\textit{Meter or}} & \textbf{\textit{Extens}} \\ \textbf{(F_b) (F_p)} & \textbf{\textit{Prover Pressure}} & \sqrt{P_m x} \\ \textbf{Mold} & \textbf{\textit{psia}} & \end{array} $	ion Factor	Flowing Temperature Factor F ₁₁	Deviation Metered FI Factor R F P (Mcfd)	ow GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _m
			OUR ATIONS		
(P _c) ² =: (P _w) ² =	(OPEN FLOW) (DE	LIVERABILITY) CAL% (P _c - 14	.4) + 14.4 =:	$(P_{d})^{2} = (P_{d})^{2} = $	
$ \begin{array}{ c c c c c }\hline (P_c)^2 - (P_a)^2 & (P_c)^2 - (P_w)^2 & 1. \ P_c^2 - \\ \text{or} & 2. \ P_c^2 - \\ (P_c)^2 - (P_d)^2 & 2. \end{array} $	p 2 LOG of formula 1. or 2.	Backpressure (Slope = "n' or Assigned	n x LOG	Antilog	Open Flow Deliverability quals R x Antilog
(P _c) ²⁻ (P _d) ² divided by: P _c	and divide P2-P by:	Standard Slo			Mcfd
Open Flow Mcfd @	14.65 psia	Deliverability		Mcfd @ 14.65 psia	
The undersigned authority, on behalf of	the Company, states that	he is duly authorized (to make the above report a	and that he has knowled	ige of the facts
stated therein, and that said report is true and		0041	lay of December		29 <u>\$95</u> .
Witness (il eny)			President	or Company	

exempt	eclare under penalty or perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator <u>Monument Resources</u> , <u>Inc.</u>
the best	t the foregoing information and statements contained on this application form are true and correct to to of my knowledge and belief based upon gas production records and records of equipment installation of type completion or upon use of the gas well herein named.
l her gas well	reby request a permanent exemption from open flow testing for theC_ Heim #10on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	X is incapable of producing at a daily rate in excess of 150 mcf/D
Date: ^I	December 30, 2005
	ρ
	Signature: Alfaust
	Title: President

Ins

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.