

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Tes	st:					(See Instru	ctions on Re	verse Side)				
	pen Fi elivera	-	SHUT-1 PRESSU	NIRE	Test Dat	: 2-99	,		APH	No. 15 - 10	3-20,35	57-6	ාට- ∞
Compan							Lease					Well N	umber ,
Mon	tww	(EN		urces, tw			C. HE	1 M			#	<u>43 </u>	(2-19)
County Leave	מנולנוי	0 TH	Loca:	NE,SE	Section 19		TWP 8S		RNG (E/	•		Acres A	Attributed
Field		Fin (17	, ,,,,,,,	عدر عدر	Reservo	г /	03			ering Connec	tion		0
					McLo		urg ess		000	TRANS	MISSION	COK	PORATION
	-1-					k Total Dept	th		Packer S	et at -			
Casing S				5#	Internal [Diameter	Set a				1' - 1169	g ′	
	4g			ht 7 #	Internal (Set a	77	Perfor		То		
Type Cor		_	escribe)			d Productio			-Pump Un	it or Traveling	-	/ -N e	
	GA a Thru		nulus / Tubin g	:)	% Carbo		(NIL)		% Nitroge	Pum F	Gas Gr	avity - (2
	NNG		-	,		NIL			Ni		-	avity - (۷,
Vertical [H)	<i>'</i>	· · · · · · · · · · · · · · · · · · ·	-	Press	sure Taps				(Meter I	Run) (P	rover) Size
Pressure			Shut in	1:			(AM) (PM)	Taken		10	at		(AAA) (DAA)
Well on L											at	,	(AM) (PM) (AM) (PM)
				· · · · · · · · · · · · · · · · · · ·		ZOBSERVI	ED SURFAC	FDATA	7		Duration of Shut-	. 2	<u>u+</u>
Static /	Ori	lice	Circle one:	Pressure	Flowing	Well Head	Cas		T	ubing	Duration of Shut-	-in	Hours
Dynamic S		Size Meter of Prover Presches psig		ure in (h) Inches H ₂ 0	Temperature t	Temperature t	! I	Wellhead Pressure (P _w) or (P ₁) or (P _c) psig psia		d Pressure (P _t) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	_	`	_		_	_	40	psia	psig —	psia	24+	 	
Flow													
			•			FLOW ST	REAM ATTR	BUTES		,			
Plate			Circle one:	Press	Grav	ritv	Flowing	Devi	ation	Metered Flow	GOR		Flowing
Coeffiecient (F _b) (F _p)			Meter or ver Pressure	Extension	Fac	or	Temperature Factor	Fa	ctor	R	(Cubic Fe	et/	Fluid
Mcfd		····	psia	√ P _m x H _w	F	F _n		F,,		(Mcfd)	Barrel)		Gravity G _m
(P _c) ² =		:	(P _w)² =				'ERABILITY) % (P	CALCUL. - 14.4) +			(P _a)	² = 0.2	207
	1	=		Choose formula 1 or 2:			T	sure Curve		<u> </u>	(r _d)	T	
(P _e)² - (F	-	(P	e)2 - (Pu)2	1. P _e ² · P _e ²	LOG of formula		Slop	e = "n"	n x L	og	8 49		pen Flow liverability
or (P _e)2 - (F)²			2. P _e ² -P _d ²	1. or 2. and divide	P _c ² - P _c ²	Ass	or igned			Antilog	ı	s R x Antilog
		-; :		divided by: Pc2 - Pg2	by:	<u></u>	Standa	ard Slope					Mcfd
							<u> </u>						
Open Flow	,l			Mcfd @ 14.6	_l 5 psia		Deliverabili	ty			cfd @ 14.65 psia	L 3	
The	ndersi	nned	authority on	hehalf of the Co	mpany eto	as that he is	e duly suther	ized to mo	ka tha ab-	······································	hat he has know		445-4
				s true and corre			9丛	day of	A 1 -	ve report and the	•		19 <i>97</i>
								(Ne	1/4	rust)		
			Witness (i	any)				A.G. Fou	st, P	Neo, For Co	тралу		
			For Comm	ission									

÷.

٠. ،	•-
l de	eclare under penalty or perjury under the laws of the state of Kansas that I am authorized to request
	status under Rule K.A.R. 82-3-304 on behalf of the operator MONUMENT RESOURCES, Tro
and tha	t the foregoing information and statements contained on this application form are true and correct to
	t of my knowledge and belief based upon gas production records and records of equipment installa-
tion and	l/or of type completion or upon use of the gas well herein named.
lhe	reby request a permanent exemption from open flow testing for the
	on the grounds that said well:
	· ·
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is incapable of producing at a daily rate in excess of 150 mcf/D
Date:	11/9/99
	and the
	Signature:
	Title: President

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.