KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t: oen Flo	w	0		(See Instruc	tions on R	everse Side)			
	eliverab				Test Date 04/19/2				AP 029	I No. 15 5-21,429 - C	00-00	
Company UNIT PE		LEU	M COMPAN	IY .			Lease SNAKI	E CREEK				Well Number
County Location CLARK 330' FEL, 1200 FSL			Section 1		TWP 35S		RNG (E/W) 21W			Acres Attributed		
Field			330 1 21	L, 12001 GL	Reservoir ATOKA		333	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Gas Ga	thering Conn		
Completion Date				Plug Bac	k Total Dep	th	DCP MIDSTREA Packer Set at 5359			LP		
2/20/08 Casing Size			Weight	•	5525 Internal Diameter			Set at		prations	То	
4.5 Tubing Size			11.6 Weight		4.000 Internal Diameter		Set	6500 Set at		3 orations	5462 To	
2.375 Type Cor	npletion	1 (D	4.7 escribe)	·····	1.995 Type Flui	d Productio	538	59	Pump U	nit or Traveling	Plunger? Yes	/ No
SINGLE	E GAS	3	·		WATE	R			NO			
TUBING	-	(An	nulus / Tubing)	% C	Carbon Diox	ide		% Nitro	jen	Gas Gra	avity - G _g
Vertical D	Depth(F	i)					ssure Taps NGE				(Meter F 2"	Run) (Prover) Size
Pressure	Buildu	p:	Shut in03/3	31/ 2	0_10_at_8	:00	(A Ø) (PM	Taken_04	/19/	20	10 at 8:00	(A \Q) (PM)
Well on L	.ine:		Started	2	0 at		(AM) (PM	Taken		20	at	(AM) (PM)
						OBSERVE	ED SURFAC	E DATA			Duration of Shut-	in 456 Hours
Static / Orifice Dynamic Size Property (inches		е	Circle one: Meter Prover Pressui psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Well Head Temperature t	wellhead Pressure (P_w) or (P_t) or (P_c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
Shut-In				2			480	psia	psig 480	psia	456	
Flow												
ſ					<u> </u>	FLOW STE	REAM ATT	RIBUTES				
Plate Coeffiec (F _b) (F	ient	Pro	Circle one: Meter or over Pressure psia	Press Extension √ P _m xh	Grav Fact F _c	tor	Flowing Temperature Factor F ₁₁	Fa	ation ctor pv	Metered Flow R (Mcfd)	v GOR (Cubic Fer Barrel)	Flowing Fluid Gravity G _m
				· · · · · · · · · · · · · · · · · · ·								
(P _c) ² =			(P _w) ² =_		(OPEN FLO			Y) CALCUL (P _c - 14.4) +			(P _e) ²	? = 0.207
(P _c) ² - (· (F		Choose formula 1 or 2 1. P _c ² - P _a ² 2. P _c ² - P _d ²	LOG of formula 1. or 2.		Backpr	essure Curve ope = "n" or ssigned		LOG	Antilog	Open Flow Deliverability Equals R x Antilog
(P _c) ² - (- d/-			fivided by: P _c ² - P _w	and divide by:	P _c ² -P _w ²		dard Slope				(Mcfd)
					-		<u> </u>		-			
Open Flo	l			Mcfd @ 14.	65 nsiá		Delivera	hility		<u> </u>	Mcfd @ 14.65 psi	<u> </u> a
		igne	d authority, on			tates that h			make t		rt and that he ha	
the facts s	tated ti	nerei	in, and that sa	id report is true	e and correc	t. Executed	this the _	19	day of _A	PRIL		, 20 10
	<u>-</u>		Witness (if	any)				UNI	r PET		COMPANY	<u> </u>
and a few management and infolintations			For Commi			OCT 2 5	ZUIU	R.	FASC	IANI	cked by	my)

KCC WICHITA

	status under Rule K.A.R. 82-3-304 on behalf of the operator UNIT PETROLEUM COMPANY
nd tha	t the foregoing pressure information and statements contained on this application form are true and
f equip	to the best of my knowledge and belief based upon available production summaries and lease records ment installation and/or upon type of completion or upon use being made of the gas well herein named. The second representation and the second representation of the second representation and the second repr
	I on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
•	rther agree to supply to the best of my ability any and all supporting documents deemed by Commissio necessary to corroborate this claim for exemption from testing.
)ate: _1	0/20/2010
	Signature: DISTRICT ENGINEER

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

