KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | : | • | | (8 | See Instructi | ions on Reve | erse Side | 16 | -071 | -2021 | 3-0 |)O-O | |
|--|----------------------------|--|---|---|----------------------------------|---|--|-------------------------------------|--|----------------------------|---------------------------------------|---|--|
| Open Flow | | | (See Instructions on Reverse Side) 15-071-20 Test Date: APLNo.45 | | | | | | - 20 - | , | | | |
| De | liverabilt | y | | Aug. 6 | | | | 999 | 120074 | | | | |
| Company Bartling Oil Co. | | | | ^{Lease} Liljegren | | | n | | | #1 | Well Num | ber | |
| County Location Greeley SW 1/4 | | | Section 15 | | | | RNG (EA | RNG (E/W) 40W | | Acres Attributed | | | |
| Field Bradshaw | | | Reservoir Winfi e | | | | Gas Gath | ering Conne /lidstrem | ection | | | | |
| Completion Date 12/90 | | | | Plug Back 2938 | h | | Packer Se | et at | | | | | |
| Casing S 4 1/2 | ize | Weigh 9.5 | it | Internal D 4090 | Diameter | Set at 2940 | | Perforations 2862 | | то 2878 | • • | | |
| Tubing Si 2 3/8 | • | | nt | Internal Diameter 1.995 | | Set at 2848 | | Perforations | | То | | | |
| Type Completion (Describe) Singel Gas | | | Type Fluid Production water | | | | | it or Traveling | Plunger? Yes | / No | | | |
| Producing | g Thru (| Annulus / Tubin | g) | % Carbon Dioxide | | | | % Nitroge | en | Gas G | Gas Gravity - G _g | | |
| Annulus Vertical D | | | | | Press | sure Taps | | | | (Meter | Run) (Pro | ver) Size | |
| | | Auc | 1 6 | 10 9/ | M | | Δι | | | 10 at 9AM | | 14) (D14) | |
| Pressure Well on L | • | | | | | | | | | at | | | |
| | | | | | OBSERVE | D SURFACE | DATA | | | Duration of Shu | -in 24 | Hours | |
| Static / | Orifice | Circle one: | Pressure | Flowing | Well Head | Casing | | Tubing | | | 1 | | |
| Dynamic Size Property (inches) | | Prover Press | Differential in Inches H ₂ 0 | Temperature t | i | Wellhead F | | | (P _t) or (P _c) | Duration (Hours) | Liquid Produced (Barrels) | | |
| Shut-In | | | 11101100 1120 | 2 | | psig psia | | | | 24 | | | |
| Flow | | | | | | | | | | | | | |
| | | | | | FLOW STR | REAM ATTRI | BUTES | | | | · · · · · · · · · · · · · · · · · · · | | |
| Plate Coeffiecient (F _b) (F _p) Mcfd | | Circle one: Meter or Prover Pressure psia | Press Extension P _m x h | Gra Fac F | tor | Flowing Temperature Factor F _{tt} | | viation actor F _{pv} | Metered Flor R (Mcfd) | w GOF (Cubic F Barre | eet/ | Flowing Fluid Gravity G _m | |
| | | | | | | | | | | | | | |
| (P _c) ² = | | ; (P.,.) ² : | =: | • | | 'ERABILITY) % (P | | _ATIONS - 14.4 = | : | | $(a)^2 = 0.20$ $(a)^2 = 0.20$ | 7 | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | | 1. P _c ² -P _d ² 2. P _c ² -P _d ² | LOG of formula 1. or 2. | LOG of formula | | Backpressure Curve Slope = "n" or Assigned | | LOG | Antilog | Oper Antilog Equals F | | |
| | ` " | | divided by: P _c ² - P _v | by: | _'c 'w | Standa | ard Slope | | | | (1 | Mcfd) | |
| | | | | | | | | | | | | | |
| Open Flo | pen Flow Mcfd @ 14.65 psia | | | | Deliverability Mcfd @ 14.65 psia | | | | | | | | |
| | | | | | | _ | | _ | | ort and that he l | | | |
| the facts | stated th | erein, and that s | said report is tru | e and correc | ct. Executed | this the O | | day of A | <u>~</u> | | | 6 10 EIVED | |
| | | Witness | (if any) | <u>, ,,, , , , , , , , , , , , , , , , , </u> | | _ | | <u> </u> | 79" | Company | OCT : | 2 1 2010 | |

| I declare under penalty of perjury under the laws of the state of keepengt status under Rule K.A.R. 82-3-304 on behalf of the operator and that the foregoing pressure information and statements contained correct to the best of my knowledge and belief based upon available proof equipment installation and/or upon type of completion or upon use be | ed on this application form are true and roduction summaries and lease records eing made of the gas well herein named. | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| I hereby request a one-year exemption from open flow testing for the # Lilyegren | | | | | | | | |
| gas well on the grounds that said well: | | | | | | | | |
| is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil res is on vacuum at the present time; KCC approval Do is not capable of producing at a daily rate in excess | s of 250 mcf/D | | | | | | | |
| staff as necessary to corroborate this claim for exemption from testing | | | | | | | | |
| Date: 0+18,2010 | RECEIVED OCT 2 1 2010 KCC WICHITA | | | | | | | |
| Signature: | | | | | | | | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.