KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:					(See Instruc	ctions on Reve	erse Side,	,	•	D.F	7 2	^ ~
Op	en Flov	X Shi	at-i	n	Test Date	· 12_0	04-04		AP	No.		ال ک	2004
De	liverabi	lty Pro	essu	ıre	rest Date	. 12-0	94-04	15-	المحيا	2035	8.00°C	Old	O/ 10.
Company		esources,	Inc.				Lease C. Heim				2-31	Well Nu	mbel [A
County			cation		Section		TWP		RNG (E	W)		Acres A	ttributed
Leavenworth NE,NW,SE			31	31 8S			22E		40				
Field					Reservoir McLou	th/Burges	SS			nering Conne Fransmissi			
Completion Date			_	Plug Back Total Depth 1415'				et at					
				Internal Diameter Set at			Perfo	rations	То				
4 1/2" 9.5#					1415'		1342'		1373'				
Tubing Size Weight N/A			Internal D	Internal Diameter Set at			Perfo	rations	То	То			
Type Con Gas	pletion	(Describe)			Type Flui Water	d Production (Nil)	1		Pump Ur	it or Traveling	Plunger? Yes /	No	
Producing	Thru (Annulus / Tut	oing)		% Carbor	Dioxide			% Nitrog	en	Gas Gr	avity - G	i _g
Casing													
Vertical D	epth(H)					Press	ure Taps					Run) (Pr	over) Size
1373'											2"		···
Pressure	Buildup										4_ at11:4		
Well on L	ine:	Started		19	at		(AM) (PM) T	aken		19	at	(AM) (PM)
						OBSERVE	D SURFACE	DATA			Duration of Shut-	_{in} 24+	Hours
Static /	Orific	e Circle		Pressure Differential	Flowing	Well Head	Casin Wellhead P		1	ubing ad Pressure	Duration	Liquid	d Produced
Dynamic	Size	Prover P		in (h)	Temperature t	Temperature t	(P _w) or (P _t)		t .	(P ₁) or (P _c)	(Hours)	1 .	Barrels)
Property	Inche	psi psi	9	Inches H ₂ 0			psig	psia	psig	psia		ļ	
Shut-In							15 -	-			24+	ļ	
Flow											·		
		 				FLOW STF	REAM ATTRIE	BUTES					 1
Plate	- 1	Circle one: Meter of		Press	Grav		Flowing Temperature	1 - "	iation	Metered Flow			Flowing Fluid
Coeffiecient (F _b) (F _b)		Prover Pressure		Extension š P _m x H _w	Fac	tor	Factor	l .	ctor	R (Mcfd)	(Cubic Fe Barrel)	et/	Gravity
Mofd		psla		2 L" Y LI M	<u>'</u> '	,	F,	<u>'</u>	pv	(101010)	22		G _m
					(OPEN EL	OW) (DELIV	'ERABILITY)	CALCUL	ATIONS				~~
(P _c) ² =		· (P	") ² =	:	P ₀ =	• •	-	- 14.4) +		:	(اکے): (اکے):	2 = 0.20 2 =	U/
· c/	T	- Y Y		oose formula 1 or 2			<u>-</u>	ure Curve				ſ	en Flow
(P _c) ² - (-	(P _c) ² - (P _w) ²	İ	1. P _c ² -P _a ²	LOG of tormula		Slope	= "∏"	nxi	.og	Antilog		iverability
(P _c) ² - (P_)2			2. P _c ² -P _d ²	1. or 2. and divide	P_2 - P_2	Assi	gned			Annog		R x Antilog Mcfd
			div	ided by: P _c ² - P _w	by:	<u></u>	Standar	d Slope				ļ	Nicit
,													
Open Flow Mcfd @ 14.65			i5 psia	psia Deliveral			Mcfd @ 14.65 psia						
The	undersid	ned authorit	v. on be	ehalf of the C	ompany. sta	tes that he is	s duly authoriz	zed to ma	ike the ab	ove report and	that he has know	rledge o	f the facts
	_						13th			ecember	b .		D:04
stated the	rein, and	o that said re	port is	true and corr	eci. Execute	so this the _		uay o		A	#	4\	
								(stou			
		With	ness (if a	ny)		_		•	-		Company		
		For	Commis	sion			-		Presid		cked by		

11-	
(Ç	
• ^	I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Monument Resources, Inc. and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named. I hereby request a permanent exemption from open flow testing for the C. Heim #2-31 gas well on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 150 mcf/D
	Date: December. 13, 2004
	Signature:

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.