KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	:			6	See Instruc	tions on Reve	rse Side)	ı				
□ Оре	en Flow	X Shut		Test Date:	11-2	28-01		API f	No. 15 -10	3-20,314-	m-00	
Del	liverabilty	Pres	sure				····	·				
Company	ent Re	sources, Inc.		Lease C. Heim				Well Number 1-31				
County		Locatio		Section		TWP		RNG (E/	W)	•	cres Attributed	
Leavenworth		NE,NE,NE		31		8S		22E		40		
Field				Reservoir	h/Ruraes	:e			ering Connec ransmissio			
Completion Date				McLouth/Burgess Plug Back Total Depth				Packer Set at				
7-15-85				1353'	Total Bop.						Michael Brown, App oppositions, of the scripture of the second	
Casing Siz	ze	_	Weight		Internal Diameter		Set at 1353'		ations	то 1266'		
4 1/2" Tubing Size	7 0	9.5# Weight		Internal Diameter		Set at		1260' Perforations		То		
N/A	20	Worg.n.										
Type Com	pletion (Describe)		7.	Production	n		Pump Un None	it or Traveling	Plunger? Yes /	No	
Gas	Tt	(Tubica)		Nil % Carbon Dioxide				% Nitrogen		Gas Gravity - G		
_	j Inru (A	nnulus / Tubing)		Nil				Nil				
Casing Vertical D	enth/H)			INII	Press	sure Taps				(Meter R	un) (Prover) Size	
1266'	epui(ii)					•						
Pressure	Buildup:	Shut in	-26-200 1 9	at	9:30	(AM) (MA)	Taken _1	1-28-	2001 (at9:4	5 (AM) (MX)	
Well on Li										at		
					OBSERVE	ED SURFACE	DATA			Duration of Shut-	in 48 Hours	
F		Circle one:	Pressure	Flowing	Well Head	Casi	ng	i .	Tubing	Duration	Liquid Produced	
Static / Dynamic	Orifice Size	Meter of Prover Pressur	Differential	Temperature		1 Wellhead I		1	ad Pressure · (P ₁) or (P ₂)	(Hours)	(Barrels)	
Property	inches	psig	n (h) Inches H ₂ 0	ŧ	t	psig	psia	psig	psia			
Shut-In					••	25				48		
Flow												
·	4				FLOW ST	REAM ATTRI	BUTES				· · · · · · · · · · · · · · · · · · ·	
Plate	e	Circle one:	Press	Grav	_{zitv}	Flowing	Dev	viation	Metered Flo		Flowing Fluid	
Coeffied	cient	Meter of Prover Pressure	Extension	Fac	tor	Temperature Factor	1	actor	R (Mate)	(Cubic Fe Barrel)	et/ Gravity	
(F _b) (F		psia	š P _m x H _w	F	• .	F _{tt}	'	F _{pv}	(Mcfd)	Barrery	G _m	
			<u></u>	(OPEN FL	OW) (DELI	VERABILITY)	CALCUI	LATIONS		(P _a)	² = 0.207	
(P _c) ² =		: (P _w) ² =	:	P ₀ =		_% (P	- 14.4) +	14.4 = _	:	(P _d)	² =	
		(2.12.42.12	Choose formula 1 or 2	LOG of	[-		ssure Curv				Open Flow	
(P _c) ² - ((P,)2	$(P_c)^2 - (P_w)^2$	1. P _c ² • P _s ² .	formula 1. or 2.	1		or	- nx	LOG	Antilog	Deliverability Equals R x Antilog	
(P _c) ² - ((P _d) ²		2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	and divide	P _c ² · P _w ²		signed ard Slope				Mcfd	
			uivideu by c · w									
									-		-	
										Mcfd @ 14.65 psi	a	
Open Flo		<u></u>	Mcfd @ 14.6			Deliverabi		-l-a 455				
									iove report an	u mat ne nas knot	wledge of the facts	
stated the	erein, and	I that said report	is true and corr	ect. Execut	ed this the	7th_	day (of	December 1	Bus &		
		Witness ((if any)					C	✓ V _{For}	Company		
		For Com	mission	No. of	Name of the Party	4 2 4 TH H			Preside	ecked by		
		Poi Com	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			VEL						

DEC 1.3 2001

I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Monument Resources, Inc. and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named.
I hereby request a permanent exemption from open flow testing for the C. Heim #1-31
gas well on the grounds that said well:
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 150 mcf/D
Date: December 7, 2001
Signature:

instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.

DEC 1.3 2001 KCC WICHITA