KANSAS CORPORATION COMMISSION
ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

· E.

--

SIP Type Test	:	ONL		(S	See Instru	ctions on Re			ENABILII	1 1251			
✓ Open Flow Deliverabilty			Test Date: 10/22/10			API No. 15 15-119-21250-0000							
Company O'BRIEN ENERGYRESOURCES CORP.			Lease RICKERS RA		RS RAN	NCH		Well Number 4-20					
County Location MEAD 660 FSL & 1320FEL			Section 20		TWP 33S			W)	Α	cres. A	ttributed		
Field			Reservoir				Gas Gathering Conne DCP MIDSTREA						
Completion Date			Plug Back 6050	< Total De	pth .	Packer Set at NONE							
Casing Size Weight 4.5 10.5			Internal D 4.052	iameter		Set at Perforation 6235 5790			To 5822				
Tubing Size Weight 2.375 4.7			Internal D 1.995	Diameter	Set :		Perforations		То				
Type Completion (Describe)			Type Fluid Production			 -	Pump Unit or Traveling Plui		Plunger? Yes	/ No			
Producing Thru (Annulus / Tubing) ANNULUS				% Carbon Dioxide			V 210 12 140 W	% Nitrogen		Gas Gravity - G _g			
Vertical Depth(H) 5806			Pressure Taps FLANGE						(Meter F 3.068	, ,	over) Size		
Pressure Well on L		: Shut in		0at_1		(AM) (PM)				at	•	AM) (PM)	
THE STATE OF LEASE		Olaned		J at		 	· · · · · · · · · · · · · · · · · · ·		20	at			
Static / Dynamic Property	Size	Orifice		Flowing Temperature t t		Wellhead (P _w) or (F	Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Fubing ad Pressure r (P ₁) or (P _c)	Duration of Shut-i Duration (Hours)	Liquid	25.0 Hours Liquid Produced (Barrels)	
Shut-In						81.7	96.1	psig		25.0·			
Flow								<u></u>				<u></u>	
Plate	, T	Circle one:	Press			Flowing	<u> </u>					Flowing	
Coeffiec (F _b) (F Mcfd	,)	Meter or Prover Pressure psia	Extension P _m x h	Grav Fac	tor	Temperature Factor F ₁₁	Fa	riation actor - pv	Metered Flor R (Mcfd)	W GOR (Cubic Fee Barrel)	et/ ·	Fluid Gravity G _m	
							Torogram and the		,	<u> </u>		<u> </u>	
(P _c) ² =		: (P _w) ² =	;	(OPEN FL		IVERABILITY % (/) CALCUL P _e - 14.4) +		:	(P _n) ² (P _n) ²	! = 0.20 ! =	07	
$(P_c)^2 - (P_n)^2$ $(P_c)^2 - (P_w)^2$ or $(P_c)^2 - (P_n)^2$		Choose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ livided by: $P_c^2 - P_w$	of or 2: D 2 LOG of formula p 2 1. or 2, and divide p 2 p		Backpressure Curv Slope = "n"		e 0 x 100		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)			
<u> </u>			·····										
Open Flow Mcfd @ 14.65 psia					Deliverability			Mcfd @ 14.65 psia					
		gned authority, or				,		_		ort and that he ha		ledge of	
		KCC WICH				RECEN		-		NE AND TES			
COF	Y TO	Witness (if VCC DODG) For Comm	E CITY			NOV 04	2010		MARK BRO	Company OCK ocked by			

xempt status	under penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator O'BRIEN ENERGY RESOURCES
nd that the f	foregoing pressure information and statements contained on this application form are true and
	best of my knowledge and belief based upon available production summaries and lease records
	installation and/or upon type of completion or upon use being made of the gas well herein named. equest a one-year exemption from open flow testing for theRICKERS RANCH 4-20
	ne grounds that said well:
(CI	heck one)
	is a coalbed methane producer
ا محدید د. ۰	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
. [is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mcf/D
I further a	gree to supply to the best of my ability any and all supporting documents deemed by Commission
	ssary to corroborate this claim for exemption from testing.
	THE REST TENTH OF A CONTROL OF THE PROPERTY OF
ate: 10-22-1	10 PROPERTY SERVICES OF THE SE
1,201;	nument for a new years in the grown and the control of the control
	,
	Signature:
	Title: like President

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall, be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

designed the second that the second section is the second of the second section of the second section is the second section of the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section is the section of the second section of the second section is the second section of the section of the second section is the second section of the s

PRECISION WIRELINE AND TESTING AND TESTING NATURAL GAS ANALYSIS REPORT 620-624-4505

on a great new will consider to the term. The more than the first the description of the first terms of the contract of the co

Operator: O'BRIEN ENERGY RESOU

Analysis Date: 10/25/10

-Well Name: RICKERS RANCH 4-20

Sample Date: 10/25/10

~Tiocation: 20=338=29W: -

Sample Pressure: 63.6

*County: MEADE

Sample Temperature: 72

State: KANSAS

Sample Time: 1430

Sample Source: METER RUN

Formation: MORROW Bottle No: P-12

Requested By: O'BRIEN ENERGY RESOURCES CORP

Sampled By: MARK

NATURAL GAS ANALYSIS

way or the per

ч	Mole %	GPM
Helium	0.081	
Hydrogen	0.000	
Oxygen	0.000	
Nitrogen	4.084	
Carbon Dioxide	0.344	
Methane	76.717	
Ethane	8.094	3.035
Propane	5.946	2.229
Iso Butane	0.886	0.271
Normal Butane	1.918	0.610
Iso Pentane	0.491	0.135
Normal Pentane	0.553	0.153
Hexanes Plus	0.886	0.204
TOTALS	100.000	6.637
Z Factor:		0.9997
Specific Gravity:		0.7556
BTU/cu.ft. (sat, 60 f. BTU/cu.ft. (dry, 60 f.	14.73 psia):	1241.0
BTU/cu.ft. (dry, 60 F.	14.73 psià):	1263.0
Octane Rating	a was to story with the second	. Any 1,112.356 & 2 Sec.

NOV 0 4 2010

KCC WICHITA