

TO:  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-009-12405-00-00  
Spot: N2NWSW Sec/Twnshp/Rge: 34-20S-12W  
2310 feet from S Section Line, 4620 feet from E Section Line  
Lease Name: FOELGNER Well #: 2  
County: BARTON Total Vertical Depth: 3460 feet

Operator License No.: 31395  
Op Name: B-F OIL CO. L.L.C.  
Address: 724 COOLIDGE  
GREAT BEND, KS 67530

String	Size	Depth (ft)	Pulled (ft)	Comments
SURF	8.625	265	0	300 SX CMT
PROD	5.5	3457	0	125 SX CMT

Well Type: OIL UIC Docket No: \_\_\_\_\_ Date/Time to Plug: 07/01/2010 9:00 AM  
Plug Co. License No.: 6901 Plug Co. Name: D S & W WELL SERVICING, INC.  
Proposal Rcvd. from: TIM DICKSON Company: B-F OIL CO. L.L.C. Phone: (620) 786-4258

Proposed Method: Ordered 350 sxs 60/40 pozmix - 4% gel - 500# hulls.  
Well bridged at 10' - drilled through bridge - hit another bridge at 300' - drilled through.  
Ran tubing to 1349' - hit another bridge - drilled to 1443' - junk in the hole - tried to drill - getting pieces of metal in returns.  
Decided to plug from 1443'.

Plugging Proposal Received By: CASE MORRIS WitnessType: COMPLETE (100%)  
Date/Time Plugging Completed: 07/01/2010 1:00 PM KCC Agent: BRUCE RODIE

Actual Plugging Report:

Perfed at 200' - 675' - 1435'.  
Ran tubing to 1420' - pumped 200 sxs cement with 200# hulls - circulated cement to surface.  
Pulled tubing - tied onto casing and pumped 50 sxs cement - circulated cement out surface pipe.  
Shut in.

Perfs:

INVOICED  
DATE 10-14-2010  
INV. NO. 2011060018

Remarks: COPELAND ACID AND CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed

Bruce Rodie

(TECHNICIAN)

RECEIVED

JUL 12 2010 Form CP-2/3

KCC WICHITA

JUL 08 2010

Contr. SHELLEY-MILLER

BARTON County


E 1857RB Comm. \_\_\_\_\_ Comp. 1-1-60

IP \_\_\_\_\_ 44 BOPD  
PHY POT

Tops	Depth	Datum
HEEB	3045	-1188
BR LM	3172	-1315
LANS	3189	-1332
ARB	3418	-1561
TD	3460	-1603

Casing  
8" 265  
5" 3457  
DST 3430-58/1 HR, 90' o & GCM,  
BHP 800#  
CO TD: BL 1/3 BOPH, NATL: ACID  
300: SWB 1 1/4 BOPH: ACID 600: SWB  
1 1/2 BOPH, NW: DD 3460: BL 2 1/2 BOPH,  
12% WTR

CHASE-SILICA POOL



INDEPENDENT OIL & GAS SERVICE  
WICHITA, KANSAS