

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

Ellis County. Sec. 15 Twp. 11 Rge. 17W (E) (W)

Location as "NE/CNW%SW%" or footage from lines SW SE SE

Lease Owner Morgenstern & Specter

Lease Name Richmond Well No. 1

Office Address Russell, Kans.

Character of Well (completed as Oil, Gas or Dry Hole) oil

Date well completed 8-27-37 19

Application for plugging filed 7-14-63 19

Application for plugging approved 7-15-63 19


Plugging commenced October, 12, 1963 19

Plugging completed October, 14, 1963 19

Reason for abandonment of well or producing formation failure to produce profitably.

If a producing well is abandoned, date of last production \_\_\_\_\_ 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Eldon Petty, Hays, Kansas

Producing formation arbuckle Depth to top 3413 Bottom 3416 Total Depth of Well 3416' Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10"	820'	none
				7"	3395'	1,585.64'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Plugged, back with sand to 3000-feet, dumped 5- sacks cement.  
Circulated Mud at 500-feet, pumped 25- sacks cement at 500-feet.  
Pumped 25- sacks cement at 200- feet, put ten sacks on top.

RECEIVED  
STATE CORPORATION COMMISSION  
OCT 21 1963 PCWD  
10-21-63  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Lynch Casing Pulling Company. No. 457

Address R.Rt.4 Great Bend, Kansas

STATE OF Kansas, COUNTY OF Russell, ss.  
Morgenstern & Specter (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. Specter  
Russell, Kans. (Address)

SUBSCRIBED AND SWORN to before me this 18<sup>th</sup> day of October, 1963

My commission expires March 9, 1966 W.N. Dawson Notary Public.



KANSAS GEOLOGICAL SOCIETY  
KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU  
KANSAS GEOLOGICAL SOCIETY BUILDING  
508 EAST MURDOCK - WICHITA, KANSAS

COPY

COMPANY THE BLACKWELL OIL & GAS COMPANY

SEC. 15 T. 11 R. 17W

FARM Richmond NO. 1

LOC. SW SE SE

TOTAL DEPTH 3416'

COUNTY Ellis KANSAS


COMM. 7-31-37

COMP. 8-27-37

SHOT OR TREATED

CONTRACTOR

ISSUED



CASING

20	10"	820'
15	8	
12	7"	3395'
13	5	

ELEVATION 1876 DF

PRODUCTION Oil

FIGURES INDICATE BOTTOM OF FORMATIONS

shale	39
shale & lime shells	208 128
shale, lime & red bed	405
red bed & lime	595
sand	611
shale, sand & lime	775
lime	820
red rock & pytiers	1016
red rock & lime	1095
Anhydrite lime	1111
lime	1135
red bed	1308
red bed & lime	1445
salt & shale	1522
salt	1650
lime & shale	1703
shale & syd lime	1816
shale & lime	1916
lime	1950
shale & lime	2079
lime, red rock	2128
lime	2150
red rock & shale	2213
shale & lime shells	2313
lime	2366
lime & shale	2425 23
lime & shale brks.	2520
shale & lime shells	2610
shale & lime	2700
shale	2810
lime	2980
lime & shale	3022
lime	3060
broken lime	3095 2285
lime & shale breaks	3160
lime	3204
lime, hard	3231
lime	3320
broken lime & shale	3350
shale	3360
hard lime	3368
lime	3390
broken lime	3397
green shale	3398
lime	3401
lime	3408
green shale	3410
lime (someoil)	3413
lime (oil)	3416
Total Depth	

RECEIVED  
STATE CORPORATION COMMISSION

JUL 15 1963

CONSERVATION DIVISION  
Wichita, Kansas

Potential 1198 Bbls.

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY.  
412 Union National Bk Bldg, Wichita, Kansas.


THE BLACKWELL OIL & GAS CO.  
Richmond No. 1.

SEC 15 T. 11 N. 17W.  
SW SE SE  
330' N of S.L. 990' E of WL.

Total Depth. 3416  
Comm. 8-28-37 Comp. 9-4-37  
Shot or Treated.  
Contractor.  
Issued. 10-23-37

County. Ellis.

CASING. Rotary 3397  
cable 3416



10" 820'  
7" 3395'6"

Elevation.

Production. Pot. 1198 B.

Figures Indicate Bottom of Formations.

shale	39	cable tools.	
shale lime shells	208	shale green	3398
shale lime red bed	405	lime	3401
red bed and lime	595	lime	3408
sand	611	shale green	3410
shale sand and lime	775	lime (some oil)	3413
lime	820	lime oil	3416
red rock and pyrites	1016	Total Depth.	
red rock and lime	1095		
anhydrite lime	1111		
lime	1135	siliceous	3410-3416
red bed	1308		
red bed and lime	1446		
salt and shale	1522		
salt	1650		
lime and shale	1703		
shale and sdy lime	1816		
shale and lime	1916		
<b>lime</b>	<b>1950</b>		
shale and lime	2079		
lime red rock	2128		
lime	2150		
red rock and shale	2213		
shale and lime shells	2313		
lime	2366		
lime and shale	2425		
lime and shale brks	2520		
shale and lime shells	2610		
shale and lime	2700		
shale	2810		
lime	2980		
lime and shale	3022		
lime	3060		
broken lime	3095		
lime shale breaks	3160		
lime	3204		
lime hard	3231		
lime	3320		
broken lime and shale	3350		
shale	3360		
lime ha rd	3368		
lime	3390		
broken lime	3397		