KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:	Г	VI 20	Lho	5I	(See Instruc	tions on Re	verse Side)				
_			Q A T	r i i i j	, 04	Test Date	: :			API	No. 15	·		
De	liverabi	ity			·	12-10-2	005			181	-20334-00 ·	.00		
Company Rosewo		soui	ces					Lease Bowma	n			1-8	Well N	umber
County Sherman	n		Lo SEN	cation NE		Section 8		TWP 7S		RNG (E/ 39W	W)		Acres 80	Attributed
Field Goodlan	ıd					Reservoir Niobrara					ering Conn Systems In			
Completion 10-24-20						Plug Baci	k Total Dept	th		Packer S	et at			
Casing Si 4 1/2"	ize			eight .5#		Internal E 4.052	Diameter	Set a		Perfor	ations	To 105	 4'	
Tubing Si	ze			eight		Internal D	Diameter	Set a	ıt	Perfor	ations	То		
Type Con			escribe)			Type Flui	d Production	n		Pump Un	it or Traveling	Plunger? Ye	s / No	
Producing	Thru		nulus / Tu	ıbing)			arbon Dioxi	de		% Nitroge			Gravity -	G _g
Annulus Vertical D							Droc	sure Taps				.6 (Met	or Run) (F	Prover) Size
1054'	epinin	,					Flan					2"	er Mull) (r	10001) 3120
Pressure	Buildu	o: :	Shut in _	12-10	20	05 at 10	0	AM (PM)	Taken 12	2-11	20	05 _{at} 11		(PM)
Well on L	ine:		Started _	12-11	20	05 at 1	1	(PM)	Taken 12	2-12	20	05 _{at} 9		(PM)
							OBSERVE	D SURFACI	E DATA			Duration of Sh	ut-in _24	Hours
Static / Dynamic Property	Orific Size	Э	Circle (Meta Prover Pr	er	Pressure Differential in	Flowing Temperature t	Well Head Temperature t	Cas Wellhead (P _w) or (P	Pressure	Wellhea	ubing d Pressure (P _t) or (P _c)	Duration (Hours)		uid Produced (Barrels)
Shut-In	(men		psig (I	Pm)	Inches H ₂ 0			psig	_{psia} 25.6	psig	psia			
Flow	,				,			4	18.6			24	0	
							FLOW STR	EAM ATTR	IBUTES	· · · · · · · · · · · · · · · · · · ·				
Plate Coeffiec (F _b) (F Mcfd	ient	Pro	Circle one: Meter or ever Pressu psia	ire	Press Extension	Grav Fact	tor	Flowing Temperature Factor F _{rt}	Fa	iation actor - pv	Metered Flov R (Mcfd)	w GC (Cubic Bar	Feet/	Flowing Fluid Gravity G _m
											14			
(D.)3			(D	\2	_	•	OW) (DELIV					($P_a^2 = 0.0$ $P_d^2 = 0.0$	207
$(P_c)^2 = {(P_c)^2 - (I_c)^2 - $	P _e) ²	_ · (F	(P _w) ² - (P _w) ²		ose formula 1 or 2: 1. P _c ² - P _a ² 2. P _c ² - P _d ² ded by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide		Backpre Slop As	ssure Curve pe = "n" or signed ard Slope	nxt	og	Antilog	C De	Open Flow bliverability Is R x Antilog (Mcfd)
Open Flo	w				Mcfd @ 14.	65 psia		Deliverab	ility			Mcfd @ 14.65	psia	
		-		-	ehalf of the							ort and that he		wledge of 20 <u>05</u> .
			Witn	ess (if an	у)	REC	EIVED			(gy)	For	Company	<u></u>	
			For	Commissio	on	DEC 2	9 2005	-			Che	cked by		

KCC WICHITA

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the Bowman 1-8 gas well on the grounds that said well:
(Check one)
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commiss
staff as necessary to corroborate this claim for exemption from testing.
stan as necessary to corroborate and diamnor exemption from tooking.
Date: 12-19-2005
Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
DEC 2 9 2005
KCC WICHITA

Well Name: Bowman 1-8

* *

> DEC 2 9 2005 KCC WICHITA

r.1onthly	/ Gauge Sheet				·
			• .		
A/ - 8/ - N	- Qrus		G .	1.4 1.1	ING
vveli Ma	ame:BOWY	run 1-	<u> </u>	Month:	
 Date	MCF	TP	СР	Wtr	Remarks
	11101	''	OF .	AAG	.
1	12		14		
. 2	1/2		14	_	
3	12		MY	· · ·	
4	12		1 4		
5	12		4		
6	12		4		
7	12		- 4		·
88	12		L		
9	14		U		4.
10	1/2	 -	4		
	14	1	1 -2		
12	17		+->-		
13	+15		$+\frac{\Im}{2}$		
14	13		3		
15 16	12		3		
17	111		3		
18			1 3 3		
19					
20	111		3 3		
21			 		
22	Till		13		
23	111		1 3		
24			13		
25			3		BlewPot
26			3		W W
27			3		
28	10		5		co 12hps
29	5				co 8 hes
30	10	_	5		RECEIV

DEC 2 9 2005 KCC WICHITA

Monthly	Gauge Sheet				
Well Na	ime:Bowm	an 1-8		Month: 10/05	<u>5</u>
Date	MCF	TP	СР	Wtr	Remarks
	,				
1	1)		S		
2			<i>S S S</i>		
3	11		5		
4	1		5 18		
5			5		
6	11		5		
7	12		5		
8	11		<u> </u>		7.,
9			5		
10	\// ₁		3		
11 12			5		
13	1 11	<u> </u>	3 18		
14		٠.,	5		
15		`.			
16	1 11		3		
17	111		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ 		
18	111		ζ		
19	il		5		
20	11		5 18		
21			5		
22	13		5		
_23	13		5		
24	14		5		
25	12		4		
26	12		4		
27	12		,4		
28 29	19		<u> </u>		RECEIVE
30	1'2'		4		nrc 2 0 200
31	13		4		DEC 2 9 20

٠,