## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side)													
Dolivorobilty /						Test Date: API No. 15 4-26-2006 181-20334-00 • ♥♥							
Company		esou	rces				Lease Bowma	an			1-8	Well N	umber
County	County Location 5					Section TWP 8 7S			RNG (E/V	V)		Acres 80	Attributed
Field Goodlar	nd					Reservoir Niobrara				ering Conne Systems Inc			
Completion Date         Plug Bar           10-24-2003         1209'						k Total Dep	th		Packer Se	et at			
Casing S 4 1/2"	Casing Size Weight 4 1/2" 10.5#			Internal ( 4.052	Diameter		Set at 1213'		Perforations 1024'		4'		
Tubing S none	ize		Weigh	t	Internal (	Internal Diameter Set at			Perforations				
Type Cor Single (	•	•	escribe)		Dry Ga	Type Fluid Production Dry Gas			Pump Unit or Traveling Plunger's Flowing			es / No	)
Producing Annulus	-	ı (An	nulus / Tubing	1)	% C	% Carbon Dioxide %				n	Gas .6	Gravity -	G <sub>g</sub>
Vertical D 1054'	Depth(I	H)				Pressure Taps Flange					2"		Prover) Size
Pressure	Build	ıp:	Shut in4-2	6 2	06 at 1	06 at 12:40 (AM) (PM) Taken 4 06 at 5:40 (AM) (PM) Taken 4			-27	20	06 <sub>at</sub> 5:40		(AM) (PM)
Well on L			Started 4-2	72	0 06 at 5	:40	(AM) (PM)	Taken 4-	-28	20	06 <sub>at</sub> 1:40		(AMX(PM))
					1	OBSERVE	D SURFAC	E DATA			Duration of Sh	ut-in_24	Hours
Static / Dynamic Property	Siz	ifice Meter Differential Inches H,0		Flowing Well Head Temperature t		Casing Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_c)$ psig psia		Tubing Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_o)$ psig psia		Duration (Hours)	, .	id Produced (Barrels)	
Shut-In		2				9	23.6	Pos Pos					
Flow		<del></del>				EL OW OTO	4	18.6			24	0	
Plate			Circle one:			FLOW STA		RIBULES	T				Flouring
Coeffiec (F <sub>b</sub> ) (F Mcfd	ient	Pro	Meter or ver Pressure psia	Press Extension ✓ P <sub>m</sub> x h	Grav Fact	tor	Flowing Femperature Factor	Fa	riation actor pv	Metered Flow R (Mcfd)	GC (Cubic Barr	Feet/	Flowing Fluid Gravity G <sub>m</sub>
										12			
					•	OW) (DELIV		•				$P_a)^2 = 0.2$	· 207
(P <sub>c</sub> ) <sup>2</sup> =		<u> </u>		;	P <sub>d</sub> =		% (I	P <sub>c</sub> - 14.4) +	14.4 =	<del></del> ;	(F	<sup>2</sup> <sub>d</sub> ) <sup>2</sup> =	
$(P_o)^2 - (P_e)^2$ or $(P_o)^2 - (P_d)^2$		(F	$(P_o)^2 - (P_w)^2 = \begin{pmatrix} Choose formula 1 \text{ or } 2: \\ 1. P_o^2 - P_o^2 \\ 2. P_o^2 - P_d^2 \\ divided by: P_o^2 - P_w^2 \end{pmatrix}$		LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	De Equal	pen Flow liverability s R x Antilog (Mcfd)
				w									
Open Flor	\ <b>A</b> .			Mcfd @ 14.	es pois		Daliberra	~ilie			1-44 @ 44.05		
· ·							Deliveral				Acfd @ 14.65 p		
		-	-	behalf of the			-		o make the day of Jul	•	t and that he	has know	rledge of
			Witness (if	any)			-		10	m	1/1	/oe	<u>//</u>
			ANIO SS (II				うごうこ		<i></i>	For Ce	этрану		
			For Commi	ssion			RECE	AED		Check	ked by		

JUL 2 8 2006 KCC WICHITA

exempt status unde and that the forego correct to the best of of equipment install	penalty of perjury under the laws of the state of Kansas that I am authorized to request r Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.  ing pressure information and statements contained on this application form are true and if my knowledge and belief based upon available production summaries and lease records ation and/or upon type of completion or upon use being made of the gas well herein named. It a one-year exemption from open flow testing for the Bowman 1-8 unds that said well:
i i i i i i i i i i i i i i i i i i i	s a coalbed methane producer s cycled on plunger lift due to water s a source of natural gas for injection into an oil reservoir undergoing ER s on vacuum at the present time; KCC approval Docket No s not capable of producing at a daily rate in excess of 250 mcf/D o supply to the best of my ability any and all supporting documents deemed by Commission o corroborate this claim for exemption from testing.
Date: 7/27/2006	
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

JUL 2 8 2005

**KCC WICHITA** 

= 1

Well Name: Bowman

Pumper: TRS Month <u>3/06</u>

Static   Diff   MCF   Wtr   TP   CP   Cycle   Remarks		,·	Υ			ang baga			
Static   Diff   MCF   Wtr   TP   CP   Cycle   Remarks	1,1					130		SPM	
1. 10	Day	Static	Diff	MCF	Wtr	TP	CP	1	Remarks
16 16 11 3 3 1 16 11 3 3 1 1 16 11 3 3 1 1 16 11 3 3 1 1 1 1	1	16				11.	3		
	2	16		12	<u> </u>		3		
16 10 11 - 3 1 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1	3	16		11			3		
16	4	9		11			3		
	5	16		11			3		
	6	16		11			3		
1	7	16		11			3	N 7 N	
0	8	16 .		1)			3		
0   6   11   3   1   3   1   3   3   3   3	9	16		11		·	2		
2   16	10	16		11					
3 B	11	16.		11			3	<del></del>	
4   6   11   3   3   6   6   6   11   3   3   6   6   7   7   7   7   7   7   7   7	12	16		11			3		
4   6   11   3   3   6   6   6   11   3   3   6   6   7   7   7   7   7   7   7   7	13	B		11	_		7		
5 16 11 3 6 16 11 3 7 17 10 — 4 PM MMP  8 16 9 — 3  1 16 9 — 3  1 16 10 3  1 16 10 3  1 16 10 3  1 16 10 3  1 16 10 3  1 17 9 — 4 BP Carry on  1 17 9 — 4 BP Carry on	14	16		1)					
6 16 10 3 PM (Fry) 8 16 9 3 PM (Fry) 9 16 9 - 3 PM (Fry) 1 16 9 - 3 PM (Fry) 1 16 10 3 PM (Fry) 1 16 10 3 PM (Fry) 1 17 9 - 4 PM (Fry) 1 18 PM (Fry) 1 19 PM (Fr	15	16	,	11	-				
1 1 10 — 4 PM (Frup)  8 16 9 3  16 10 3  16 9 — 3  16 9 — 3  16 10 3  16 10 3  16 10 3  17 9 — 4 BP Carry on  17 9 4 4	16		* ', •	11	<u> </u>				
16 9 3 16 10 3 16 9 - 3 16 9 - 3 16 10 3 16 10 3 16 10 3 17 9 - 4 BP Carry on	17	1)	11 ; 15	10		17		·	em con n
16 10 3 16 9 - 3 16 9 - 3 16 10 3 16 10 3 16 10 3 17 9 - 4 BP Carry On	18	16		$\overline{a}$					Pillery
16 9 - 3 16 10 - 3 16 10 - 3 16 10 - 3 16 10 - 3 17 9 - 4 BP Carry on	19	7/					2		
16 9 3 16 10 3 16 10 3 16 10 3 17 9 4 BO Carry On	20	16					2		
16 10 3 16 10 3 16 10 3 17 9 - 4 BO Carry On	21			a				····	
16 10 3 16 10 3 16 10 3 17 9 - 4 BO Cavyou	22								
16 10 3 17 9 - 4 BO Carryon	23							<del></del>	
16 18 3 17 9 - 4 BO Carryon	24	77						•	
17 9 4 BO Cavyou		<del>17~~</del>		48					
1.7 9 - 4 BO Carryon	26	17		69					:
17 9 4 5 Carryon	27	13		4					00
	28								BO Carry Over
1/6	29	1/					4		<u> </u>
16 9 3	30	17					<u> </u>		
141111111	31	1/0							
Totals DECENTER		14		7					

JUL 2 8 2005

KCC WICHITA

Well Name:

. :

- 1

Bowman 1-8

Pum	per:	<del></del>	- //	· · · · · · · · · · · · · · · · · · ·		-	Month	4/06	
%				1	<u>.</u>		SPM		
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks	
1	11/		10			4			
2	17		10			4			
3	17		10			4			
4	17		10			4			
5	17		10			4			
6	17		10			4			
7	18		9			5	,		
8	18		9			2000 1000			!
9	18		9						
10	18		9		-	5		BP	
11	18		9	_	_	S			,
12	19		8			6			1
13	19		9	_	)	6			; ;
14	19		9	_		1	····		
15	18		9.	•		25			
16	18		9			5			· · · · · · · · · · · · · · · · · · ·
17	18	7.5.	9	-		5			
18	18		9						
19	18		10			5			<del></del>
20	18		10			5			<del></del>
21	18		10			5			<u> </u>
22	18		9			3			
23	18		9			5			
24	18		9			5			
25	16		9			3	·····		
26	22		9.			a		<del>4</del>	12:11000
27	2>		Ø			<del>d</del>		SIBOUR	12.90pm
28	17		·			1		phar	s yupm
29	10		12			7			
30	10		13			7			
31			10			4		<del> </del>	:
<u> </u>	<u> </u>	Totals							1
	•	i otals [			ji0 a_	.P.Tivi	-		

JUL 2 8 2000G

**KCC WICHITA**