KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Company Rosewood Resources Crouch Solary Location SWNE Solary Location SWNE Solary Reservoir Gas Gathering Connection Branch Systems Inc. Completion Date 1-19-2003 1201 Reservoir Rose Total Depth 1-1201 Reservoir Rose Set at 1-1207 Reservoir Rose Set at 1-1207 Reservoir Rose Reservoir Rose Reservoir Rose Reservoir Rose Set at 1-1207 Reservoir Rose Rose Rose Attributed Rose Reservoir Rose Rose Rose Rose Rose Rose Rose Rose		t: en Flow liverabill	•			Test Date 2/4/200		tions on Re	everse Sid	AP	I No. 15 1-20326-00*	60		
Sherman SWNE 3 7S 39W 60 Field Reservoir Goodland R			ources		***************************************	2/4/200			1				Well Number	
Social Scale Social Social Scale Social Sc	County Location				Section TWP					E/W)		Acres Attributed		
2-19-2003 1-2011 2-19-2003 1-2011 2-19-2003 1-2011 2-2-20-20-20-20-20-20-20-20-20-20-20-20-	Field Goodland						Reservoir			Gas Gathering Connection				
1.12	•									Packer	Set at			
Type Completion (Describe) Type Fluid Production Dry Gas Flowing Gas Gravity - G. 6 (Meter Run) (Prover) Size 2' Pressure Buildup: Shut in 2-3 20 09 at 3:10 AM) (MM) Taken 2-4 20 09 at 3:25 (AM) (MM) Taken 2-5 20 09 at 4:10 Ontice Started County Flowing	Casing S 4 1/2"						Diameter							
Single (Conventional) Producing Thru (Annulus / Tubing) % Carbon Dioxide % Nitrogen Gas Gravity - G _s 6 Annulus Vertical Depth(H) Pressure Taps (Meter Flun) (Prover) Size Flange 2" Pressure Buildup: Shut in 2-3 20 09 at 3:10 (AM) (M) Taken 2-4 20 09 at 3:25 (AM) (M) Taken 2-5 20 09 at 4:10 (AM) (M) (M) Taken 2-5 20 09 at 4:10 (AM) (M) (M) Taken 2-4 20 09 at 4:10 (AM) (M) (M) Taken 2-4 20 09 at 4:10 (AM) (M) (M) Taken 2-4 20 09 at 4:10 (AM) (M) (M) (M) Taken 2-4 20 09 at 4:10 (AM) (M) (M) (M) Taken 2-4 20 09 at 4:10 (AM) (M) (M) (M) Taken 2-4 20 09 at 4:10 (AM) (M) (M) (M) (M) (M) Taken 2-4 20 0 9 at 4:10 (AM) (M) (M) (M) (M) (M) (M) Taken 2-4 20 0 9 at 4:10 (AM) (M) (M) (M) (M) (M) (M) (M) (M) (M) (Tubing Si none	ize		Weight		Internal Diameter Set at			at	Perforations		То	То	
Annulus Vertical Depth(H) Pressure Taps Flange Pressure Buildup: Shut in 2-3 20 9 at 3:10 Annulus Neil on Line: Started 2-4 20 9 at 3:25 Annulus OBSERVED SURFACE DATA OUration of Shut-in 72 Hour Tubing Pressure (Pare (Pare)) (Prover) Size (Pare) OPPOPHY (Prover) Size (Pare) OPPOPHY (Prover) Size (Pare) OPPOPHY (Prover) Size (Pare) OBSERVED SURFACE DATA Ouration of Shut-in 72 Hour Tubing Wellhead Pressure (Pare) (P		Type Completion (Describe) Single (Conventional)											/ (6)	
Flange Pressure Buildup: Shut in 2-3 20 09 at 3:10 (AM) (M) Taken 2-4 20 09 at 3:25 (AM) (M) (M) Taken 2-5 20 09 at 3:25 (AM) (M) (M) (M) (M) (M) (M) (M) (M) (M) (Annulus	3	Annulus /	Tubing)		% Carbon Dioxide				% Nitro	gen	.6		
Static Orifice Circle and Pressure Flowing F	Vertical D 1037'	epth(H)											Run) (Prover) Si	
Static / Orifice max. Meter Orynamic Size (Inches) Prover Pressure psig (Pm) Inches H ₂ 0 Pressure (Inches) Prover Pressure psig (Pm) Inches H ₂ 0 Pressure (Inches) Prover Pressure psig (Pm) Inches H ₂ 0 Pressure (Inches) Prover Pressure psig (Pm) Inches H ₂ 0 Pressure psig (Pm) Inches H ₂ 0 Pressure (Inches) Pressure psig (Pm) Inches H ₂ 0 Pressur	Pressure	Buildup:		·					,	20 at			(AM) (Ñ	
Static / Orifice Original Circle ene: Meter Prover Pressure (Inches) Pressure (Inche	Well on L	ine:	Started	2-4	2	0 <u>09</u> at 3	:25	(AM) (PM)	Taken 2	-5	20	09 at 4:10	(AM)(PM	
Static Orifice Orifice Orifice Orifice Original Orifice Original Orifice Original Orifice Original Origina					I _		OBSERVE			1		Duration of Shut	72 -in Ho	
Shut-In 10 24.4 72 0 FLOW STREAM ATTRIBUTES Plate Coefficient (F ₂) (F ₃) Prove Pressure psia Prove psia Prove psia Prove psia Prove Prossure Psiator Factor F ₁ Prove Prove Prove Prove Psia Psia Psia Psia Psia Psia Psia Psia	Static / Dynamic Property	tatic / Orifice Meter namic Size Prover Pressure		Differential in	Temperature Temperature		Wellhead Pressure (P _w) or (P _t) or (P _c)		Wellhead Pressure (P _w) or (P _t) or (P _c)					
FLOW STREAM ATTRIBUTES Plate Coefficient (F _p) (F _p) (F _p) Meter or Prover Pressure psia P-mxh Factor F _g Flowing Factor F _g Temperature Temperature Factor Factor F _g Temperature Factor Factor F _g Temperature Temperature Factor F _g Temperature Temperature Factor F _g Temperature Temperature Temperature Factor F _g Temperature Tempe	Shut-In						 	poid poid						
Plate Coefficient Meter or Meter or Prover Pressure psia	Flow			·				14	28.4			72	0	
Coefficient (F _p) (F _p) Prossure psia Pressure Psicor psia Pressure Psicor psia Pressure Psicor psia Pressure Psicor psia Psicor psia Psia Psia Psia Psia Psia Psia Psia P		1					FLOW STR		RIBUTES					
(OPEN FLOW) (DELIVERABILITY) CALCULATIONS (P _o) ² =	Coeffiect	ient ,)	Meter or Prover Pressure		Extension	Factor		emperature Factor	Fa	ictor	R	R (Cubic Fe		
P _c) ² = : (P _w) ² = : P _d = % (P _c -14.4) + 14.4 = : (P _d) ² = : (P _d)	*******									10				
Checked by Che						-			-					
(P _c) ² - (P _a) ² (P _c	$P_c)^2 = _{}$	<u> </u>	: (oose formula 1 or 2		°				 : ₁	(P _d)	ı² =	
Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the	or		² (P _c) ² - (P _w) ²		1. P _c ² -P _a ² 2. P _c ² -P _d ²	LOG of formula 1. or 2. and divide p 2_p 2		Slope = "n" or Assigned		n x LOG		Antilog	Deliverability Equals R x Anti	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the day of November with the said report is true and correct. Executed this the day of November report and that he has knowledge of November report and that h						-,-								
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the day of November with the said report is true and correct. Executed this the day of November report and that he has knowledge of November report and that h	Onen Flor		······································		Mofd @ 14	65 neia		Deliverat	hility			Mrfd @ 14.65 ns	ia	
Witness (if any) For Commission November And Applied Applie	-		ned autho	rity, on b			tates that h		•	o make th				
For Commission Checked by		_		_				-				11 11		
For Commission Checked by			w	/itness (if an	y)			-	10	m_	W / For 0	company J	2 mear	
NOV 3 N			Fe	or Commissi	on			-			Chec	cked by		

KCC WICHITA

	nder penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the fo correct to the b of equipment in	regoing pressure information and statements contained on this application form are true and est of my knowledge and belief based upon available production summaries and lease records stallation and/or upon type of completion or upon use being made of the gas well herein named.
	grounds that said well:
I further ag	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D ree to supply to the best of my ability any and all supporting documents deemed by Commissionary to corroborate this claim for exemption from testing.
Date: 11/17/09	Signature: Jam W Roelk

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

NOV 3 0 2009

W396 Crouch 1-3 North Goodland Goodland None February-09

	Casing			HF	RS :	REMARKS
DATE	PSI	STATIC	MCF	DC)WN	(Maximum length 110 characters
2/1/2009	1	0 23	3	9	0	
2/2/2009	1	0 23	3	9	0	
2/3/2009	1	6 39	•	5	12	
2/4/2009	1	6 29	•	0	24	
2/5/2009	1	6 29)	0	24	
2/6/2009	1	6 29)	0	24	
2/7/2009	1	6 29	•	0	10	bp
2/8/2009	1-	4 2	7	3	0	
2/9/2009	1-	4 27	7	8	0	
2/10/2009	1	4 27	7	8	5	
2/11/2009	1.	4 27	7	8	2	
2/12/2009	1	4 27	7	8	0	
2/13/2009	1:	2 25	5	8	0	
2/14/2009	1:	2 25	5	8	0	
2/15/2009	1:	2 25	5	8	0	
2/16/2009	1:	2 25	5	8	0	
2/17/2009	1:	2 25	5	8	0	
2/18/2009	13	3 26	5	9	0	bp
2/19/2009	13	3 26	5	9	0	
2/20/2009	1:	2 25	5	8	0	
2/21/2009	13	2 25	5	8	0	
2/22/2009	13	2 25	i	8	0	
2/23/2009	12	2 25	5	8	0	
2/24/2009	12	2 25	;	8	0	
2/25/2009	12	2 25	;	8	0	
2/26/2009	12	2 25	•	10	0	
2/27/2009	12	2 25	i	8	6	
2/28/2009	12	2 25	;	8	6	
3/1/2009					0	
3/2/2009					0	
3/3/2009					0	

Total 190

RECEIVED NOV 3 0 2009 KCC WICHITA

W396 Crouch 1-3 North Goodland Goodland None March-09

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
3/1/2009	14	27	1	0	
3/2/2009	14	27	2	0	
3/3/2009	14	27	3	0	
3/4/2009	14	27	6	0	
3/5/2009	14	27	10	0	bp
3/6/2009	14	. 27	10	0	
3/7/2009	14	27	10	0	
3/8/2009	14	. 27	10	0	
3/9/2009	14	27	10	0	
3/10/2009	14	27	10	0	
3/11/2009	14	27	10	0	
3/12/2009	14	27	10	0	
3/13/2009	12	25	10	0	
3/14/2009	12	. 25	10	0	
3/15/2009	12	25	10	0	
3/16/2009	11	24	10	0	
3/17/2009	11	24	10	0	
3/18/2009	11	24	10	0	
3/19/2009	11	24	10	0	
3/20/2009	11	24	10	0	
3/21/2009	11	24	10	0	
3/22/2009	11	24	10	0	
3/23/2009	11	24	10	0	
3/24/2009	11	24	11	0	
3/25/2009	11	24	11	0	
3/26/2009	11	24	11	0	
3/27/2009	11	24	10	0	
3/28/2009	11	24	10	0	
3/29/2009	11	24	10	0	
3/30/2009	11	24	10	0	
3/31/2009	11	24	10	0	

Total 285

RECEIVED

NOV 3 U 2009

KCC WICHITA