KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side)														
✓ Open Flow					Toot Date	Toot Date: ADI No.								
Deliverabilty						Test Date: API No. 15 7/15/2006 15-181-2040					00-00			
Company Lease Well Number Rosewood Resources G. Ihrig 31-20										******				
County Location Sherman NWNE					Section 20				RNG (E 39W	M)		Acres Attributed 80		
Field Goodlan	d					Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.				
Completic 3/19/200		е			Plug Back Total Depth 1178'			Packer	Set at					
Casing Si	ize		Weigh 6.5#	t	Internal E 2.441	Diameter		Set at 1179'		orations '	To 1008'			
Tubing Si	ze		Weigh	t	Internal D	Internal Diameter Set at			Perfo	orations	То			
Type Con Single (•	•	escribe)			Type Fluid Production Dry Gas				nit or Traveling	Plunger? Yes	/No		
Producing		(Ani	nulus / Tubing	1)	% C	% Carbon Dioxide				gen		Gas Gravity - G _g .6		
Vertical D		1)	<u> </u>	······································		Pres	sure Taps			······································	(Meter f	Run) (Prover)	Size	
1008'						Flan	ge				2"			
Pressure	Buildu										at	(AM) (PM)	
Well on L	ine:		Started 7-19	92	0 06 at 6:	45	(AM) (M)	Taken 7-	20 06 at 7:00 (AM) (AM)					
					·	OBSERVE	D SURFACI	E DATA	1		Duration of Shut-	in	_Hours	
Static / Dynamic Property	Dynamic Size		Circle one: Meter Prover Pressu	1	Flowing Well Hear Temperature t		Casing Wellhead Pressure (P _w) or (P _t) or (P _o)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_g)		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In			psig (Pm)	Inches H ₂ 0			psig	psia	psig	psia				
Flow							57	71.65			24	0		
						FLOW STF	REAM ATTR	IBUTES						
Plate Coeffiecient (F _b) (F _p) Mofd		Circle one: Meter or Prover Pressure psia		Press Extension P _m x h	ension Factor		Tomporatura		iation etor _{pv}	Metered Flov R (Mofd)	w GOR (Cubic Fe Barrel)	et/ Fi	wing luid avity G _m	
										20				
L				<u> </u>	(OPEN FLO	OW) (DELIV	/ERABILITY) CALCUL	ATIONS		(P.)	2 = 0.207		
(P _c) ² =		<u>_:</u>	(P _w) ² =	·	P _d =		% (F	c - 14.4) +	14.4 = _	<u> </u>	(P _a)			
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(F	(P _o) ² - (P _w) ² Choose form 1. P _o ² 2. P _o ²		LOG of formula 1. or 2. and divide p 2 p		Backpressure Curv Slope = "n" or Assigned		n x 106		Antilog	Open Flo Deliverab Equals R x . (Mcfd)	ility Antilog	
				divided by: $P_o^2 - P_w$	2 by:	L" <u>"</u>	Stand	ard Slope				(MCIC)	'	
051					05		D. II.	****			M.44 @ 44 05	-		
Open Flor	W			Mcfd @ 14.	oo psia		Deliverab	HIITY			Mcfd @ 14.65 psi	a		
		•	•		• •		•			•	ort and that he ha	•		
the facts si	tated t	herei	n, and that sa	uid report is true	and correct	t. Executed	this the 30		day of	September	Mell	<u>, 20_0</u>	<u> </u>	
			Witness (i	fany)	·		-		100	For	Company			
			For Comm	ission						Cha	cked by RE	CEIVE	<u>n</u>	
				***						3.10	· / · · · · · · · · · · · · · · · · · ·	~ ∨ ∟	_	

SEP 2 8 2008 KCC WICHITA

	eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
	at the foregoing pressure information and statements contained on this application form are true and
orrect	to the best of my knowledge and belief based upon available production summaries and lease records
of equip	oment installation and/or upon type of completion or upon use being made of the gas well herein named.
l he	ereby request a one-year exemption from open flow testing for the G. Ihrig 31-20
as wel	ll on the grounds that said well:
	(Charle and)
	(Check one) is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
i fu	rther agree to supply to the best of my ability any and all supporting documents deemed by Commissi
taff as	necessary to corroborate this claim for exemption from testing.
ate: _S	9/30/2006
	Signature: m W/web
	Signature: / m 100 / m
	Title: Production Foreman

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED SEP 2 8 2006 Well Name: G. Ihrig 31-20 - on the Ind-(South)

٧.

Ÿ.

i,

Pumper:		Month 7/66									
·Z;	٠.٠	I				 	SPM				
Day	Static	Diff	MCF	₩tr	TP	CP	Cycle	Remarks			
1		<u> </u>		****			0,0.0	Remarks			
2	· · · · · · · · · · · · · · · · · · ·					<u> </u>		·			
3											
4											
5					n .						
6											
7											
8											
9											
10								•			
11	N.:										
12											
13											
14											
15			• • •	.,,							
16		-,:		,							
17		15'			•						
18							دير دو. دير				
19								15+605 6:450 21 ncf			
20	70		20			57		100#			
21	68		20			55					
22	68		20			55					
23	68		20			55					
24	67		19	-		154					
25	(e(e		19			53					
26	66		19			53					
27	Le5		19			52					
28	65		19			52					
29	65		19			52					
30	65		19			52		·			
31	64		19			51					
		Totals						RECEIVED			
	ú							" \LUCIVED			

..,:

SEP 2 8 2006 KCC WICHITA Well Name:

G. Thrig 31-20

Pumper:

TRS

Month __

8/06

	T			·, · · · · ·				
.:							SPM	•
Day		Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	64	_	18			51	·	
2	63		18		<u> </u>	50		
3	63		18	<u>. </u>		50		
4	63		18			50		
5	63		18			50		·
6	63		18			50		
7	63		18			50		
8	62	\	18			49		
9	62		18			49		
10	62		18			49		
11	6		18			48		
12	61		18			48		
13	61		18			48		
14	61		18			48		BP houte
15	61		17			48		
16	60	·	17			47		
17	60		17		<u> </u>	47	 	
18	60		177	1		45		
19	60		18			45		
20	60		13	-		47		
21	60		17		 	UA		
22	60		17	ļ — —		47		
23	60		17	_		47		
24	60		17			47		1.
25	59		17	17.06		460		
26	59		17			46		
27	59		17			4/2)	
28	58		17			45		:
29	SB		17			45	<u></u>	
30			17		:	45		
31	<u>58</u> 58		17		\			
· 1		Totals		<u></u>				

RECEIVED

SEP 2 8 2006

KCC WICHITA