KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	:				(See Instruc	tions on Re	verse Side))				
√ Ope	en Flo	w							i Ali i i i i				
Deliverabilty					Test Date 12/8/20				No. 15 -20452-01	OÖ			
Company Rosewoo		sour	rces, Inc.				Lease Yarger		·		21-11	Well Nu	ımber
County Location Sherman NENW				Section TWP 11 7S			RNG (E/W) 39W			Acres Attributed 80			
Field Goodland	d				Reservoi Niobrara					thering Conne Systems Inc			
Completio 11/06/20		е			Plug Bac 3029'	k Total Dep	th		Packer 5	Set at			
Casing Si: 4 1/2"	ize		Weigh 10.5#		Internal (4.000	Diameter		Set at 3029'		rations 5' & 1215'	To 2940'	To 2940' & 1230'	
Tubing Siz	ze		Weigh	nt	Internal Diameter . Set at				Perforations To				
Type Com S ingle (1					Type Flui Dry Ga	d Production	n		Pump Ui Flowir	nit or Traveling ng			
Producing Annulus		(Anr	nulus / Tubin	g)	% C	Carbon Dioxi			% Nitrog	jen	Gas G .6	ravity - (G _g
Vertical Di 3084'	epth(H					Pres Flan	sure Taps ge				(Meter 2"	Run) (P	rover) Size
Pressure 1	Buildu	p: 8	Shut in	2	0 at		(AM) (PM)	Taken		20	at		(AM) (PM)
Well on Li	ine:	;	Started 12-	8 2	o <u>06</u> at <u>1</u>	0:15	(PM)	Taken 12	2-9	20	06 at 10:15		(AM)(PM)
						OBSERVE	D SURFAC	E DATA			Duration of Shut	-in 24	Hours
Static / Dynamic Property	ynamic Size Meter Differenti reperty (inches)		Pressure Differential in Inches H ₂ 0	Flowing Temperature t Well Head Temperature t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) psig psia		Duration (Hours)		d Produced Barrels)	
Shut-In							53	67.4	poig	Polic			
Flow							4	18.4			24	0	
			<u>.</u>			FLOW STR	EAM ATTE	IBUTES					
Plate Coefficeient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension ✓ P _m xh	Gravity Factor F _a		Flowing Femperature Factor F _{rt}	Deviation Factor F _{pv}		Metered Flow R (Mcfd)	GOR (Cubic F	ic Feet/ Gran	Flowing Fluid Gravity G _m
										3			
					•	OW) (DELIV		•) ² = 0.2	07
P _o) ² =		_:_	(P _w) ² =	Choose formula 1 or 2	P _d =		T	P _c - 14.4) +	7	 :	(P _d)2 =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		1. P _c ² -P _a ² 2. P _c ² -P _c ² divided by: P _c ² -P _c ²	1. P _c ² -P _a ² LOG of formula 2. P _c ² -P _d ² 1. or 2. and divide P		Backpressure Curv Slope = "n" or Assigned Standard Slope		n x LOG		Antilog De	Del Equals	pen Flow iverability R x Antilog (Mctd)
				and april a f w									
				14-4-6-44	SE main		Daliment	_:!!!&			M-44 @ 44 CF	<u></u>	
Open Flow				Mcfd @ 14.			Deliverat				Mcfd @ 14.65 ps		
		-	-				-		o make the day of _F	-	rt and that he h	as know	dedge of
e tacts sta	ated th	nerei	n, and that sa	aid report is true	e and correc	t. Executed	this the		day of	7,	///	\mathcal{I}	
							-		_D	m M	////	el	K
			Witness (i	if any)						For C	Company	AC.	/ED
			For Comm	nission			-			Chec	*KANSAS CORF	CEIN	N COMMISS

I declare under penalty of perjury under the laws of the state of Kar exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rose and that the foregoing pressure information and statements contained correct to the best of my knowledge and belief based upon available prod of equipment installation and/or upon type of completion or upon use being	on this application form are true and duction summaries and lease records and made of the gas well herein named.
I hereby request a one-year exemption from open flow testing for the	Yarger 21-11H
gas well on the grounds that said well:	•
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reserving is on vacuum at the present time; KCC approval Docket is not capable of producing at a daily rate in excess of the further agree to supply to the best of my ability any and all supporting staff as necessary to corroborate this claim for exemption from testing.	et No
Date: _2/12/2007	
Signature:	Woelf an

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED KANSAS CORPORATION COMMISSION

Well Name:

Yager 21-11H

Pumper: Month 106

							SPM	·
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1								
2								
3								
4								
5								
6				<u></u>				
7								
8	`							Putonline 10:15Am 30mcf 53#CP
8	43		5			30		30mc+ 53#UP
10	23		533			10		
11_	16		+ 3			3		
12	17		3			4		00
13	17		5		<u> </u>	14		BP
14						1,4		CD
15	19		2			0		
16	19		3			6	ļ	
17	17	-	3			3	<u> </u>	
18	17	<u> </u>	3			3	ļ	00
19	16	<u> </u>	3			اکر ۔	 	BP
20	14		13		-	1	<u> </u>	
21	16		<u>3</u> 3		<u> </u>			
22	19		1			177		
23	1-4-5		3				 	
24	1-5		13			1-2		•
25	1-1-4-	<u> </u>	1 2			1.3	 	
26	10		12			13		
27	1.15	-			-	2		
28	15		13			2	-	
29	112		13		-	13		
30	13	 	13	 		12	 	
31	112	Totals						RECEIVED

RECEIVED KANSAS CORPORATION COMMISSION

Well Name:

Yager 21-11 H

Pump	per:					_	Month	1/07
	T	γ	T			1		,
Day	Statio	D:er	MOE				SPM	
Day	Static	Diff	MCF	Wtr	TP	CP	Cycle	Remarks
1	12	-	3			2		
2	12	7			 	2		
3	15		3	ļ				
4	13		3			2		BP
5	12		3			2	· · · · · · · · · · · · · · · · · · ·	
6	15		3	ļ	ļ	2		counes
7	12		3			2		
8	15.		3			3		· ·
9	12		3					FRAC
10	16		48850	F		3		BP.
11	16		0			3		
12								
13								
14			<u> </u>					
15	Put 1	pack	an lin	09.	ONN	125		25 18/14/V
16	56		55		0 /4 //	43		35psi on 18/64choke Put on line 9:30AM
17	55		67			42	·	Fit on line 9:30AMI
18	54		7/			41		SWITTE
19	22		72			71		-
20	53		68			40	······································	
21	50		61			12		
22	54					7		
	49		65			41	•	
23			69			36		
24	48		72			3)		
25	71-		68			34		
26	77/		64		• .	34		B
27 -	40		64			23		
28	41		<i>[]</i>			34		
29	46		60			33		
30	45		62			32		
31	44		64			31		
	•	Totals					•	RECEIVED

RECEIVED KANSAS CORPORATION COMMISSION

Well Name:

. :

Yager 2HIH

Pumper: Month 207

	· · · · · · · · · · · · · · · · · · ·		,			Υ		
							SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1.	43		59			30		
2	43 43 45		53			29		
3	45		53			32		
4	43		56			29 32 30		
5	42		56 59		. '	29		BP HOTE
6	41		53			28		
7	41		51			28		
8	41		58			28		·
9	211		53			28		BP
10	40		54			28		
11	40		60			27		Open to 90 MCFD
12	32		76			19		BP
13	37		61			24		
14	3/		62			18		
15	30		64			17		BP
16	30		62			17		
17	29		60			160		RP
18	27		63			14		
19	27	1	60			14		BP
20	32		48			19		BP Froze
21	25		61			12		
22	25		59			12		
23	25		60			12		
24	25		59			12		
25	24		54			11		
26	27		46			14		9
27	25		45			12		
28	25		56			15		
29								
30		· · · · · · · · · · · · · · · · · · ·						
31							,	
•		Totals		,		A	·	RECEIVED KANSAS CORPORATION COMMI

RECEIVED KANSAS CORPORATION COMMISSION