KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test				•	(See Instruct	tions on Re	everse Side	e)					
	en Flow liverabilty	MSI		Test Date 4-26-20				AP 18	l No. 15 1 -20330-00 •	.∞			
Company Rosewo		urces				Lease Schwei	ndener			2-15	Well Nu	ımber	
County Shermar	1	Location SWNW		Section 15				RNG (E	(W)		Acres / 80	Acres Attributed	
Field Goodland				Reservoir Niobrara			Gas Gathering Conn Branch Systems In						
Completic 0/24/20				Plug Bac 1162'	lug Back Total Depth 162'		Packer Set at						
Casing Size 4 1/2"		Weight 10.5#		Internal Diameter 4.052		Set at 1172'		Perforations 965'		To 994'			
Tubing Size none		Weight		Internal Diameter		Set at		Perforations		То			
	pletion (Vertica	Describe) }		Type Flui Dry Ga	id Production	າ	Pump Unit or Travelin Flowing			ng Plunger? Yes /No			
roducing		nnulus / Tubing))	% (Carbon Dioxi	ie %		% Nitro	gen	Gas Gravity - G _g .6			
ertical D	epth(H)				Pres: Flan	sure Taps			(Meter Run) (Prover) Size 2"				
Pressure Buildup:		Shut in				(AM) (PM) Taken 4-2		27	20	06 _{at} 5:30		(AM)(PM)	
Well on Line:		Started <u>4-27</u> 20		0 <u>06</u> at <u>5</u>			(AM) (PM) Taken 4-28		20	06 at 1:30		(AM) (PM)	
				r	OBSERVE	D SURFAC		T		Duration of Sh	ut-in_24	Hours	
Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter Prover Pressu psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Well Head Temperature t	Wellhead Pressure (P_w) or (P_i) or (P_o)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _o)		Duration (Hours)		Liquid Produced (Barrels)	
Shut-In		7-18 (1-11)				· IO	24 b	psig	psla			*****	
Flow						,6	20:6			24	0	0	
Dista		Circle one:			FLOW STR		IBUTES		1			Fl	
Plate Coefficeient (F _b) (F _p) Mcfd		Meter or Prover Pressure psia	Press Extension ✓ P _m x h	Gra Fac F	tor	Tomporature		iation ctor pv	Metered Flor R (Mcfd)	w GO (Cubic Barr	Feet/	Flowing Fluid Gravity G _m	
									8			- m	
) \2 _		(P _w) ² =			OW) (DELIV		-				$(a_a)^2 = 0.2$	07	
$(P_o)^2 = $ $(P_o)^2 - (F_o)^2 - ($		$ \begin{array}{c c} (P_{o})^{2} - (P_{w})^{2} & \hline \\ (P_{o})^{2} - (P_{w})^{2} & \hline \\ 1. & P_{o}^{2} - P_{a}^{2} \\ \hline \\ 2. & P_{o}^{2} - P_{d}^{2} \\ \hline \\ divided \ \ by: & P_{o}^{2} - P_{w}^{2} \end{array} $		P _d =9 LOG of formula 1. or 2. and divide by:2		(P _c - 14.4) + 14 Backpressure Curve Slope = "n" Assigned Standard Slope			LOG	Antilog	Del Equals	Open Flow Deliverability Equals R x Antilog (Mcfd)	
												· · · · · · · · · · · · · · · · · · ·	
Open Flow		Mcfd @ 14.65 psia			L Deliverability				Mcfd @ 14.65 psia				
	-	ed authority, or				•			he above repo uly	ort and that he	has know	ledge of	
e tacts st	ated the	ein, and that sa	ad report is true	e and correc	t. Executed	this the	-	day of	<u> </u>				
		Witness (if	any)		RECEIVED				For Company For Company				
		For Commi	ission			2 8 20			Che	cked by			
					へしし	WICH	IITA						

	clare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
	the foregoing pressure information and statements contained on this application form are true and
	the best of my knowledge and belief based upon available production summaries and lease records
	nent installation and/or upon type of completion or upon use being made of the gas well herein named.
	eby request a one-year exemption from open flow testing for the Schwendener 2-15
	on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	✓ is not capable of producing at a daily rate in excess of 250 mcf/D
	her agree to supply to the best of my ability any and all supporting documents deemed by Commission accessary to corroborate this claim for exemption from testing.
)ate: <u>7/</u> 2	27/2006
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
JUL 2 8 2006
KCC WICHITA

Monthly Gauge Sheet
Well Name: Schwender 2-15

3

Month 3/06Pumper: SPM Day Static Diff MCF Wtr TP CP Cycle Remarks 10 10 ij 16 10 4 11 12 13 14 •, 15 16 17 19 9 20 22 23 24 25 26 27 need to BP 28 4 29 9 30 9 18 31 RECEIVED Totals

> JUL 2 8 2006 **KCC WICHITA**

Well Name: Schwenderer 2-15

Ť

RECEIVED
JUL 2 8 2006
KCC WICHITA