## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:			4	(See Instruct	tions on Re	verse Side	e)				
<b>√</b> Op	en Flow			Took Dat				40	1 N - 45			
De	liverabilty				Test Date: API No. 15 11/20/2006 181-20460-01 •••							
Company		urces, Inc.				Lease Schwe	ndener		· · · · · · · · · · · · · · · · · · ·	21-26	Well Numb	er
County Shermar	1	Loca N	tion E <b>NW</b>	Section 26		TWP 7S		RNG (E	(/W)		Acres Attri	ibuted
Field Goodlan	d			Reservoi Niobrar					thering Conn Systems In			
Completic 9/17/20				Plug Bac 3133'	k Total Dept	th		Packer :	Set at			
Casing Si 4 1/2"	ize	Weig 10.5		Internal I 4.000	Diameter	Set a 313		Perfo <b>306</b>	orations 3'	То 3078'		
Tubing Size Weight NONE				Internal (	Diameter	Set a	at	Perfo	orations	То		
Type Con Single (				Type Flui Dry Ga	d Production	1		Pump U	nit or Traveling	Plunger? Yes	(No)	
Producing		nnulus / Tubir	ng)	% C	% Carbon Dioxide % Nitrog					Gas Gr .6	avity - G <sub>g</sub>	
Vertical D	epth(H)				Pressure Taps (Meter Run) (Prov						rer) Size	
3456'					Flan	ge		,		2"		
Pressure	Buildup:	Shut in	2	0 at		(AM) (PM)	Taken		20	at	(AN	/) (PM)
Well on Line: Started 11-20 20			o <u>06</u> at <u>9</u>	:00	(AM)(PM)	Taken 1	1-21	20	06 at 9:15	AN	<b>М</b> РМ)	
				1	OBSERVE	D SURFAC	E DATA	1	~	Duration of Shut-	in 24	Hours
Static / Dynamic Property	Oritice Size (inches)	Circle one:  Meter  Prover Press psig (Pm)	Differential in	Flowing Temperature t	Temperature Temperature		ressure	Wellhe	Tubing ead Pressure or (P <sub>t</sub> ) or (P <sub>c</sub> )	i '		roduced rels)
Shut-In		paig (1 iii)	menes H <sub>2</sub> 0			63	77.4	psig	psia	<u>                                     </u>		
Flow						35	49.4			24	0	
			<u>-</u>	<u> </u>	FLOW STR	EAM ATTR	IBUTES	1				
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one:  Meter or  Prover Pressure psia  Press Extension  ✓ P <sub>m</sub> x 1		Fac	Gravity Factor F <sub>g</sub>		Fa	ation ctor	Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)	et/	Flowing Fluid Gravity G <sub>m</sub>
									30			
				(OPEN FL	OW) (DELIVI	ERABILITY	) CALCUL	ATIONS		/n \		
(P <sub>c</sub> ) <sup>2</sup> =	:	(P <sub>w</sub> ) <sup>2</sup> =	=:	P <sub>d</sub> =	9	% (F	<sup>2</sup> c - 14.4) +	14.4 =	:	(P <sub>a</sub> ) <sup>,</sup>	<sup>2</sup> = 0.207 <sup>2</sup> =	
(P <sub>c</sub> ) <sup>2</sup> - (F or (P <sub>c</sub> ) <sup>2</sup> - (F		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2 1. $P_c^2 - P_c^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	LOG of formula 1. or 2. and divide	P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> <sup>2</sup>	Backpressure Curve Slope = "n" or Assigned Standard Slope		n x	LOG	Antilog	Open Deliver Equals R (Mc	rability x Antilog
Open Flov	v		Mcfd @ 14.	65 psia		Deliverab	ility			Mcfd @ 14.65 psi	a	
			on behalf of the				_	_	ebruary	rt and that he ha	s knowled	ge of 07
		Witness	(if any)				- us-Austria		For C	ompariy		
	**************************************	For Comr	mission	· · · · · · · · · · · · · · · · · · ·		****			Chec	RE(	CEIVE	D

MAR 0 2 2007

is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D  I further agree to supply to the best of my ability any and all supporting documents deemed by Commission	gas well on the g	rounds that said well:  a one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER
staff as necessary to corroborate this claim for exemption from testing.		is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

MAR 0 2 2007

RECEIVED

KCC WICHITA

CONSERVATION DIVISION WICHITA, KB

MAR 0 2 2007

KCC WICHITA

Well Name:

.::

Schwendener 21-26H

Pumper:			,	<del></del>	<u> </u>		Month	1/06
3.2	. •						SPM	
Day	Static	Diff	MCF	Ŵtr	TP	СР	Cycle	Remarks
1.								
2								
3								
4		·						;
5					•			
6								
7								
8					•			
9								
10								
11								
12								
13								
14		:						
15			•					
16								
17					.: '			
18								-
19			•			**		
20								15+605 9:00Am 50 mg
21	58		34			45		63#CP
22	57		36			44		
23	38	·	34			45		
24	52		32			39		
25	51		34			39		
26	51		27			38		
27	51		31			38 38/		
28	51		31			38		
29	48		30			35		
30	48	: *	29			35~		
31								RECEIVED  KANSAS CORPORATION COMMISSION  FER 0.2.0000
	.: •	Totals						ED EED COMMISSION
					-		RECEIVI	ED FEB 0 2 2007

Well Name: Schulnderer 21-26 H

Pumper: \_\_\_\_\_\_ Month 12/06

<del></del>	r		<del></del> (	<del>- 1</del>	<del></del>		SPM	
.:		p://	MOF	Wtr	TP	СР	Cycle	Remarks
Day	Static Static	Diff	MCF 26	VVII		41		
1 .			29			35		
2	48		20			36		
3 4	119		33			36		BP
5	46		29			33		BP
6	46		29			33		
7	45		29			32		·
8	46		28			33		
9	460		28			33		
10	45		29			32		BP
-11	45		28		ļ	32		
12	45		28	<u> </u>	<u> </u>	32	<u> </u>	00
13	44		28		-	31		$\mathcal{BP}$
14	144		21	<u> </u>	<del> </del>	31	<del> </del>	CU
15	144		28	<del> </del>		31		
16	44		38	· 1	<del> </del>	131		
17	43		1 2 2	<u>}</u>		30	<u>'</u>	BP
18	146			<u> </u>		33	1	BP
19			26			30	-	D'
20	1112	<del></del>	26		-	30	+	
21	1 17		26	-		36		
22	133		26			30	<del>                                     </del>	
23	4-	-	26			30	,	
24	110		10/	i i	<del>-  </del>	130		
25	<del>'                                      </del>	<u> </u>	12/2	5		29		
26	1110	}	100	;	<del>-  </del>	29		
27	112		92	5		29		N .
29			121			28		
3		<del>- </del>	21			28		KANSAS CORROR
3	- 1 · 1 · 1		2			28		TOTAL CORPORATION COMMISSIO
		Tota				R	ECEIVE	FEB 0 2 2007

MAR 0 2 2007

CONSERVATION DIVISION WICHITA, KS

KCC WICHITA

MAR 0 2 2007

PAGE1

CONSERVATION DIVISION WIGHTIA, KS

Monthly Gauge Sheet

Well Name: Schwlederen 21-26H

Pump	er:			<u></u>		-	Month	1/07
.:							SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
.1	41		24			28		
2	41	<u> </u>	24			28		
3	41		24			28		
4	4]		22	· .		28		
5	41		22	···		28		·
6	38		19			25		co Thes
7	40		22			27		
8	40		22			27		
9	40		22			27		
10	.39		21			26		
11	41		25			28		
12	40		22			27		
13	40		23			27	***	
14	40		22			27		
15	40		22			27		
16	35		19			22		
17	35	•	19			22	· <del></del>	
18	35		20			22		
19	35		19			22		
20	35		17			23	· · · · · · · · · · · · · · · · · · ·	CD4
21	38		12	*******		25		
22	35		15			22		
23	35		17			22		
24	38		23			25		
25								What should be a second of the
26							-	
27	•				,			
28			f		-			**************************************
29								
30								
31							RB	CEIVED
		Totals	·			k	WSAS CORP	ORATION COMMISSION
	• ,	•					FEB	0 2 2007 NECEIVED