

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
October 2008  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 32710  
Name: Laymon Oil II, LLC  
Address 1: 1998 Squirrel RD  
Address 2: \_\_\_\_\_  
City: Neosho Falls State: KS Zip: 66758 + 7124  
Contact Person: Michael Laymon  
Phone: ( 620 ) 963-2495  
CONTRACTOR: License # 32710  
Name: company tools  
Wellsite Geologist: none  
Purchaser: Coffeyville Resources  
Designate Type of Completion:  
☒ New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover  
☒ Oil \_\_\_\_\_ SWD \_\_\_\_\_ SLOW  
\_\_\_\_\_ Gas \_\_\_\_\_ ENHR \_\_\_\_\_ SIGW  
\_\_\_\_\_ CM (Coal Bed Methane) \_\_\_\_\_ Temp. Abd.  
\_\_\_\_\_ Dry \_\_\_\_\_ Other \_\_\_\_\_  
(Core, WSW, Expl., Cathodic, etc.)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Enhr. \_\_\_\_\_ Conv. to SWD  
\_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth  
\_\_\_\_\_ Commingled \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No.: \_\_\_\_\_  
08-07-2010 08-09-2010 08-25-2010  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 207-27674-00-00  
Spot Description: \_\_\_\_\_  
NE\_NW\_SE\_SW Sec. 16 Twp. 24 S. R. 16 ☒ East ☐ West  
1155 Feet from ☐ North / ☒ South Line of Section  
3465 Feet from ☒ East / ☐ West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
☐ NE ☐ NW ☐ SE ☐ SW  
County: Woodson county  
Lease Name: Marion Jones Well #: 7-10  
Field Name: Vernon  
Producing Formation: Squirrel  
Elevation: Ground: 1053 est Kelly Bushing: \_\_\_\_\_  
Total Depth: 1100 Plug Back Total Depth: 1095  
Amount of Surface Pipe Set and Cemented at: 40 Feet  
Multiple Stage Cementing Collar Used? ☐ Yes ☒ No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 40  
feet depth to: surface w/ 10 sx cmt.

**Drilling Fluid Management Plan**


(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Michael Laymon  
Title: Owner Date: 10-14-2010  
Subscribed and sworn to before me this 14 day of October,  
20 10.  
Notary Public: Rachelle Laymon  
Date Commission Expires: 7/11/12



**KCC Office Use ONLY**

☒ Letter of Confidentiality Received  
If Denied, Yes ☐ Date: \_\_\_\_\_  
☒ Wireline Log Received  
\_\_\_\_\_ Geologist Report Received  
\_\_\_\_\_ UIC Distribution  
Alt 2 - Dlg - 11/2/10

RECEIVED

OCT 20 2010

KCC WICHITA

Operator Name: Laymon Oil II, LLC Lease Name: Marion Jones Well #: 7-10  
 Sec. 16 Twp. 24 S. R. 16 ☒ East ☐ West County: Woodson county

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey ☐ Yes ☒ No  
 Cores Taken ☐ Yes ☒ No  
 Electric Log Run ☒ Yes ☐ No  
 (Submit Copy)

List All E. Logs Run:

**Gamma Ray Neutrol**

☒ Log Formation (Top), Depth and Datum ☐ Sample  
 Name Top Datum  
 see attached log

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40'	common	10	
Production	6 1/8"	2 7/8"	6.8#	1095'	portland	160	
tubing		1"	1.9#	1035'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	996 to 1004	75 gal HCL acid; 60 sacks sand	996-1056
2	1042 to 1056		
TUBING RECORD: Size: Set At: Packer At:		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. 08-28-2010		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls. 2	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS:	METHOD OF COMPLETION:	PRODUCTION INTERVAL:
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____ _____ <b>RECEIVED</b>

Laymon Oil II LLC  
1998 Squirrel Rd  
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Lease : Marion Jones Well # 7-10  
API: 15-207-27674-00  
Spud date: 08-07-2010  
Completion date: 08-09-2010  
16-24-16 Woodson County

Formation	From	To
Soil	0	19
Shale	19	175
Lime	175	220
Shale	220	240
Lime	240	360
Shale	360	380
Lime	380	440
Shale	440	500
Lime	500	650
Black Shale	650	655
Big Shale	655	830
Lime	830	855
Shale	855	918
Lime	918	923
Black Shale	923	926
Lime	926	938
Shale	938	944
Lime	944	963
Black Shale	963	968
Lime	968	974
Shale	974	995
Upper Sand	995	1000
Shale	1000	1040
Lower Sand	1040	1050
Shale	1050	1100
Total Depth		1100

Set 40' of 8 5/8" surface, cemented w/ 10 sacks  
Ran 1095' of 2 7/8" pipe  
Seat nipple @ 1035'

RECEIVED  
OCT 20 2010  
KCC WICHITA

**THE NEW KLEIN LUMBER**

P.O. BOX 805

IOLA, KS 66749

(620) 365-2201

(620) 365-7542

**ACCOUNT STATEMENT****TO:**

LAYMON OIL

1998 SQUIRREL RD

NEOSHO FALLS KS 66758

**ACCOUNT NO.** 3447**DATE** 4/12/10**TERMS****AMOUNT ENCLOSED**

DATE	DESCRIPTION	CHARGES	CREDITS	BALANCE
4/12/10	100 PORTLAND CEMENT	945.00		945.00
	Greg Glenn #4-10 - 10 sacks			
	D. Glenn #1-10 10 sacks			
	Marion Jones 6-10 10 DKS.			
	Marion Jones 7-10 10 DKS.			
				\$945.00
				<b>TOTAL DUE</b>

**MAKE CHECKS PAYABLE TO:**

THE NEW KLEIN LUMBER

P.O. BOX 805

IOLA, KS 66749

**THANK YOU FOR YOUR BUSINESS!**

RECEIVED

OCT 20 2010

KCC WICHITA

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

## NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

RAYMOND OIL, L.L.C.  
1906 SOUTHWEST BL.

RAYMOND OIL  
1906 SOUTHWEST BL.  
1906 SOUTHWEST BL.

1906 SOUTHWEST BL.  
1906 SOUTHWEST BL.

1906 SOUTHWEST BL.  
1906 SOUTHWEST BL.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	PLANT/TRANSACTION #	
08:00 AM	1000	0.00 yd	10.00 yd	0.00	0.00	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10/20/2010	1000	0	10.00 yd	1000	4.00 in	07500

## WARNING

### IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

## Excessive Water is Detrimental to Concrete Performance

H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
0.00	1000	1000 (10 YARDS PER UNIT)	76.00	0.00

RECEIVED

OCT 20 2010

KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
GRAND TOTAL				

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

# Payless Concrete Products, Inc.



**CONCRETE** will be delivered to the nearest accessible point over passable road. Concrete will be delivered to the closest delivery point or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

1-100000  
 1-100000  
 1-100000

101/100  
- 101/100  
94 H TO 94/100 H M OF THE 100/100  
E 1/4 M 1/4 SD

WINDING FALLS, N.Y.  
64254

WFO: UNDER PG 6472.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	BATCH#	DRIVER/TRUCK	SLUMP	PLANT/TRANSACTION #
07:40 AM	BTLL	3.00' x 1'	10.00 yd	10.00	20	3.00	
DATE	Formula	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
08-07-10	BTLL	3	10.00 yd	13000		3.00 in	10007

## WARNING

## IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

## PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer- The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, streets, etc. If you desire this material, and that you also agree to allow the driver remove material from the wheels of this vehicle, then he will not let the public street suffer. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed-by anyone to have arisen out of delivery of this order.

**X**

## Excessive Water is Detrimental to Concrete Performance

H<sub>2</sub>O Added By Request/Authorized By

GAL X

## WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING  
NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED  
WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

**X**

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
0.100	CELL	CELL (10 SACS PER UNIT)	24.00	24.00	(24.00)
1.000	TRAILING	TRAILING (1000)	4.00	4.00	(4.00)

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		0:42	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
3:30	3:55	4:23		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

Total 3  
 Day 5 7:300  
 Total 0  
 Credit 0

ADDITIONAL CHARGE 1 \_\_\_\_\_  
  
 ADDITIONAL CHARGE 2 \_\_\_\_\_  
  
**GRAND TOTAL ▶**