

Operator Name: Ritchie Exploration, Inc. Lease Name: Bonnie Carson Well #: 2
 Sec. 17 Twp. 27 S. R. 23 East West County: Ford

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Dual Induction Log
 Compensated Density/Neutron Log

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

SEE ATTACHED

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor	32"	20"	64#	60'	8 sack grout	7 yards	
Surface	12-1/4"	8-5/8"	23#	414'	60/40 Poz	400	3%cc, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run		
					<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Date of First, Resumerd Production, SWD or Enhr.			Producing Method				
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		

CONFIDENTIAL
 OCT 29 2008
 RECEIVED
 KCC KANSAS CORPORATION COMMISSION
 OCT 29 2008
 CONSERVATION DIVISION
 WICHITA, KS

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval _____



#2 Bonnie Carson

1924' FSL & 1258' FEL

109' N & 103' W of NW SW NE SE Section 17-27S-23W

Ford County, Kansas

API# 15-057-20609-00-00

Elevation: 2410' GL, 2422' KB

Sample Tops			Ref. Well
Anhydrite	1452'	+970	-18
Chase Herrington	2555'	-133	+1
Stotler	N/A		
Heebner	4117'	-1695	-3
Lansing	4240'	-1818	+3
Stark Shale	4550'	-2128	+13
Pawnee	4744'	-2322	+21
Cherokee Shale	4790'	-2368	+25
Atoka Shale	4882'	-2460	+26
Morrow Gas Sand	4916'	-2494	N/A
Morrow Oil Sand	4946'	-2524	-12
Mississippian	4956'	-2534	+22
RTD	5056'	-2634	

CONFIDENTIAL

OCT 29 2008

KCC

RECEIVED

KANSAS CORPORATION COMMISSION

OCT 29 2008

CONSERVATION DIVISION
WICHITA, KS



October 28, 2008

State Corporation Commission
Conservation Division
130 S. Market, Room 2078
Wichita, KS 67202

RE: #2 Bonnie Carson
Sec. 17-27S-23W
Ford County, Kansas

API# 15-057-20609-0000

CONFIDENTIAL
OCT 29 2008
KCC
RECEIVED
KANSAS CORPORATION COMMISSION
OCT 29 2008
CONSERVATION DIVISION
WICHITA, KS

To Whom It May Concern:

Enclosed please find an ACO-1 for the above referenced well. The required attachments have also been enclosed. Ritchie Exploration, Inc. would like for this to be held confidential for the maximum allowable time.

If you have any questions, please feel free to call the undersigned or Craig Caulk at 316-691-9500. Thank you for all of your help in this matter.

Sincerely,

Debbie Phillips
Accounting Supervisor

*CC
mm
10/29/08*

dkp

Enclosures

ALLIED CEMENTING CO., LLC. 32376

REMIT TO, P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge Ks

DATE <u>07-15-08</u>	SEC <u>17</u>	TWP <u>27S</u>	RANGE <u>23W</u>	07-15-08 CALLED OUT <u>07:00AM</u>	07-15-08 ON LOCATION <u>10:00AM</u>	07-15-08 JOB START <u>11:00PM</u>	07-16-08 JOB FINISH <u>12:30AM</u>
LEASE <u>Bonnie Carson</u>		WELL# <u>2</u>	LOCATION <u>Ford Ks., West To Willmoors Rd., 1/4 S,</u>		COUNTY <u>Ford</u>	STATE <u>Ks.</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>2 3/4 E, N INTO</u>				

CONTRACTOR Duke #1
 TYPE OF JOB Rotary Plug
 HOLE SIZE 7 7/8" T.D.
 CASING SIZE 8 5/8" 24" DEPTH 400'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" 16.6# DEPTH 1450
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM 100psi
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT Mud & Freshwater
 EQUIPMENT _____
 PUMP TRUCK CEMENTER Greg Griener
 # 414 HELPER Thomas D
 BULK TRUCK _____
 # 363 DRIVER Adam A
 BULK TRUCK _____
 # _____ DRIVER _____

OWNER Ritchie Exploration
 CEMENT
 AMOUNT ORDERED 1856 60' 40.4
 COMMON 111 A @ 15.45 1714.95
 POZMIX 74 @ 8.00 592.00
 GEL 6 @ 20.80 124.80
 CHLORIDE _____ @ _____
 ASC _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING 191 @ 2.40 458.40
 MILEAGE 55 X 191 X .10 1050.50
 TOTAL 3940.65

REMARKS:

50SX-1450'
40SX-810'
50SX-460'
20SX-60'
15SX-Rathole
10SX-Mousehole
Thank You.

SERVICE

DEPTH OF JOB 1450'
 PUMP TRUCK CHARGE _____ 1017.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 55 @ 7.00 385.00
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 1402.00

PLUG & FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL _____

CHARGE TO: Ritchie Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Mike Godfrey
 SIGNATURE Mike Godfrey

SALES TAX (If Any) _____
 TOTAL CHARGES 3940.65
 DISCOUNT 0 IF PAID IN 30 DAYS

**ANY APPLICABLE TAX
WILL BE CHARGED
UPON INVOICING**

CONFIRMATION
 OCT 28 2008
 RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 29 2008
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., LLC. 31197

REMIT TO: P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGE

DATE <i>7-5-08</i>	SEC. <i>17</i>	TWP. <i>27S</i>	RANGE <i>23W</i>	CALLED OUT <i>3:00 pm</i>	ON LOCATION <i>6:00 pm</i>	JOB START <i>7:15 pm</i>	JOB FINISH <i>8:15 pm</i>
LEASE <i>SONNE CARSON</i>		WELL # <i>2</i>	LOCATION <i>FORD, KS, WEST 90 WILKINSON GARDEN,</i>		COUNTY <i>FORD</i>	STATE <i>KS</i>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<i>1/4 SOUTH, 2 3/4 EAST, NORTH INTO</i>				

CONTRACTOR *DUKE 1* OWNER *WILKINSON OIL CO.*

TYPE OF JOB *SURFACE CASING*
 HOLE SIZE *12 1/4"* T.D. *416'*
 CASING SIZE *8 5/8"* DEPTH *416'*
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE *4 1/2"* DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX *250* MINIMUM *100*
 MEAS. LINE _____ SHOE JOINT *15'*
 CEMENT LEFT IN CSG. *15'*
 PERFS. _____
 DISPLACEMENT *25 1/2 bbl. FRESH WATER*

CEMENT
AMOUNT ORDERED *400 SK 60:40:2 + 390 cc*

EQUIPMENT
 PUMP TRUCK CEMENTER *BILL M.*
 # *414* HELPER *GREG G.*
 BULK TRUCK
 # *368* DRIVER *RICK M.*
 BULK TRUCK
 # _____ DRIVER _____

COMMON	<i>240 A</i>	@	<i>15.45</i>	<i>3708.00</i>
POZMIX	<i>160</i>	@	<i>8.00</i>	<i>1280.00</i>
GEL	<i>7</i>	@	<i>20.80</i>	<i>145.60</i>
CHLORIDE	<i>13</i>	@	<i>58.20</i>	<i>756.60</i>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<i>420</i>	@	<i>2.40</i>	<i>1008.00</i>
MILEAGE	<i>55 X 420 X .10</i>			<i>2310.00</i>
TOTAL				<i>9208.20</i>

REMARKS:
*PIPE ON BOTTOM, BREAK CIRCULATION, PUMP
 PLS. FRESH, PUMP 400 SK 60:40:2 + 390 CC,
 STOP PUMP, LOADS PLUG, START
 DISPLACEMENT, SEE LIT, SLOW RATE,
 DISPLACE WITH 25 1/2 bbl. FRESH WATER,
 STOP PUMP, SHUT-IN, CIRCULATE
 CEMENT.*

SERVICE

DEPTH OF JOB	<i>416'</i>		
PUMP TRUCK CHARGE	<i>0-300'</i>		<i>1018.00</i>
EXTRA FOOTAGE	<i>116'</i>	@	<i>.85</i> <i>98.60</i>
MILEAGE	<i>55</i>	@	<i>7.00</i> <i>385.00</i>
MANIFOLD	<i>HEAD LOST</i>	@	<i>113.00</i> <i>113.00</i>
		@	
		@	
TOTAL <i>1614.60</i>			

CHARGE TO: *Ritchie Exploration*
~~WILKINSON OIL CO.~~
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<i>8 5/8" WOODEN PLUG</i>	<i>1</i>	@	<i>68.00</i>	<i>68.00</i>
		@		
		@		
		@		
TOTAL <i>68.00</i>				

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES ~~_____~~
 DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

PRINTED NAME *MIKE GODFREY*
 SIGNATURE *Mike Godfrey*

ANY APPLICABLE TAX
 WILL BE CHARGED
 UPON INVOICING

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 29 2008
 CONSERVATION DIVISION
 WICHITA, KS