Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

RECEIVED

Type Tes	t:				(See Instruc	ctions on Re	verse Side)				
O	en Flov	X Shut-	·in					4514			JAN 1 2 2004	
De	eliverabi			Test Date	: 12–1	.7–03		APIN	o. 15 – 103.	-20 , 599 .00	CC WICHIT	
Company	····					Lease					Vell Number	
		Resource	s, Inc.			C. Hei	m				#6	
County		Loca	ion	Section		TWP		RNG (E/V	V)	,	Acres Attributed	
Lea	venwo	orth NW	,NW,NE	19		8S	_	22E			40	
Field				Reservoir					ering Connect			
					outh/Bu			Packer Se		sion Corpo	ration	
	2/86			131						To		
Casing Size 4 1/2"		Weight 9 • 5#		Internal Diameter		Set at 1311 '				50' - 1167'		
Tubing S	ize	Weig N/		Internal D		Set a	_	Perfora		То		
Type Cor Gas		(Describe)		Type Fluid Nil	d Production	1				Plunger? Yegs:/		
Producin Cas	g Thru (ing	Annulus / Tubing)	% Carbon Nil	Dioxide			% Nitroger Ni		Gas Gra	ivity - G _g	
Vertical D	• • •				Press	ure Taps				(Meter F	un) (Royer) Size	
			2-16 <u>2</u> 9		0 10	/ A A A \ A TO A TO A TO A TO A TO A TO A	 1	2 17	20.63			
Pressure	Buildup											
Well on L	ine:	Started	19	at		(AM) (PM)	Taken		19 _	at	(AM) (PM)	
					OBSERVE	D SURFAC	E DATA			Duration of Shut-i	n <u>24</u> Hours	
Static /	Orific	Circle one:	Pressure	Flowing	Well Head	Cas	_	1	bing	Duration	Liquid Produced	
Static / Orific		i <i>Meter</i> or	Differential ure in (h)	Temperature		Wellhead Pressure (P _w) or (P ₁) or (P ₂)		Wellhead Pressure (P,) or (P,) or (P,		(Hours)	(Barrels)	
Property	inche	s psig	Inches H ₂ 0	t	1	psig	psia	psig	psia			
Shut-In						20				24		
												
Flow								1	<u>l </u>			
			· 		FLOW STF	REAM ATTR	IBUTES	Г				
Plate		Circle one: Meter or	Press	Grav		Flowing Temperature			Metered Flow	GOR	Flowing	
Coeffiec (F _b) (F		Prover Pressure	Extension √ P _m x H _m	Fact	or	Factor		ctor	R (Mcfd)	(Cubic Fee Barrel)	Gravity	
Mold		psia	V Fm X Fig.			F,,		pν			G _m	
							ļ					
			1,,,	(OPEN FL	OW) (DELIV	/ERABILITY					2 = 0.207	
(P _c) ² =		: (P _w) ² :		. P _d =		% (I	² _c - 14.4) +	14.4 =	 :	(P _a)	? =	
(P _c) ² - (D 12	(P _e) ² - (P _w) ²	1. P.2 - P.2	LOG of			ssure Curve pe = "n"	1	[Open Flow	
or	•	/سان /ءان	2. P ₂ - P ₃ 2	formula 1. or 2.			- or	- n x L	og	Antilog	Deliverability Equals R x Antilog	
(P _e) ² - (P _a) ²		divided by: P2 - P2	and divide by:	P,2 - P,2		signed lard Slope				Mcfd	
Open Flow Mcfd @ 14.65 psia					Deliverab	lity		Mcfd @ 14.65 psia				
The	undersid	ned authority. o	n behalf of the Co	ompany, sta	tes that he i	is duly autho	rized to ma	ake the abo	ve report and	that he has know	ledge of the facts	
						8th	day c		January		20@4	
stated the	rein, and	ı ınaı saıd repor	t is true and corre	OL. EXECUTE	20 UIIS UIC _		Gay C		VH F	oust,)	
		Witness	(il any)			•		<i>ا</i>		отрапу		
		FarCas	mission				£	reside		ked by		

1.0	declare under penalty as positive
evemn	declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request
and th	of status under Rule K.A.R. 82-3-304 on behalf of the operator Monument Resources, Inc.
the he	at the foregoing information and statements contained on this application form are true and correct to
tion on	st of my knowledge and belief based upon gas production records and records of equipment installa-
libi	d/or of type completion or upon use of the gas well herein named.
700 140	ereby request a permanent exemption from open flow testing for theC. Heim #6
yas we	Il on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is incapable of producing at a daily rate in excess of 150 mcf/D
Date: _	January 8, 2004
	Signature:
	Title: <u>President</u>

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.