KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

. Type les	St:				(See Insti	ructions on Re	verse Sidi	e)			
_	pen Flov eliverabil	Dr	ut-in essure	Test Da		-28-01			Pl No. 15	-103-20,7	16-00-00
Compan	•	t Resou	irces, Ind	c.		Lease C. Heim)				Well Number #9
County	venw	Loc	cation 2,SW,SE	Section 19		TWP 8S	·	RNG (E/W)		Acres Attributed 4 0
Field				Reservo Louth/			,	Gas G	athering Conn	ection Ssion Co	
Completi	ion Date 5/86			Plug Bad	k Total Dep			Packer			Τρ.
Casing S	Size		ight	1395 Internal	Diameter	Set a		Per	orations	То	
4 1 , Tubing S			5#	Internal I		139			1	323' - 1	325'
		N/	_	memari	Jianneter	Set a		Pen	orations	То	
Type Cor Gas.		(Describe)		Type Flu None	id Productio	on ∴		, Pump (Plunger? Yes	/ No
Producin	g Thru (A	Annulus / Tubir	ng)	% Carbo	n Dioxide	· •		% Nitro			ravity - G
Casi Vertical D					Proc	sure Taps			······································		
1325						sure raps				(Meter	Run) (Prover) Size
Pressure	Buildup:	Shut in 11	<u>-27-2001</u>	at 8	:40	_ (AM) (PM)	Taken 1	L-28-2	2001' 13	at <u>8:45</u>	(AM) (PM)
Well on L			19								
L					OBSERV	ED SURFACE	DATA			Duration of Shut	in 24 Hours
Static / Dynamic Property	ynamic Size		Pressure Differential in (h) Inches H,0	Flowing Well He Temperature t		ture Wellhead Pressure (P_w) or (P_t) or (P_c)		Tubing Wellhead Pressure (P _u) or (P ₁) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
Shut-In			'			psig 20	psia 	psig	psia	24	
Flow					· · · · · · · · · · · · · · · · · · ·					23	
					FLOW ST	REAM ATTRIE	BUTES				1
Plate Coeffiecie (F _b) (F _b Mcfd		Circle one: Meter or Prover Pressure psia	Press Extension √P _m x H _m	Grav Factor	·	Flowing Temperature Factor F _i ,	Fac	viation Metered Flov actor R F _p , (McId)		GOR Flow (Cubic Feet/ Grav Barrel) Grav	
						· · · · · · · · · · · · · · · · · · ·					
(P _c) ² =	:	(P _w) ²		OPEN FLC		'ERABILITY) (CALCULA - 14.4) + 1		:	(P _e) ² (P _d) ²	= 0.207
(P _c) ² · (P _a or (P _c) ² · (P _a		(P _c)² - (P _y)²	Choase lamula 1 or 2: 1. P _c ² - P _s ² 2. P _c ² - P _s ² dinded by: P _c ² - P _s ²	LOG of formula 1. or 2. and divide by:	P.2. P.2	Backpress Slope o Assig Standard	= "n" r ned	nxl	.og []	Antilog	Open Flow Deliverability Equals R x Antilog Mcfd
Open Flow			Mcfd @ 14.65	psia		Deliverability				cfd @ 14.65 psia	
The un	dersigne	d authority, on	behalf of the Com	pany, state	s that he is			e the abo			
		at said report	is true and correct			7th s	_ day of _		cember L	nat he has knowle	edge of the facts 12001
.		Witness (i			EIVE		Pres	sider	1E For Co	mpany	
		For Comm	nission	DEC	1.3 20	01			Checke	ed by	

NCC WICHITA

·	
I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operatorMonument Resources, Inc and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named. I hereby request a permanent exemption from open flow testing for the C. Heim #9 gas well on the grounds that said well:	•
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. X is incapable of producing at a daily rate in excess of 150 mcf/D	
Date:December 7, 2001 Signature:Affous to	

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.