Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Tes	t:					(See Instruc	tions on Rev	erse Side)				
Op	en Flo liverab	W	X Shut- Press		Test Date	12-30) –06		API	No. 15-103-	20,891-00	-00	
							Lease				· · · · · · · · · · · · · · · · · · ·	Vell Number	
Company		+ F	Resource:	s. Inc.		J. Heim						#5	
Monument Resources, Inc. County Location					Section				RNG (E	W)	,	Acres Attributed	
Leavenworth SW,NE,SW				20	20		22E				40		
Field					Reservoir Burg					hering Connec Transmis	ction ssion Corpo	ration	
Completi	on Date	—— 7			Plug Back	k Total Depth	1		Packer S	Set at			
Casing S	ize		Weigh 9.		Internal D	iameter	Set at 141:		Perlo	rations	To 1353' - 13	56 '	
Tubing S	ize		Weigh		Internal D	iameter	Set at		Perfo	rations	То		
Type Completion (Describe) Gas				Type Flui	Type Fluid Production			-Pump Unit or Traveling Plunger? XXXX / No					
Producing Thru (Annulus / Tubing) Casing					% Carbon Dioxide Nil				% Nitrogen Nil		Gas Gravity - G		
Vertical C	epth(H	l)				Press	ure Taps				(Meter R	un) (Prover) Size	
Pressure	Buildu	p:	Shut in12	:-29 <u>1</u>	30 <u>06</u> at	9:00	(AM) (PM)	Taken	12-30	2മൂ(06 at 10:0	0. (AM) (PM)	
Well on L	ine:		Started	19	at		(AM) (PM)	Taken		19	at	(AM) (PM)	
						OBSERVE	D SURFACE	DATA			Duration of Shut-i	n Hours	
Static / Orific		l <i>Meter</i> or		Pressure Differential	Flowing Temperature	Well Head Temperature	Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Property	inch	es	psig	inches H ₂ 0	t	t	psig	psia	psig	psia			
Shut-In							20				24		
Flow	L		<u> </u>			EI OW STE	REAM ATTRI	BUTES	· <u>l</u>				
				Τ		FLOW STF		BOILS				Flowing	
Plate Coeffied (F _b) (F Mcfd	ient ,)	Pro	Circle one: Meter or over Pressure psia	Press Extension √ P _m x H _w	Gra Fac F	tor	Flowing Temperature Factor F _{II}	Fa	viation actor = pv	Metered Flov R (Mcfd)	v GOR (Cubic Fer Barrel)	Fluid	
		•											
					,		/ERABILITY)	CALCUL - 14.4) +			(P _a); (P _a);	e = 0.207	
(P _e) ² =		<u>=</u> :	(P _w)-=	Choose formula 1 or 2	P _a =						, ,	Open Flow	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$	LOG of formula 1. or 2. and divide	P _c ² · P _w ²	Slop	Backpressure Curv		LOG	Antilog	Deliverability Equals R x Antilog Mcfd	
.,, ,	. 4/			divided by: Pc - P	2 by:	<u></u>	Standa	ard Slope				Wicio	
				., 									
Open Flo	w			Mcfd @ 14.	65 psia		Deliverabil	ity			Mcfd @ 14.65 psia)	
The	unders			n behalf of the C			10tł	day o		January	d that he has know	rledge of the facts	
			Witness	(if any)			N 1 6 20	107	Presi		Company		
			50				≈ LAII∩Ï		FTEST		scked by		

l declare under penalt	ty or perjury under the laws	of the state of Kansa	s that I am authorized to request
exempt status under Rule k	K.A.R. 82-3-304 on behalf of t	he operator <u>Monu</u>	ment Resources, Inc.
and that the foregoing info	ormation and statements cor	ntained on this applic	ation form are true and correct to
the best of my knowledge	and belief based upon gas	production records a	nd records of equipment installa-
tion and/or of type complet	tion or upon use of the gas	well herein named.	
I hereby request a perm	nanent exemption from open	flow testing for the	J. Heim #5
gas well on the grounds th	nat said well:		
(Check one)		.•	
is a coa	albed methane producer		
is cycled	d on plunger lift due to wate	r	
is a sou	rce of natural gas for injection	on into an oil reservo	ir undergoing ER
is on va	cuum at the present time; K	CC approval Docket	No
X is incapa	able of producing at a daily	rate in excess of 150	mcf/D
	•		
Date: _ January 10, 2	2007		
	,	€	
		α	
	Signature:	USF F	ous
	Title:	President	

Ins

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.