Kansas Corporation Commission ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: Open Flo	w X Shut-:	in	(Test Date:	See Instruct		erse Side		_{40 15} -103-	-20,525 -		
Deliverat	oilty Press	ıre	rest Date.						φ-	<u> </u>	
Company Monument	Resources	, Inc.			Lease J. Heir	n ·				Well Number #2	
County Location Leavenworth SE,NW,NW			Section 29		TWP 8S		RNG (E/ 22E			Acres Attributed 40	
Field			Reservoir McLouth/Burgess				Gas Gathering Connection COG Transmission Corporation				
Completion Date			Plug Back Total Depth				Packer Set at				
12/18/85			1316'		Set at	·	N/A	ations	To		
Casing Size Weight 4 1/2" 9.5#			Internal Diameter		1316		1220'		20' - 1230	·	
Fubing Size Weight			Internal D	iameter		Set at 1296 '		ations	То		
2 3/8" 4.7# Type Completion (Describe)			Type Fluid Production			<u> </u>	Pump Unit or Traveling RIMAGEN Yes /XX				
Gas Producing Thru (Annulus / Tubing)			Nil % Carbon Dioxide				% Nitrogen Gas Gravity - G				
Annulus			Nil				Nil		() () ()	Our (Preme) Cino	
Vertical Depth(I	H)			Pressu	ire Taps				(Meter F	Run) (?røxer) Size 2 ^u	
Pressure Buildu	up: Shut in1	2 <u>-26</u> 30	06_at{	3:00	(AM) (P\$12)	Taken	12-27	2096	at9:0	00_(AM)XEXEX	
Well on Line:										(AM) (PM)	
				OBSERVE	D SURFACE	DATA		. [Duration of Shut-	in Hours	
Dynamic Si	ynamic Size Prover Pressure in (h)		Flowing Well Head Temperature t t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c) psig psia		Duration (Hours)	'	
Shut-In -	psig	Inches H ₂ 0			psig 20	psia ——	psig		24		
Flow											
				FLOW STR	EAM ATTR	BUTES				······	
Plate Coeffictient (F _b) (F _p) McId	Circle one: Meter or Prover Pressure psia	Press Extension √ P _m x H _w	Grav Fac F	tor	Flowing Temperature Factor F _{ft}	F	viation actor F _p ,	Metered Flow R (McId)	GOR (Cubic Fe Barrel)	l Gravity i	
			(0.051) 51	OW) (DELIV	EDADII ITV) CAL CII	LATIONS		(6.)	3 0.007	
							+ 14.4 =	•	-	$r^2 = 0.207$	
(P _c) ² =	: (P _w)²:	Choose formula 1 or 2:	P _d =							Open Flow	
$(P_e)^2 \cdot (P_a)^2$ or $(P_e)^2 - (P_a)^2$	(P _e) ² - (P _w) ²	1. P _c ² - P _s ² 2. P _c ² - P _s ² divided by: P _c ² - P _s ²	LOG of formula 1. or 2. and divide by:	P _c ² -P _w ²	Sio	ssure Curv pe = "n" - or signed lard Slope	l n x	LOG	Antilog	Deliverability Equals R x Antilog Mcfd	
		unioed by. T _E - F _W	 								
									_:		
Open Flow		Mcfd @ 14.6	5 psia		Deliverab	lity			Mcfd @ 14.65 ps	ia	
The under	signed authority, o	n behalf of the Co	ompany, sta	ates that he i	is duly autho	rized to n	nake the at	ove report and	that he has kno	wledge of the facts	
	and that said repor				-	0th _{day}		January	/1	₹ECEIVE	
	Witness	(if any)	<u> </u>				_ (l	y Ja	Company	1 6 200	
		nmission					Presi		cked by	(CC WICH	

	the foregoing information and statements contained on this application form are true and correct to
the best	of my knowledge and belief based upon gas production records and records of equipment installa-
tion and/	or of type completion or upon use of the gas well herein named.
There	eby request a permanent exemption from open flow testing for the
gas well	on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	X is incapable of producing at a daily rate in excess of 150 mcf/D
ate:	January 10, 2007
	Signature: All Fourt
	Title: President
	me

ins

re at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.