Kansas Corporation Commission ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

RECEIVED DEC 20 2004

Type Test:				(See Instructions on Reverse Side)							שבנ	< 0 m	
Oper	n Flow verabilty	X Shut-ir Pressur		Test Date:	12-09	-04		API	_{lo. 15} –103–.				
Company Monume	ent Re	esources,	Inc.			Lease J. Heim	ı				Vell Nun #2	ber	
County Location Leavenworth SE,NW,NW				Section 29		TWP 8S		RNG (E/W) 22E		Acres Attributed			
Field				Reservoir McLouth/Burgess				Gas Gathering Connection COG Transmission Corporation					
Completion Date				Plug Back Total Depth				Packer Set at					
12/18/85				1316'				N/A Perforations To					
Casing Size Weight 4 1/2" 9.5#			#	Internal D	iameter	Set at 131	1316'		122	1220' - 1230'			
Tubing Size Weight 2 3/8" 4.7#			#	Internal D	iameter	Set at 129	06'- <u>.</u>	Pertor		To			
Type Completion (Describe)				Type Fluid Production Nil				Pump Unit or Typycoting RININGER Yes /XXX					
Gas Producing Thru (Annulus / Tubing) Annulus				% Carbon Dioxide Nil				% Nitrogen Gas Gravity - G _o Nil					
Vertical Dep					Pressu	ure Taps		****		(Meter F	lun) (RX	жем) Size	
Pressure B	uildup: ie:	Shut in12)2004 19				
					OBSERVE	D SURFACE	DATA		D	uration of Shut-	in	Hours	
Static / Dynamic Property	Orilice Size inches	Size Prover Pressure in (h)		Flowing Well Head Temperature		Casing Wellhead Pressure (P _w) or (P ₁) or (P ₂)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration Lie (Hours)		l Produced Barrels)	
Shut-In		psig ——	Inches H ₂ 0			psig 30	psia 			24			
Flow												<u> </u>	
			·		FLOW ST	REAM ATTRI	BUTES	· 1					
Plate Coeffiecie (F _b) (F _p) Mcfd		Circle one: Meter or rover Pressure psia	teter or Extension er Pressure		vily tor	Tomograture		eviation Metered Flow Factor R F _{pv} (Mcfd)		GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G _m	
				(ODEN EI	OW) (DELI)	/ERABILITY)	CALCU	LATIONS			² = 0.2	07	
		/D \2 -		P _d =				+ 14.4 =	:	(P _a)			
$(P_c)^2 = $	-	$\frac{(P_w)^2 = 1}{(P_c)^2 - (P_w)^2}$	1. P _c ² - P _c ² 2. P _c ² - P _c ²	LOG of formula		Backpressure Cur Stope = "n" or Assigned			LOG	Antilog	Open Flow Deliverability Equals R x Antilog		
(P _e)²- (P	(a) ²	- 0	livided by: Pc2 P2	and divide by:	P, 2 - P, 2		ard Slope					Mcfd	
	_						<u>, , , , , , , , , , , , , , , , , , , </u>						
Open Flow Mcfd @ 14.				5 psia		Deliverabil	Deliverability		Mcfd @ 14.65 psia				
		ed authority, on				1015			oove report and December	that he has kno	wledge (of the facts	
stated there	ein, and t	hat said report i	s true and corre	ect. Execu	ieu mis me .) If	fous	*		·	
		Witness (i	i any)			-		Presi	dent	отралу			
		For Comm	nission			-			Chec	ked by			

45 (4)
I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request
exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Monument Resources, Inc.
and that the foregoing information and statements contained on this application form are true and correct to
the best of my knowledge and belief based upon gas production records and records of equipment installa-
tion and/or of type completion or upon use of the gas well herein named.
I hereby request a permanent exemption from open flow testing for the
gas well on the grounds that said well:
(Check one)
is a coalbed methane producer is cycled on plunger lift due to water
is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No
is incapable of producing at a daily rate in excess of 150 mcf/D
The state of the s
Date: December 13, 2004
and d.
Signature: Off Fourth
Title: President
nstructions: All active gas wells must be used.

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.