KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:	•		(See Instructi	ions on Reve	rse Side)					
Ор	en Flow liverabilty	X Shut-i Pressu	· .	Test Date:	11-03-	-08		API No	. 15–103–	20 , 526 -	>- 0O	
Company		Pesquirce	g The			Lease J. Heim	1				Vell Number #3	
Monument Resources, Inc. County Location Leavenworth SW,NE,NW			Section TWP 29 8S			RNG (EW) Acres Attribute 22E 40		cres Attributed				
Field				Reservoir McLouth/Burgess				Gas Gathering Connection COG Transmission Corporation				
Completic 3/2	on Date 24/86			Plug Back 1446	Total Depth			Packer Set N/A	at			
Casing Si		Weight 9.5	#	Internal D	ameter	Set at 1446	; 1	Perforat	ions 13	28' - ^{To} 28' - 1340	1	
Tubing Si	3/8" 4./#		То									
Type Con Ga:	npletion (E	Describe)		Type Fluid Nil	Production			-Pump Unit	DENDENDEDE 10			
Producing Thru (Annulus / Tubing)				% Carbon Dioxide				% Nitrogen Gas Gravity - G			vity - G _g	
An: Vertical D	nulus Pepth(H)			Nil_	Pressu	ire Taps		Nil		(Meter R	un) (Provest Size	
	40'			<u> </u>							2"	
Pressure Well on L											(AM) (PM) (AM) (PM)	
						D SURFACE					n Hours	
Static / Dynamic Property	Orifice Size inches	Circle one: Meter or Prover Pressur	Pressure Differential e in (h) Inches H ₂ 0	Flowing Temperature t	Well Head Temperature	Casing Wellhead Pressure (P_w) or (P_1) or (P_c) psig psia		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In		psig				23				25+		
Flow												
		· · · · ·		 .	FLOW STR	EAM ATTRIE	BUTES				Flowing	
Plate Coeffied (F _b) (F Mofe	cient ,) /	Circle one: Meter or Prover Pressure psia	Press Extension √P _m x H _w	, Grav	tor	Flowing Femperature Factor F ₁₁	Fa	riation actor RI F _{pv}	Metered Flow ECEIVED (McId)	(Cubic Fe Barrel)	et/ Fluid	
				(OPEN FL	OW) (DELIV	ERABILITY)	CALCUL	ATION C	WICH	ITA (P)	² = 0.207	
(P _e) ² =		: (P _w) ² =_	:	P _d =			- 14.4) -		<u></u> :	(P _d)		
(P _c) ² - (or (P _c) ² - (1	(P _e) ² - (P _w) ²	1. P _c ² - P _c ² 2. P _c ² - P _d ²	LOG of formula 1. or 2. and divide		Siopo	sure Curve e = "n" origned	n x L(og [Antilog	Open Flow Deliverability Equals R x Antilog Mcfd	
	. "		divided by: $P_c^2 - P_w$	2 by:	<u></u>	Standa	rd Slope					
Open Flo	Open Flow Mcfd @ 14.65 psia Deliverability						ty	Mcfd @ 14.65 psia				
		ned authority. on			ates that he i	s duly author	ized to m	ake the abo	ve report and	that he has know	vledge of the facts	
		that said report					day (7.7	ovember 1		21908	
		Witness (if any)			_		<u>UZ</u>		Company		
						_		Presid		cked by		

For Commission

onomprotatus ui	ide: Hule N.A.M. 82	-3-304 on behalf o	f the operator Moni	sas that I am authorized to ument Resources, Inc lication form are true and c	_
the best of my k	nowledge and belie	ef based upon gas	Droduction records	and records of equipment	correct to
tion and/or of typ	e completion or up	oon use of the gas	well herein named.	and records or equipment	installa-
l hereby requ	est a permanent ex	emption from oper	flow testing for the _	J. Heim #3	
gas well on the g	rounds that said w	ell:	<u> </u>		
(Check	(one)		•		
	is a coalbed met	hane producer			
	is cycled on plun			•	
	is a source of nat	ural gas for inject	ion into an oil reserv	oir undergoing ER	
	is on vacuum at t	he present time; I	CC approval Docke	t No.	
X	is incapable of pr	oducing at a daily	rate in excess of 15	0 mcf/D	
				•	
Date: Novemb	per 13, 2008				
		•			•
					*
		• .			jeda i .
7.40			0 11 0	7	
	to de transcenti a companyone de la comp	Signature:	US Fo	rust	
	• .	Title:	President		

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.