Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Tes	st:					(See Instru	ctions on Re	everse Side	,					
□ 0 ₁	pen Fl	ow			Test Date	a•	•		API	No. 15				
De	elivera	bilty			rest Date	·			181	- 2024	3-00°C	<i>)O</i>		
Company		oduc	tion	Inc			Lease Mort	on	1 - 5			Well Nu	ımber	
Lobo Production, Inc. County Location				Section	 		TWP		RNG (E/W)		, Acres Attributed			
Sherman C NW/4				5		85	39			320		0		
Field	11011		<u></u>	···	Reservoi	r			Gas Gat	hering Connecti	on			
Good	llaı	nd		Ni	obrar					KN				
Completi		te				k Total Dept	h		Packer S	et at				
<u>3-29</u>			NA4 * 1-A			057'		<u> </u>	Perfo	rations	То			
Casing Size Weight 4.5 9.5#			Internal Diameter 4.090		Set at 1150 '		Perforations 1030 *		1039'					
Tubing Size Weight				Internal Diameter		Set at		Perforations		To				
Type Cor	npletic	on (Desc	ribe)		Type Flui	d Production	n .		Pump Ur	nit or Traveling P	lunger? Yes /	No		
Sing														
Producing Thru (Annulus / Tubing)				% Carbo	n Dioxide			% Nitrogen		Gas Gravity - G				
Casing				(0.2				1	0.60 x x/tyterterty/20xx) (Prover) Size				
Vertical D	0epth(1 136 *	•				Press	ure Taps						ter Ru	
Pressure	Builde	up: Shu	ut in1	/1314		3;00	(AM) (PM)	Taken	11/14	130			_	
Well on L										19 _				
•						OBSERVE	D SURFAC	E DATA		D	uration of Shut-	in	Hour	
		fice Circle one: Meter or		Pressure Differential	Flowing Temperature	Well Head Temperature	wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration Liquid Pro (Hours) (Barre		Liquid Produced	
Dynamic Property		INChes I		in (h)	't 't								3arreis)	
Shut-In	n .		paig				psig 32	psia	psig psia					
Flow														
						FLOW STE	REAM ATTR	IBUTES						
Plate Circle one: Press Coefficient Meter or Extension				Gravity Factor		Tomporature		viation Metered Flow		GOR (Cubic Feet/		Flowing Fluid		
(F _b) (F _p) Mcfd		Prover Pressure psia		√ P _m x H _w	F,		Factor F _{ft}		pv	(Mcfd)	Barrel)		Gravity G _m	
<u> </u>														
P _c) ² =		:	(P _w) ² =	:	(OPEN FL	OW) (DELIV		') CALCUL ⁻ 2 - 14.4) +		:		2 = 0.20 2 =		
		_	0	thoose formula 1 or 2:			1	ssure Curve		ر ۲		Or	en Flow	
(P _c)² - (F	P.)2	(P _c)²·	(P _a) ²	1. P _c ² · P _s ²	LOG of formula		Slope = "n"		n x LOG		Antilog	Deli	Deliverability	
or (P _c)² - (P _d)²				2. P _c ² ·P _d ²	1. or 2. and divide p2. p		Assigned Standard Slope		·			1 '	Equals R x Antilog Mcfd	
			d d	ivided by: Pc2 - Pw2	Бу:	<u> </u>	Stand	lard Slope	-					
									+					
pen Flow Mcfd @ 14.65 psia [Deliverability Mcfd @ 14.65 psia						
The u	ındersi	igned au	thority, on t	pehalf of the Co	mpany, sta	tes that he is	s duly autho	rized to ma	ke the abo	ove report and th	at he has know	ledge o	f the facts	
ated ther	ein, ar	nd that sa	aid report is	true and corre	ct. Execute	d this the _	J 5	day of	Dec	ember		المريم	<u>00</u> .	
			Witness (if	any)			-		hn	Hand For Con	lre			
			_											
			For Commis	eeion						Checker	אט ג			

exempt st and that t the best of tion and/o	lare under penalty or perjury under the laws of the state of Kansas that I am authorized to request that a under Rule K.A.R. 82-3-304 on behalf of the operator Lobo Production, Inc. The foregoing information and statements contained on this application form are true and correct to of my knowledge and belief based upon gas production records and records of equipment installator of type completion or upon use of the gas well herein named. The state of Kansas that I am authorized to request a permanent exemption from open flow testing for the Morton 1-5
gas well ((Check one)
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No.
	is incapable of producing at a daily rate in excess of 150 mcf/D
Date:	12/15/00
	Signature:Owner/Operator
·	

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.