### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **ORIGINAL**

June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 8210	API No. 15
Name: Edward E. Birk	Spot Description:
Address 1:302 So. 16th St.	NW_NW_NE_NE Sec. 22 Twp. 22 S. R. 16 ▼ East West
Address 2:	
City: Burlington State: Ks Zip: 66839 +	
Contact Person: Edward E. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311 - office	□NE □NW ☑SE □SW
CONTRACTOR: License # 31280 RECEIVED	County: Coffey
Name: Birk Petroleum	Lease Name: Whiteley Well #: WSW
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
Durchasser Coffewille Resources	Producing Formation: Kansas City Lime
Designate Type of Completion:	Elevation: Ground: 1034 est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 480 Plug Back Total Depth: 480
	Amount of Surface Pipe Set and Cemented at: 42 Feet
☐ Oil   ☑ WSW   ☐ SWD   ☐ SIOW   ☐ SIGW   ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 385  feet depth to: surface w/ 60 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	feet depth to: sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
05/07/2010 05/10/2010 05/12/2010 05/12/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-II report shall be attached with this form. ALL CEMENTING TICKETS MUST
ASSIDAVIT	KCC Office Lice ONLY

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature:	Laura Cherres
Title: Agent	Date: 08/18/2010

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT   I   III   Approved by: Dig Date: 11/12/10					

#### Side Two

Operator Name: Ed	ward E. Birk		Lease Name:	Whiteley		_Well #: _W	SW		
Sec. 22 Twp.22	s. R. <u>16</u>	✓ East   West	County: Coff						
time tool open and cle	osed, flowing and sho es if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final chart I well site report.	shut-in pressure rea	ached static level	, hydrostatic press	sures, bottom	hole temperature, fluid		
Drill Stem Tests Taken Yes (Attach Additional Sheets)		☐ Yes ✓ No		og Formatio	on (Top), Depth ar	nd Datum	✓ Sample		
Samples Sent to Geo	logical Survey	Yes V No	Nar	ne		Тор	Datum		
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No							
List All E. Logs Run:	<b>-</b>								
				-					
			G RECORD No-conductor, surface, in	lew ✓ Used termediate, product	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	12 1/4"	8 5/8"		42'	Portland	18	Calcium		
Long String	6 7/8"	4 1/2"		385'	Portland	60			
		ADDITIONA	L CEMENTING / SQ	UEEZE RECORD		1	1		
Purpose:  —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used				and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone						<del></del>			
	<u> </u>			T					
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe			cture, Shot, Cement mount and Kind of Ma		rd Depth		
None Open hole completion 385-480'				400 Gal. 15% Acid					
					RECEIVED				
							RECEIVED OCT 2 9 2010 C WICHITA		
						<del>- K</del> C	C WICHITA		
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No				
Date of First, Resumed 05/26/2010	Production, SWD or EN	HR. Producing Met		Gas Lift C	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa	ter B	bls. (	Gas-Oil Ratio	Gravity		
·			<b>I</b>						
DISPOSITION OF GAS:  METHOD OF COMPLETION:  PRODUCTION INTERVAL:  PRODUCTION INTERVAL:  PRODUCTION INTERVAL:  PRODUCTION INTERVAL:					ON INTERVAL:				
(If vented, Sul	bmit ACO-18.)	Other (Specify)	(Odd/iii						

			Meier	SI	<b>lead</b>	yM	ix, I	1C.	
		Plant (785)/233-990	Old Santage	. P. Car	"FAX;# 233-9	Lk. Rd. • Topel 947	(a, Kansas 66)	(785	Office ) 233-242
PLANT	TIME	5/12/1C	ACCOUNT	TRUCK	DRIVER -			TICKE	1
CUSTOME	RNAME  Biok Oil	whit	elens later	DELIVE	RY ADDRESS.				ř
PURCHAS		ORDER	# TAX		Pich .		Hon	<u>\</u>	SLUMP
LOAD GTY	PRODUCT	DESCRIPTION			C	PADERED	Consol	694	AMOUNT
LEAVE			ISCHARGE FINIS	SH DISCHARGE	ARRIVE PLA	İ	UBTOTAL		
	R Note here if water has been and how much.		305 on:	caused by material beyo	IMPORTANT  The held responsible from trucks when and the curb-line. No allty of concrete if haser.	or damage Ti delivering ot respon- water is	AX DTAL REVIOUS TOTAL RAND TOTAL	593	1,00 1.89 3.89
		Body or eye contact concrete should be it contains alkali	avoided because	Received By _				·	· · ·

RECEIVED OCT 2 9 2010 KCC WICHITA