## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

June 2009

Form Must Be Typed

Form must be Signed

We blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280	API No. 15						
Name: Birk Petroleum	Spot Description:						
Address 1: 874 12th Rd SW	NW_SW_NE_NW Sec. 23 Twp. 22 S. R. 16 F East West						
Address 2:	4,455 Feet from North / South Line of Section						
City: Burlington State: Ks Zip: 66839 +							
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:						
Phone: ( 620 ) 364-1311 - office	□NE □NW ☑SE □SW						
CONTRACTOR: License #_ 31280	County: Coffey						
Name: Birk Petroleum	Lease Name: Gilbert Well #: 3						
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy						
Purchaser: Coffeyville Resources	Producing Formation: Squirrel						
Designate Type of Completion:	Elevation: Ground: 1028 est. Kelly Bushing:						
✓ New Well   Re-Entry   Workover	Total Depth: 1016 Plug Back Total Depth: 1016						
	Amount of Surface Pipe Set and Cemented at: 50 Feet						
Gas D&A FENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No						
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet						
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1000						
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.						
If Workover/Re-entry: Old Well Info as follows:	w sx cm.						
Operator:							
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)						
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls						
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD							
Conv. to GSW	Dewatering method used:						
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:						
Commingled Permit #:	Operator Name:						
Dual Completion Permit #:	Lease Name: License #:						
SWD         Permit #:	Quarter Sec Twp S. R						
☐ ENHR         Permit #:	County: Permit #:						
09/27/2010 09/29/2010 09/29/2010							
Spud Date or Date Reached TD Completion Date or							
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or completion.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confiden-						
	ell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.						
	RECEIVED						
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and	regu- N Letter of Confidentiality Received  KCC Office Use ONLY  OCT 2 2 2010						
lations promulgated to regulate the oil and gas industry have been fully complied	1 with   E sees or community reserved						
and the statements herein are complete and correct to the best of my knowledge	ge. Date: KCC WICHITA						
Tours Phil	Wireline Log Received						
Signature: (CM) (GC) (A)	Geologist Report Received						
Title: Agent Date: 10/20/2010	ALT   I   III Approved by: Dec Date: 112/10						

## Side Two

Operator Name: Birk Petroleum				Lease	Lease Name: Gilbert			Well #:3		
Sec. 23 Twp.22					: Coffe					
me tool open and clo	sed, flowing and shes if gas to surface t	ut-in press est, along	ures, whether s with final chart(	hut-in pres	sure rea	ched static level	, hydrostatic pres	sures, bottom	giving interval tested hole temperature, flui opy of all Electric Wire	
Drill Stem Tests Taken  (Attach Additional Sheets)  Samples Sent to Geological Survey  Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no, Submit Copy)				Log Formation (Top), Depth ar		nd Datum	✓ Sample			
		□ Y	es 🗸 No		Nam	ne rel Sand		Тор 1003	Datum	
		☐ Yes ✓ No								
ist All E. Logs Run:										
		Repo		RECORD	Ne	w Used	ion, etc.		M1001	
Purpose of String	Size Hole Drilled	Siz	ze Casing t (In O.D.)	Weig Lbs.	jht	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	9 7/8"	7"		17#		50'	Portland	27	Calcium	
Long String	6 1/8"	2 7/8"		6.5#		1000'	Portland	120	-	
							]			
Duranes Durat				EMENTING / SQUEEZE RECORD  # Speke Upod  Type and Parent Additions			•			
Purpose.  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives				
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
None	Open hole compl	etion 100	0-1016'							
					-					
									RECEIV	
TUDING DECORD.	Ciro	C-4 84:		Darless **		Lines Deve				
TUBING RECORD:	Size:	Set At:		Packer At		Liner Run:	Yes No		OCT 2 2	
Date of First, Resumed Figending	Production, SWD or EN	IHR.	Producing Meth	od: Pumping		Gas Lift C	other (Explain)		KCC WIC	
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Wate			Gas-Oil Ratio	Gravity	
DISPOSITIO	ON OF GAS:		N	ETHOD OF	COMPLE	TION:		PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease		Open Hole	Perf. [	Dually (Submit A		nmingled mit ACO-4)	20120000		

		The Control of the Co	The state of the s	Ready	的。如果,我就就是一种的原始。 第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
	. (785)	233-9900		Lower Silver Lk. Rd. FAX # 233-9947	• Topeka, Kansas 6	(785) 233-242
PLANT TIME //	1:05 PATE	29 10 ACCOU	- Many	DRIVER		TICKET
CUSTOMER NAME	Ph El	H6/30		GILBERT	3	· · · · · · · · · · · · · · · · · · ·
PURCHASE ORDER		ORDER # TAX				SLUMP
LOAD QTY PR	ODUCT DESC	RIPTION		ORDERED (	DELIVERED CENCIT	UNIT PRICE AMOUNT
- 18 Taban bahan bahan 18 2 Taba	de to Ne co	n green de la company			Cament	840 gal
120 [	323	-				
LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT	SUBTOTAL	1128,00
DRIVER Note here	a if water has been	NOTE		IMPODTANT	TAV	

Caution: FRESH CONCRETE

293916

added and how much.

Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

TOTAL

GRAND TOTAL

PREVIOUS TOTAL

RECEIVED OCT 2 2 2010

KCC WICHITA