KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22659-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	SE_SW_SE_NW_Sec23_Twp22_S. R16_
Address 2:	2,805 Feet from ☐ North / ✓ South Line of Section
City: Burlington State: Ks Zip: 66839 +	
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311 - office	□NE □NW ☑SE □SW
CONTRACTOR: License #_31280	County: Coffey
Name: Birk Petroleum	Lease Name: Gilbert Well #: 31
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1029 est. Kelly Bushing:
✓ New Weil Re-Entry Workover	Total Depth: 1010 Plug Back Total Depth: 1010
	Amount of Surface Pipe Set and Cemented at: 40' Feet
U Oil U WSW U SWD U SIOW ☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 990
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	ox since
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	1 7
SWD Permit #:	Quarter Sec. Twp. S. R. East West
ENHR Permit #:	
GSW Permit #:	County: Permit #:
10/07/10 10/12/10 10/13/10 Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover of side two of this form will be held confidential for a period of 12 months if	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information requested in writing and submitted with the form (see rule 82-3-107 for confidence well report shall be attached with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules a	i littama et Cautalantialita, Danahand
lations promulgated to regulate the oil and gas industry have been fully comp and the statements,berein are complete and correct to the best of my knowl	ned widt
	Confidential Release Date: RECEIVE
Signature: TITIMA () ONL	Wireline Log Received

VIC Distribution

ALT [] | X | I | III Approved by: D

Date: 10/19/2010

Title: Agent

	Petroleum		Lease Nam	: Gilbert		Well #: <u>31</u>	
Sec. 23 Twp.22	s. r. <u>16</u>	✓ East	County: C				
time tool open and clos	sed, flowing and shu s if gas to surface te	d base of formations pen t-in pressures, whether s st, along with final chart(well site report.	hut-in pressure	reached static level	, hydrostatic pre	essures, bottom	hole temperature, fluid
Drill Stem Tests Taken ☐ Yes ✓ No (Attach Additional Sheets)			Log Formation (Top), De			✓ Sample	
Samples Sent to Geolo	ogical Survey	☐ Yes ☑ No	ì	ame uirrel Sand		Тор 993	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		☐ Yes					
List All E. Logs Run:				a e e e	· · · · · · · ·		
		CASING Report all strings set-	RECORD _	New / Used	tion atc		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8"	7"	17#	40'	Portland	16	Calcium
Long String	6 1/8"	2 7/8"	6.5#	990	Portland	120	
		ADDITIONAL	CEMENTING /	SQUEEZE RECORD	<u></u>		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type an	d Percent Additives	3
Shots Per Foot		PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					
None	Open hole comple	etion 990-1010					
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes []	No	
Date of First, Resumed P pending	Production, SWD or EN	HR. Producing Meth	nod:	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil I	Bbls. Gas	Mcf	Water B	bls.	Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole		ually Comp.	mmingled mit ACO-4)	PRODUCTION	ON INTERVAL:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

	· 然上 · · · · · · · · · · · · · · · · · ·	tion of the fair that it is a second	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	化复数电压电阻 化二烯化十二烷 经收益的	Lower Silver Lk. Rd. • T FAX # 233-9947		S. L. C. C. Carlot M. Della D. C. L. L. P. F. J. D. G. C.
PLANT TIME	DATE	400.000.000.000	ACCOUNT	TRUCK	DRIVER		TICKET
<u> </u>	10	13-10		Own			
BILK DI		·		DELIVE	H, L berl	3/	*
PURCHASE ORDER	- 1814, - 1890, A	ORDER #	TAX			1	SLUMP
LOAD QTY PRODUCT	DESC	RIPTION			ORDERED	DELIVERED	UNIT PRICE AMOUNT
		2	21	6140		Cen	INTERPRETATION AMOUNT
,			<i>y</i>	6 140	>	I. Sat	er 840
•			•	<u>.</u>			
120 Bag C	tions			Na -			
LEAVE PLANT ARRIVE	JOB SITE	START DISCHA	RGE FIN	NISH DISCHARGE	ARRIVE PLANT		
					•	SUBTOTAL	1128,00
DRIVER Note here if water has be added and how much.	9 9 N	NOT	Ē		IMPORTANT	TAX TOTAL	71,06
added and new moon.		We are not responsible for concrete freezing after placement.		caused by material beyon sible for qu	We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.		1199.06
	FRE	Caution:	RETE			:	
	concrete s	e contact with hould be avoid ins alkali and i	ded because	Received By		*	

RECEIVED
OCT 2 1 2010