KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form Must Be Typed Form must be Signed All blanks must be Filled

Form ACO-1

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22637-00-00				
Name: Birk Petroleum	Spot Description:				
Address 1: 874 12th Rd SW	SE_NE_SE_NW Sec. 23 Twp. 22 S. R. 16				
Address 2:	3,465 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	2,805 Feet from ▼ East / □ West Line of Section				
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 364-1311 - office	□ NE □ NW ☑ SE □ SW				
CONTRACTOR: License #_31280	County: Coffey				
Pids Patrolouse	Lease Name: Gilbert Well #: 21				
Name.	Field Name: Neosho Falls-LeRoy				
Wellsite Geologist: None	İ				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel Elevation: Ground: 1040 est. Kelly Bushing:				
Designate Type of Completion:					
✓ New Well Re-Entry Workover	Total Depth: 1016 Plug Back Total Depth: 1016				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 58 Feet				
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1005				
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Well Info as follows:					
Operator:					
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls				
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:					
☐ ENHR Permit #:	QuarterSecTwpS. R East West				
GSW Permit #:	County: Permit #:				
10/18/10 10/20/10 10/20/10					
Spud Date or Pate Reached TD Completion Date or Recompletion Date Recompletion Date					
Kansas 67202, within 120 days of the spud date, recompletion, workover or confidential for a period of 12 months if recompletion.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST				

BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with

and the stateme	nts herein are complete and correct to the best of my knowledge.
	Laura Point
Signature:	XUVIU () DUUS
Title. Agent	Date: 10/22/10

KCC Office Use ON	LY
N Letter of Confidentiality Received	
Date:	
Confidential Release Date: Wireline Log Received	RECEIVED
Geologist Report Received UIC Distribution	OCT 2 5, 2010
ALT	Date: 1112/10
	OC MICHIA

Operator Name: Birk I	Petroleum		Lease Na	ame: _	Gilbert		Well #:21		
Sec. 23 Twp.22		✓ East	County: _						
time tool open and close	ed, flowing and shus if gas to surface te	nd base of formations per ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressu	ire rea	ched static level,	hydrostatic p	ressures, bottom	hole tem	perature, fluid
Drill Stem Tests Taken			Log Formation (Top), Dep		n (Top), Depth	n and Datum	7	✓ Sample	
Samples Sent to Geological Survey		Yes Vo		Name Squirrel Sand			Top 1005		Datum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes							
List All E. Logs Run:	· up ·								
		CASING Report all strings set-	RECORD conductor, surfa	Ne		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight	t	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	9 7/8"	7"	17#		58	Portland	24	Calcium	
Long String	6 1/8"	2 7/8"	6.5#		1005'	Portland	120		
		ADDITIONAL	CEMENTING	s/sql	JEEZE RECORD				
Purpose: Depth Top Bottom		Type of Cement	# Sacks U	sed	Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone									
								- California - Cal	
Shots Per Foot		DRATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dration Record (Amount and Kind of Material Used)					Depth		
None	Open hole compl	etion 1005-1016							
								DEC	
	***					1			EIVED
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes	No Ki		5 2010
Date of First, Resumed Pr	roduction, SWD or EN	IHR. Producing Meth	hod:			other (Explain)	<u> </u>	CC W	/ICHITA
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate		ols.	Gas-Oil Ratio		Gravity
DISPOSITION	N OF GAS:		METHOD OF C				PRODUCTI	ON INTER	RVAL:
Vented Sold	Used on Lease	Open Hole		Dually Submit A		nmingled nit ACO-4)	4040		

	\mathbf{N}	leie	r's F	Ready N	Mix, I	nc.
	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a. 6777 - 11 - 54 - 513	To the feet to bit at the end of the confidence of all	Lower Silver Lk. Rd. • 1 FAX # 233-9947		
PLANT TIME	DATE	ACCOUNT	TRUCK	DRIVER	u tantina da si katalan ing grapa basiki na mang ing kamini ing mang katalan ing mang katalan ing mang katalan	TICKET
12	10-20-10		own.			
CUSTOMER NAME	-		DELIVE	RY ADDRESS		
BINK OIL				H. Lbort	21	
			•			
PURCHASE ORDER	ORDER #	; TAX				SLUMP
LOAD QTY PRODUCT	DESCRIPTION		6	ORDERED	DELIVERED	UNIT PRICE AMOUNT
•		W	Æ	• •		
1.20 Bag.	CEMENT				CEMI	·NT 11280
, 0.0 Dag.	•				Water	840
	٠.	Pd.	0/#	6203		
LEAVE PLANT ARRIVE J	OB SITE START DISCHAF	RGE FIN	IISH DISCHARGE	ARRIVE PLANT		
					SUBTOTAL	117800
DRIVER Note here if water has bee	n NOTE			IMPORTANT *	TAX	7/20/06
added and how much. We are not responsible for concrete freezing after placement.		caused by	e held responsible for damage our trucks when delivering	TOTAL	77100	
· · · · · · · · · · · · · · · · · · ·	29417	1	material beyond the curb-line. Not responsible for quality of concrete if water added by purchaser.		PREVIOUS TOTAL GRAND TOTAL	1128,00 71.06 1199.06
	Caution: FRESH CONCF	RETE	·			
	Body or eye contact with concrete should be avoid	resh (moist) ed because				
•	it contains alkali and is	caustic.	Received By	, and	·	

RECEIVED

OCT 2 5 2010

KCC WICHITA