

## KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION

October 2008 Form Must Be Typed

KCC WICHITA

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License #5150	API No. 15 - 031-22486-00-00					
Name: COLT ENERGY, INC	Spot Description:					
Address 1: PO BOX 388	NE -NE -NW -NW Sec. 1 Twp. 23 S. R. 16   East   West					
Address 2: 1112 RHODE ISLAND RD						
City: IOLA State: KS Zip: 66749 + 0 3 8 8	1155 Feet from East / West Line of Section					
Contact Person: MANDY BOEKEN	Footages Calculated from Nearest Outside Section Corner:					
Phone: (620 ) 365-3111	□NE ☑NW □SE □SW					
CONTRACTOR: License # 5989	County: COFFEY					
Name: FINNEY DRILLING COMPANY	Lease Name: BEARD #1 Well #: H4					
Wellsite Geologist: JIM STEGEMAN	Field Name: NEOSHO FALLS-LEROY					
Purchaser: COFFEYVILLE RESOURCES, LLC	Producing Formation: _LOWER SQUIRREL SANDSTONE					
Designate Type of Completion:	Elevation: Ground: 1018 Kelly Bushing:					
New Well Re-Entry Workover	Total Depth: 1023 Plug Back Total Depth: 1000.00					
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 41.40 Feet					
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No					
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet					
Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:1023					
If Workover/Re-entry: Old Well Info as follows:	feet depth to: SURFACE w/ 153 sx cmt.					
Operator:	Drilling Fluid Management Plan					
Well Name:	(Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:	Chloride content: 1000 ppm Fluid volume: 80 bbls					
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: PUMPED PIT OUT - PUSHED IN					
Plug Back:Plug Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Docket No.:						
Dual Completion	Operator Name: COLT ENERGY, INC					
Other (SWD or Enhr.?) Docket No.:	Lease Name: MURRAY WDW1 License No.: 5150					
10/27/2009 10/30/2009 04/28/2010	Quarter SE/4 Sec. 2 Twp.23 S. R. 16 Fast West					
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: COFFEY Docket No.: D28297					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if required tiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	unversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-I report shall be attached with this form. ALL CEMENTING TICKETS MUST					
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	ne oil and gas industry have been fully complied with and the statements herein					
Signature:	KCC Office Use ONLY					
10th 0 +1	Letter of Confidentiality Received					
Subscribed and sworn to before me this _/guday of	, If Denied, Yes Date:					
20/0	Wireline Log Received RECEIVED					
Notary Public: Shully & totler	Geologist Report Received					
Date Commission Expires: 1-20-20/2	UIC Distribution					

Side Two

Operator Name: COLT ENERGY, INC  Sec. 1 Twp. 23 S. R. 16 V East West				Lease Name: BEARD #1 Well #: H4  County: COFFEY					
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey		☐ Yes ☑ No		Vι	.og Formati	on (Top), Dept	h and Datum	Sample	
		☐ Yes ☑ No			Name Top Datum DRILLERS LOG ENCLOSED				
Cores Taken Electric Log Run (Submit Copy)		✓ Yes No ✓ Yes No							
List All E. Logs Run:							•		
GAMMA RA	Y/NEUTRON/0	CCL							
7-11			NG RECORD	√ N			<u></u>		
Purpose of String	Size Hole	Report all strings so		urface, inti ight	ermediate, produc Setting	tion, etc.	# Sacks	Type and Perce	ent
SURFACE	Drilled 12 1/4	Set (In O.D.)	Lbs.	/ Ft.	Depth	Cement	Used	Additives	
PRODUCTION			19		41.4	CLASS "A			
1 KODOOTION	37/6	2 7/8	6.5	<del></del>	1000.00	50/50	153		
						<u> </u>			
Purpose: Depth		ADDITIONAL CEMENTING / S  Type of Cement #Sacks Used			Type and Percent Additives				
—— Perforate —— Protect Casing	Top Bottom	. Type of outlient	"Jucks		Type and reitent Additives				
Plug Back TD Plug Off Zone							······································	. 174	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Typ Specify Footage of Each Interval Perforated			pe Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
2	974-980				50 GAL 15% HCL 500# 20/40 BRADY SAND 974-				<u>-</u>
					3500# 12/20 BRADY SAND 980				
				<del></del>		· · · · · · · · · · · · · · · · · · ·			
TUBING RECORD:	Size:	Set At:	Packer A	t:	Liner Run:	Yes	No		
Date of First, Resumed 05/11/2010	Production, SWD or Enl	nr. Producing Mo		Flowing	) V Pumpi	ng 🔲 Gas	s Lift Othe	r (Explain)	
Estimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Wate	er 8	bls.	Gas-Oil Ratio	Gravity	
DISPOSITIO	ON OF GAS:		METHOD OF	COMPLE	TION:		PPODUCTIO	N INTERVAL	
Vented ✓ Sold Used on Lease Open Hole ✓				RECEIVED					D
(If vented, Sul	omit ACO-18.)	Other (Specify)						OCT 2 5 2	010