

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION OTHER PROPERTY OF THE PROPERTY



WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #5150	API No. 15 - 031-22419-00-00
Name: COLT ENERGY, INC	Spot Description:
Address 1: PO BOX 388	SW _SE _SW _NW Sec. 1 Twp. 23 S. R. 16
Address 2: 1112 RHODE ISLAND RD	2475 Feet from 🗸 North / 🗌 South Line of Section
City: IOLA State: KS Zip: 66749 + 0 3 8 8	825 Feet from East / West Line of Section
Contact Person: MANDY BOEKEN	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 365-3111	□ne ☑nw □se □sw
CONTRACTOR: License # 5989	County: COFFEY
Name: FINNEY DRILLING COMPANY	Lease Name: BEARD "1" Well #: A3
Wellsite Geologist: JIM STEGEMAN	Field Name: LEROY
Purchaser: COFFEYVILLE RESOURCES, LLC	Producing Formation: LOWER SQUIRREL SANDSTONE
Designate Type of Completion:	Elevation: Ground: 1008 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1015 Plug Back Total Depth: 1002.05
oil swd slow	Amount of Surface Pipe Set and Cemented at: 45 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 1015
If Workover/Re-entry: Old Well Info as follows:	feet depth to: SURFACE w/ 143 sx cmt.
Operator:	
	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Well Name:Original Total Depth:	Chloride content: 1000 ppm Fluid volume: 80 bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: PUMPED OUT - PUSHED PIT IN
Plug Back: Plug Back Total Depth	Dewatering method used:
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name: COLT ENERGY, INC
Other (SWD or Enhr.?) Docket No.:	Lease Name: MURRAY WDW1 License No.: 5150
07/29/2009 08/03/2009 04/30/2010	Quarter SE/4 Sec. 2 Twp.23 S. R. 16 VE East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: COFFEY Docket No.: D28297
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- I report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	ne oil and gas industry have been fully complied with and the statements herein
Signature:	KCC Office Use ONLY
04	Letter of Confidentiality Received
Subscribed and sworn to before me this	If Denied, Yes Date:RECEIVED
20 <u>/ D</u>	Wireline Log Received
Notary Public: Christer & Stotler	Geologist Report Received OCT 2 5 2010
Date Commission Expires: 1-20-20/2	AM-DA-11/12/10 KCC WICHITA

Operator Name: COLT	ENERGY, INC		Lease Name	BEARD "1"	<u> </u>	_Well #: _A3			
Operator Name: COLT ENERGY, INC Sec. 1 Twp. 23 S. R. 16 Fast West			County: CC	FFEY		· · · · · · · · · · · · · · · · · · ·			
NSTRUCTIONS: Show	w important tops and ed, flowing and shut if gas to surface tes	d base of formations per in pressures, whether s st, along with final chart(:hut-in pressure r	eached Static Ievel	. nvarostatic pres	รนเยร, มบแบกกา	oie tempe	iature, nur	
Drill Stem Tests Taken			[2	Log Formatic	on (Top), Depth ar			Sample	
<u> </u>		☐ Yes ☑ No		Name Top Datum DRILLERS LOG ENCLOSED					
Cores Taken Electric Log Run (Submit Copy)		✓ Yes No		·					
ist All E. Logs Run: GAMMA RAY	/NEUTRON/C		RECORD 7	New Used					
		Report all strings set				# Sooks	Typo a	nd Percent	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		Iditives	
SURFACE	12 1/4	7	19	45	50/50	35			
PRODUCTION	5 5/8	2 7/8	6.5	1002.05	50/50	143			
Purpose:	Depth		#Sacks Used Type and Percent Additives						
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Type of Cement							
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/ Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
2	975-982			50GAL 15% HCL 500# 20/40 BRADY SAND 975-			975-		
				3500# 12	3500# 12/20 BRADY SAND 982				
		New York				, <u></u> ,			
			<u></u>						
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N	lo .			
Date of First, Resumed 05/30/2010	Production, SWD or E	nhr. Producing Mo		owing 🗸 Pum	ping 🔲 Gas	Lift Otl	ner <i>(Explain</i>)	
Estimated Production Per 24 Hours	Oil 1.7	Bbls. Gas	Mcf	Water 2	Bbls.	Gas-Oil Ratio		Gravity	
DISPOSITION OF GAS:			METHOD OF CO	ETHOD OF COMPLETION:			PRODUCTION INTERVAL:		
Vented ✓ Sold	Used on Lease	Open Hole Other (Specify)		Dually Comp. C	commingled _		REC	EIVED	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					<u> </u>		OCT 2	5 2010	