

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 3728  
Name: Roger Kent dba R J Enterprises  
Address 1: 22082 Northeast Neosho Road  
Address 2: \_\_\_\_\_  
City: Garnett State: KS Zip: 66032 + 1918  
Contact Person: Roger Kent  
Phone: ( 785 ) 448-6995 or 448-7725  
CONTRACTOR: License # 3728  
Name: Roger Kent dba R J Enterprises  
Wellsite Geologist: n/a  
Purchaser: n/a

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SLOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_
- Commingled    Permit #: \_\_\_\_\_
- Dual Completion    Permit #: \_\_\_\_\_
- SWD    Permit #: \_\_\_\_\_
- ENHR    Permit #: \_\_\_\_\_
- GSW    Permit #: \_\_\_\_\_

<u>August 9, 2010</u>	<u>August 11, 2010</u>	<u>August 11, 2010</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 107-24213-00-00

Spot Description: \_\_\_\_\_

S2 S2 N2 NE Sec. 23 Twp. 22 S. R. 21  East  West

4,280 Feet from  North /  South Line of Section

1,320 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE     NW     SE     SW

County: Linn

Lease Name: Ewing Well #: 9-1

Field Name: Blue Mound

Producing Formation: Burgess

Elevation: Ground: 978' est. Kelly Bushing: n/a

Total Depth: 840 ft. Plug Back Total Depth: 837.6 ft.

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: surface

feet depth to: 837.6 ft. w/ 85 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: Drilled with fresh - air dry

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

RECEIVED  
NOV 08 2010  
KCC WICHITA

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Donna Thanda

Title: Agent Date: November 4, 2010

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: Dtg Date: 11/12/11

Operator Name: Roger Kent dba R J Enterprises Lease Name: Ewing Well #: 9-1  
 Sec. 23 Twp. 22 S. R. 21  East  West County: Linn

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run: <b>Gamma Ray/Neutron/CCL; Drillers Log</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum See attached Log
--	--


CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		7"		20'	Oil Well Cement	85	Kol Seal
Production		2-7/8"		837.6'			Premium Gel/Bentonite
							Cottonseed Hulls

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
17 perfs	821.0 - 829.0 ft.		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

MAIN OFFICE  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
FAX 620/431-0012

**INVOICE**

Invoice # 235886

Invoice Date: 08/16/2010 Terms: 0/30,n/30

Page 1

R. J. ENTERPRISE  
% ROGER KENT  
22082 NE NEOSHO RD  
GARNETT KS 66032  
(785) 448-6995

EWING #9I  
29006  
08-11-10

Part Number	Description	Qty	Unit Price	Total
1126	OIL WELL CEMENT	85.00	17.0000	1445.00
1110A	KOL SEAL (50# BAG)	340.00	.4200	142.80
1118B	PREMIUM GEL / BENTONITE	200.00	.2000	40.00
1105	COTTONSEED HULLS	75.00	.3900	29.25
1123	CITY WATER	3000.00	.0149	44.70
4402	2 1/2" RUBBER PLUG	2.00	23.0000	46.00

Description	Hours	Unit Price	Total
437 80 BBL VACUUM TRUCK (CEMENT)	4.00	85.00	340.00
485 CEMENT PUMP	1.00	925.00	925.00
485 EQUIPMENT MILEAGE (ONE WAY)	60.00	3.65	219.00
543 TON MILEAGE DELIVERY	280.80	1.20	336.96

RECEIVED  
AUG 20 2010  
KOROVICHITA  
KOROVICHITA

Parts:	1747.75	Freight:	.00	Tax:	110.12	AR	3678.83
Labor:	.00	Misc:	.00	Total:	3678.83		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed \_\_\_\_\_ Date \_\_\_\_\_

BARTLESVILLE, OK  
918/338-0808

ELDORADO, KS  
316/322-7022

EUREKA, KS  
620/583-7664

GILLETTE, WY  
307/686-4914

McALESTER, OK  
918/426-7667

OTTAWA, KS  
785/242-4044

THAYER, KS  
620/839-5269

WORLAND, WY  
307/347-4577

R. J. Enterprises  
22082 NE Neosho Rd  
Garnett, KS 66032

### Ewing 9-I

Start 8-9-10

Finish 8-11-10

3	soil	3	
16	clay	19	
63	lime	82	
6	shale	88	
45	lime	133	set 20' 7"
170	shale	303	ran 837.6' 2 7/8
29	lime	332	consolidated cemented
57	shale	389	to surface
30	lime	419	
33	shale	452	
26	lime	478	
8	shale	486	
8	lime	494	
98	shale	592	
2	lime	594	
224	shale	818	
3	sandy shale	821	odor
9	oil sand	830	good show
7	shale	837	
2	coal	839	
1	lime	840	T.D.

RECEIVED  
NOV 08 2010  
KCC WICHITA