KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:	_		(See Instruc	tions on Re	everse Side)				
Op	en Flow	図51		T . D .				• • •				
De	eliverabilty			Test Date: 4-3-2006					No. 15 -20354-00 -	<i>0</i> 0		
Company		urces		Lease Topliff						1-34	Well Number	
County Location Sherman SESW				Section 34		TWP 8S	TWP RNG (E/W)				Acres Attributed	
Field Goodland				Reservoir Niobrara			Gas Gathering Conne Branch Systems In					
Completion Date Plug Back Total Depth 8/17/2004 1350'								Packer S	et at			
Casing Size Weight 2 7/8" 6.5#			Internal [2.441	Diameter		Set at 1346'		rations 2'	то 1136 '			
Tubing S none	ize	Weigl	nt	Internal Diameter Set at			Perfo	rations	То			
Type Con Single (Type Flui Dry Ga	d Production	n		Pump Un	it or Traveling	Plunger? Yes	/No	
Producing		nnulus / Tubin	g)	% Carbon Dioxide				% Nitrog	en	Gas Gr .6	Gas Gravity - G _g	
Vertical D				Pressure Taps Flange							Run) (Prover) Size	
Pressure	Buildup:	Shut in 4-3	, 2	06 at 8		-) Taken_4-	6	20	06 _{at} 2:05	(AM) (PM)	
Well on Line: Started 4-6			2	0 <u>06</u> at 2	:05	(AM)(PM)	Taken <u>4-</u>	7	20	06 at 9:30	(AM)(PM)	
					OBSERVE	D SURFAC	E DATA			Duration of Shut-	in 24 Hours	
Static / Dynamic Property	Dynamic Size Property (inches) Meter Prover Pressure in		Flowing Well Head Temperature t		Casing Wellhead Pressure (P_w) or (P_t) or (P_c)		Tubing Wellhead Pressure $(P_w) \text{ or } (P_t) \text{ or } (P_c)$		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In		psig (Pm)	Inches H ₂ 0			26	40.4	psig	psia			
Flow						9	23.4			24	0	
r			T		FLOW STR	REAM ATT	RIBUTES					
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia	Press Extension P _m x h	Gravity Factor F _g		Flowing Temperature Factor F _{tt}	Devi Fa F	tor R		GOR (Cubic Fe Barrel)		
									21			
(P _c) ² =		- (P _w) ² =		(OPEN FLO	OW) (DELIV		/) CALCUL P _c - 14.4) +			(P _a) (P _d)	² = 0.207	
			Choose formula 1 or 2	:		1	essure Curve		·	(, q)		
$ \begin{array}{c cccc} (P_c)^2 - (P_a)^2 & (P_c)^2 - (P_w)^2 & 1. \ P_c^2 - P_a^2 \\ \text{or} & 2. \ P_c^2 - P_d^2 \\ (P_c)^2 - (P_d)^2 & \text{divided by: } P_c^2 - P_w \\ \end{array} $		LOG of formula 1. or 2. and divide by: P2-P2 w		Slope = "n" or Assigned Standard Slope		n x l OG		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)			
			- c w				· · · · · · · · · · · · · · · · · · ·					
Onon Ele		}	Motel @ 11	65 poio		Dolinger	hility			Mofd @ 14.05 ::-		
Open Flor	W		Mcfd @ 14.	oo psia		Deliveral	omty			Mcfd @ 14.65 ps	a	
	_	•	n behalf of the aid report is true			•		make the day of $\frac{O}{-}$	-	rt and that he ha	s knowledge of	
								_//	êm K	1/100	RECEIVED	
		Witness (if any)						For C	company	OCT 2 7 2006	

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to reque exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. and that the foregoing pressure information and statements contained on this application form are true are correct to the best of my knowledge and belief based upon available production summaries and lease record of equipment installation and/or upon type of completion or upon use being made of the gas well herein name. I hereby request a one-year exemption from open flow testing for the Topliff 1-34	nd Is
gas well on the grounds that said well:	
(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commis staff as necessary to corroborate this claim for exemption from testing.	sion
Signature:	-

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. signed and dated on the front side as though it was a verified report of annual test results.

OCT 2 7 2006

KCC WICHITA

Well Name:

Topliff 1.34

Pumper:

 $f_{j}\tilde{\mathcal{F}}$

· ch

IRS

Month <u>3/06</u>

					•	***********	Sylvi	<u> </u>		
						SPM	1			
Day Static	Diff	MCF	Wtr	TP	CP	Cycle	Remar	le.		
1 18		.34	·		5	- 3,0.0	- Itemai	N-9		
2 18	ļ	34	,		S				······································	
3 18		34		`:	5		 			
4 19		56			6					
5 19		36			6					· .
6 19		36	_	<	6		BP		<u>.</u>	
7 19		37 1			6		- 		Carr	y over
8 19		37			6		 	****		
9 19		37			6		 			·
10 19		37			6		PO	min.		
11 19.		<i>3</i> 7			6		1 - V - c	711411.	C	arryour
12 9		37			6					 :
13 9		38		-	7		BP 3	- C		
14 19		38			6		DT D	win	car	ryouern
15 19		381			6					
16 14	1 1 1	38			6		(()			
17 19	,	30		~~	6		Short in	1		
18 19		38	_		6	•		·		
19 25		27			12	·				
20 32		33			79					
21 21		3.3			8					
22 21		23								
23 21		33			8					
24 21		34			◇					
25 21		34			8					!
26 2		35			8				·	
27 21.		35			8		(21)			
28 2)		341			8			car	ryou	1
29 23		231					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
30 23		32			0					
31 23	2	321			 					
4 4 T	otals						·	· · · · · · · · · · · · · · · · · · ·		RECEIVE
••	<u> </u>	T		K	ECEIV	EU				007 0 7 000

JUL 2 8 2006

KCC WICHITA

OCT 2 7 2006

KCC WICHITA

Well Name: Topleff 1-34

₹.

ų,

 $\mathbf{v}_{\mathbf{k}}^{-1}\mathbf{k}$

Pumper: Month 4/06

				٠	• , .			•
, Z.,	٠.						SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	22		34			9		
2	23		34			9		
3	22		34			9		BP 5I 8130A
4	34		4			21		SI
5	34		Q			a		5F
6	39		0			26		SI COUND 2:05P
7	34		13/3	<u> </u>		21		U
8	30		31			17		
9	28	<u> </u>	34			15		
10	28		32			15		PP'
11	26		32			13		
12	26		32			13		•
13	26		28	·		13		·
14	26		28			7		
15	04		28	* ,, ,		16		
16	29	٠. ٠	28			16		
17	29	** -	28			16		RP
18	29	ļ <u>.</u>	28			19	•.	
19	29		29			16		
20	29		29			16		
21	29		29			16		
22	29		29			16		
23	<u>27 </u>		32			14		
24	27		33			74		
25	27		32			14		
26	77		32		-	14		
27	-27		32			14		
28	27		32			19		
29	27		32			14		
30	27		32			74	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
31								
	4.5	Totals			F	RECEIV	/FD	
		,			8 '	·		RECEIVED

JUL 2 8 2006 KCC WICHITA RECEIVED 0CT 2 7 2006 KCC WICHITA