## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

	n Flow	ØSI		Test Date					No. 15	~^			
Deli	verabilty		·····	4-24-20	07			181	-20393-00 <b>-</b>	00			
Company Rosewoo	d Reso	urces, Inc.				Lease Toplff					2-34	Well Nu	nber
County Location Sherman SESE/4			Section TWP 34 8S			RNG (E/W) 40W			Acres Attributed 80				
Field Goodand			Reservoir Niobrara			Gas Gathering Connection Branch Systems Inc.							
Completion 2/24/2006				Plug Back 1198'	k Total Dept	h		Packer \$	Set at	***************************************			
Casing Size Weight 2 7/8" 6.5#			Internal D 2.441	Diameter				Perforations 1090'		то 1120'			
Tubing Siz	:e	Weigh	t	Internal Diameter Set at			at	Perforations			То		
Type Comp			, , , , ,	Type Fluid	d Production	1		Pump Un	nit or Traveling	Plunger	? Yes	/ (No)	
		nnulus / Tubing	1)				% Nitrogen			Gas Gravity - G <sub>g</sub> .6			
Vertical De	epth(H)			Pressure Taps Flange						(Meter F 2"	Run) (Pr	over) Size	
Pressure F	Buildun:	Shut in 4-2	4 2	07 <sub>at</sub> 1:	:00	(AM) (PM)	Taken 4-	-27	20	07 <sub>at</sub>	2:00	(	AM)(PM)
Well on Lir		Started 4-27	7 20		:00			-28	20	07 at	2:20	. `	AM) PM
					OBSERVE	D SURFAC	E DATA			Duration	of Shut-	<sub>in</sub> 72	Hou
Static / Dynamic Property	atic / Orifice   Meter Diffe		1 1	Flowing Well Head Temperature t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)		Liquio	Produced
Shut-In		psig (Pm)	Inches H <sub>2</sub> 0			psig 22	36.4	psig	psia				
Flow						13	27.4			72		0	
					FLOW STR	EAM ATT	RIBUTES						
Plate Coefficcient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter or Prover Pressure psia	Press Extension P <sub>m</sub> x h	Grav Fact F <sub>g</sub>	tor T	Flowing Temperature Factor F <sub>tt</sub>	Fa	viation actor F <sub>pv</sub>	Metered Flow R (Mcfd)	(Cui		et/	Flowing Fluid Gravity G <sub>m</sub>
									12				
P <sub>c</sub> ) <sup>2</sup> =	,	(P <sub>w</sub> ) <sup>2</sup> =		(OPEN FLO	OW) (DELIVI		/) CALCUL P <sub>c</sub> - 14.4) +				(P <sub>a</sub> );	<sup>2</sup> = 0.20	)7
		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	P 2 LOG of formula P 2 1. or 2. and divide P 2 . p 2		Backpressure Curve Slope = "n" Or Assigned Standard Slope				Antilog		Op Deli Equals	en Flow verability R x Antilog Mcfd)
Open Flow	<u> </u>		Mcfd @ 14.	65 psia		Deliveral	bility	1		Mcfd @	14.65 psi	а	
The u	ndersign	ned authority, or	behalf of the	Company, s		e is duly a	uthorized t						edge of
		Witness (il	i any)		WALES :	RECEI		/or	m / For C	Company		el	YB
		For Comm	ission		NANSAS (	CORPORAT	ION COMM	1991UN	Che	cked by			

JUL 1 0 2007

exempt status und and that the fore correct to the bes of equipment inst I hereby requ	er penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.  going pressure information and statements contained on this application form are true and tof my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. Lest a one-year exemption from open flow testing for the Topliff 2-34
as well on the g	ounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: 6/28/2007	
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

KANSAS CORPORATION COMMISSION

## ROSEWOOD RESOURCES, INC.

## DAILY PRODUCTION REPORT

April

2007

ORF: .375 EFM

WELL: Topliff 2-34 FIELD: S.Goodland

FIELD:	S.Goodland							
	TUBING	CASING	GATH	GATH	GATH	GATH		
DATE	PRESSURE	PRESSURE	STATIC	DIFF'L	COEF	MCF	HRS ON	REMARKS
4/1/07		20	33			13	18	
4/2/07		19	32			14	24	
4/3/07		18	31			13	24	
4/4/07		18	31			14	24	
4/5/07		17	30			14	24	
4/6/07		17	30			14	. 24	
4/7/07		16	29			14	24	
4/8/07		16	29			12	24	
4/9/07		15	28			14	24	
4/10/07		15	28			12	24	
4/11/07		19	32			8	18	BP
4/12/07		16	29			12	24	
4/13/07		16	29			12	24	
4/14/07		19	32			8	18	
4/15/07		17	30			10	24	BP
4/16/07		16	29			12	24	
4/17/07		14	27			15	24	
4/18/07		14	27			15	24	
4/19/07		14	27			12	24	
4/20/07		14	27 <sup>-</sup>			12	24	
4/21/07		14	27			12	24	
4/22/07		14	27			12	24	
4/23/07		19	32			7	8	
4/24/07		22	35			0	0	
4/25/07		22	35			0	0	
4/26/07		- 22	35			0	0	
4/27/07		15	28			12	24	
4/28/07		15	28			12	24	
4/29/07		15	28			12	24	
4/30/07		15	28		•	14	22	

AECEIVED
KANSAS CORPORATION COMMISSION

W432 Topliff 2-34 South Goodland Goodland None May-07

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
5/1/2007	15	28	15	0	-
5/2/2007	20	33	5	17	
5/3/2007	16	29	12	5	BP
5/4/2007	16	29	15	2	
5/5/2007	17	30	10	3	
5/6/2007	17	30	10	0	
5/7/2007	15	28	15	0	
5/8/2007	15	28	15	0	
5/9/2007	13	26	14	0	
5/10/2007	13	26	14	0	
5/11/2007	12	25	14	0	
5/12/2007	12	25	14	0	
5/13/2007	12	25	14	0	
5/14/2007	12	25	14	0	
5/15/2007	12	25	14	0	
5/16/2007	12	25	14	0	
5/17/2007	12	25	13	0	
5/18/2007	12	25	13	0	
5/19/2007	12	25	13	0	
5/20/2007	17	30	8	8	•
5/21/2007	17	30	7	8	
5/22/2007	14	27	10	0	
5/23/2007	12	25	13	0	
5/24/2007	13	26	13	0	
5/25/2007	13	26	12	0	
5/26/2007	13	26	12	0	
5/27/2007	13	26	12	0	
5/28/2007	13	26	12	0	
5/29/2007	13	26	12	0	
5/30/2007	13	26	12	0	
5/31/2007	13	26	12	0	BP

Total 383



W432 Topliff 2-34 South Goodland Goodland None June-07

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
6/1/2007	12	25	13	0	
6/2/2007	12	25	13	0	
6/3/2007	12	25	13	0	
6/4/2007	12	25	13	0	
6/5/2007	12	25	13	0	
6/6/2007	12	25	13	0	
6/7/2007	12	25	13	0	
6/8/2007	12	25	13	0	
6/9/2007	12	25	13	0	
6/10/2007	12	25	13	0	
6/11/2007	11	24	12	0	
6/12/2007	11	24	12	0	
6/13/2007	12	25	12	0	
6/14/2007	12	25	12	0	
6/15/2007	12	25	12	0	
6/16/2007	12	25	12	0	
6/17/2007	12	25	12	0	
6/18/2007	11	24	12	0	
6/19/2007	11	24	12	0	
6/20/2007	11	24	12	0	
6/21/2007	11	24	12	0	
6/22/2007	11	24	12	0	
6/23/2007	11	24	12	0	
6/24/2007	11	24	12	0	
6/25/2007	11	24	12	0	
6/26/2007				0	
6/27/2007				0	
6/28/2007				0	
6/29/2007				0	
6/30/2007				0	
7/1/2007				0	

Total 310

RECEIVED KANSAS CORPORATION COMMISSION