## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	: en Flo	ſ	V 24h	12	SI	(	See Instruc	tions on Re	verse Side	e)					
Deliverabilty					Test Date: 12-10-2005				API No. 15 181-2035 <b>3-</b> 00						
Company		sou	rces			12-10-2	003	Lease Berring	 er	10	1-20332-00	2-35	Well N	umber	
County Shermar	n	•••	Loca	ation V		Section 35		TWP 85	•••	RNG (E	Z/W)		Acres 80	Attributed	
Field Goodlan	d				.,	Reservoir					thering Conn		•		
Completic 10/2/200		te	,			Plug Bac	k Total Dep	th		Packer					
Casing Si	<del></del>	·····	Weig	•		Internal E 2.441	Diameter		Set at Perforation 1219' 1030'			To 1062			
Tubing Size Weight none							Internal Diameter Set at				orations	То			
Type Con Single (			escribe)			Type Flui	d Production	n		Pump U	nit or Traveling	Plunger? Yes	/ No		
<u>-</u>	Thru	<u> </u>	nulus / Tubi	ng)	·····		arbon Dioxi	de		% Nitrog		Gas 6	iravity -	G <sub>g</sub>	
Vertical D		1)						sure Taps	*****			(Meter	Run) (F	Prover) Size	
1062'	5. ".		12	2-10	)	. 05 . 1	Flan	<del></del>	12	2-11		2" 05 <sub>at</sub> 12			
Pressure Buildup: Shut in 20.						05 at 11 (AM) (PM) Taken			12-12 20 05 at _			· · · · · · · · · · · · · · · · · · ·			
			<del></del>				OBSERVE	D SURFAC	E DATA	·····		Duration of Shu	<sub>t-in</sub> 24	Hours	
Static / Dynamic Property	Size Prover Pres		sure	Pressure Differential in	Flowing Temperature t	emperature Temperature		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>c</sub> )		Tubing ead Pressure or (Pt) or (Pc)	Duration (Hours)	Liqu	Liquid Produced (Barrels)		
Shut-In	(	-	psig (Pm	1)	Inches H₂0	•		psig 2	psia 16.6	psig	psia		<del> </del>		
Flow								4	18.6	·		24	0		
							FLOW STR	EAM ATTR	IBUTES						
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter ot Prover Pressure psia		Press Gravi Extension Factor ✓ P <sub>m</sub> x h F <sub>g</sub>		or T	' Tomporatura I		Deviation Met Factor F <sub>pv</sub>		v GOF (Cubic F Barre	eet/	Flowing Fluid Gravity G <sub>m</sub>		
											5				
(P <sub>c</sub> )² =		:	(P <sub>w</sub> )²	=	:	(OPEN FLO	OW) (DELIV		) CALCUL <sup>2</sup> 14.4) +		:		$)^2 = 0.2$ $)^2 =$	207	
		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> LOG of formula 2. P <sup>2</sup> P <sub>c</sub> <sup>2</sup> 1. or 2.		P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	Backpressure Curv Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	Antilog Cp Deli Equals			
Open Flov	v				Mcfd @ 14.	65 psia		Deliverab	ility			Mcfd @ 14.65 p	sia		
The u	ındersi	igned	l authority,	on b			tates that h			make th		rt and that he h		rledge of	
he facts st	ated th	herei	n, and that	said	report is true	and correct	. Executed	this the 14	4	day of D	ecember	[1]	g els	20 05	
			Witness			RE	CEIVE			16		Company			
			For Con	nmissio	on	DEC	- 20 2A	<b>115</b>			Chec	cked by			

DEC 2 9 2005 KCC WICHITA

exempt status u	nder penalty of perjury under the laws of the state of Kansas that I am authorized to request nder Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
correct to the be	est of my knowledge and belief based upon available production summaries and lease records stallation and/or upon type of completion or upon use being made of the gas well herein named. The summaries are summaries and lease records at least a one-year exemption from open flow testing for the Berringer 2-35
	grounds that said well:
l further agr	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D  ree to supply to the best of my ability any and all supporting documents deemed by Commission ary to corroborate this claim for exemption from testing.  RECEIVED DEC 29 2005 KCC WICHITA
	Signature: Jan W Joelh  Title: Production Foreman

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

.

Well Name: Bluringer 2-35

			T	T	7
Monthly	y Gauge Sheet	<del> </del>	12 May 1, 18 May 1		<del> </del>
	, Judge Offeet		The state of the s		
		!			<u></u>
Mell Na	ame: Blrr	inger	2- <i>35</i>	Month: 11/05	5
		ا ل		12 4 1	
Date	MCF	TP	CP	Wtr /	Remarks
		,			
11	6	•	2 15		·
2	6		2 15		
3	6		2 15		
4			3		
5	6		3		
6	6		3		
7	6		3		
8	6		?		
9	6		3		۸,,
10	6		3 16		-
11	6		3		
12	6		3		
13	، ط		3		
14	6(5,37)		3.		
15	6		نخ		cath
16	6	·	3		(C) 1/2.
17	3		5	· · · · · · · · · · · · · · · · · · ·	CO THE.
18	5				
19	5		5	· · · · · · · · · · · · · · · · · · ·	Pro
20	5		5,44		RECEIVA DEC 2 9 20 KEC WICHI
21	1,5		5	:	DEC 2 9 20
22	3		5		Ker IARO
23	5		5		- WICHI
24	6		3		
25	6		3		RINDAL
26	6		3		BIENPOT
27	6		3		
28	(0		3		00 10
29	う		5		
30	1		\[ \{ \} \\ \}		$(A)$ $\delta$
31	\$		2		

t<sub>e</sub> .

		Me. W ~ 1	inger a		Month: / O/	
	Date	MCF	ТР	СР	Wtr	Remarks
	1	6		2		
	2	6		2		
	3	6		· · · · · · · · · · · · · · · · · · ·	<u> </u>	
	<u>4</u> 5	6				
	6	76		2		
	<del></del>	6		3		
	8	6	·			
	9	6		3		·, ,
	10	6		3		
	11	6		3		
	12	<u></u>		_		
	13	6		5 18	•	
	14	16	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3		
	15	<u> </u>	٠.	3	-	
	16	Q	:	2		
		0		2		
	18	6	<u> </u>	2		
	19	6		2		
	20	6		2		
ŀ	21 22	9	<u> </u>	3		
}	23	6		3		REAP.
Ì	24	6		3		RECEI DEC 29 KCC WIC
	25	6		3		DEC 29
	26	6		3		- KCC WIC
	27	6		3	-	- 0000
	28	6		3		
	29	6		3		
_	30	0		3		
	31	0		3		