## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	;					(3	See Instru	ıctions or	Rei	verse Side	)						
Ope	en Flow	X	5.	<u></u>		Test Date					дРІ	No. 15					
Del	liverabilt	у				4-3-2006						-20371-00 <b>-</b>	S	>			
Company		ources	, Inc.					Leas Irvir						1-33	Well	Numbe	ŧr
				Section 33				NP RNG (E/W) S 40W					Acres Attributed 80				
Field						Reservoir Niobrara			Gas Gathering Conne Branch Systems Inc				n				
						Plug Back	Plug Back Total Depth			Packer Set at							
	Casing Size Weight						Internal Diameter			Set at 1400'		rations O'		To 1246			
Tubing Si	ize		Weig				Internal Diameter			Set at		rations		То			
Type Com Single (			be)			Type Fluid	Type Fluid Production			Pump Unit or Traveling flowing				Plunger? Yes / No			
Producing	Thru (		/ Tubi	ng)			% Carbon Dioxide				% Nitrog	Gas G	Gas Gravity - G <sub>g</sub>				
Annulus Vertical D 1246'							Pressure Taps						(Meter Run) (Prover) Size				
Pressure	Buildup	: Shut	in _4-	3	2	06 at 8	Flange 06 at 8:35			AM)(PM) Taken 4-6		20 .		at_2:10	·10		(M)
	•			20	06 at 2	(AM) <b>(</b>	PM	Taken 4-	720		06	at	(AM)(PM)		(M9)		
							OBSER	VED SUR	FAC	E DATA			Dura	ation of Shu	2 t-in	4	Hour
Static / Dynamic Property	Dynamic Size		Meter Prover Pressure		Pressure Differential in Inches H <sub>2</sub> 0	Flowing Well Head Temperature t		Well	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>o</sub> )		Tubing Wellhead Pressure $(P_w)$ or $(P_l)$ or $(P_o)$ psig psia			Duration (Hours)		Liquid Produced (Barrels)	
Shut-In				·/	2			600	,	74.6	paig	рэн					
Flow								60	<u>&gt;</u>	:74.6			24		0		
						<u> </u>	FLOW S	TREAM A	ATTR	IBUTES		r	<del></del>			<del></del>	
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mofd		Circle one:  Meter or  Prover Pressure psia		Press Extension P <sub>m</sub> x h	Gravity Factor F <sub>g</sub>		Tempera	Temperature Factor		reviation Metered FI factor R F <sub>pv</sub> (Mcfd)		ow GOF (Cubic f Barre		Feet/ Fluid		Flowing Fluid Gravity G <sub>m</sub>	
												0					
(P <sub>c</sub> ) <sup>2</sup> =			(P <sub>w</sub> ) <sup>2</sup>	:_	•	(OPEN FL	OW) (DEL	.IVERABI		') CALCUL P <sub>c</sub> - 14.4) +		:			() <sup>2</sup> = (		
	P <sub>a</sub> ) <sup>2</sup>			Cho	2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup>	LOG of formula 1. or 2. and divide			sckpre Slo	essure Curve ope = "n" - or ssigned dard Slope	n x	rog		Antilog	ı	Open Deliver	ability x Antilog
					· · ·												
Onen Fir				<u> </u>	Mcfd @ 14.	65 peia		Dali	veral	hility			Mefe	i @ 14.65 p	sia		
Open Flo		ned au	thority	on t			states tha				o make t	he above rep				owled	ge of
	1	-	-		report is true										,	. , 28	
			Witnes	s (if ar	ny)			-			m	n U	Compa	iny	12		
			ForCo	mmisei	ion		F	RECE	= \/	/Fn		Chi	scked b	y ·			
			. 5, 50					, FOF						•			٠

JUL 2 8 2006 KCC WICHITA

exempts and that correct to	clare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.  the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records
l here	ment installation and/or upon type of completion or upon use being made of the gas well herein named.  eby request a one-year exemption from open flow testing for the Irvin 1-33  on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D  ther agree to supply to the best of my ability any and all supporting documents deemed by Commission necessary to corroborate this claim for exemption from testing.
	Signature: Production Foreman

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
JUL 2 8 2006
KCC WICHITA

Well Name: Thur 1-33

Pumper: TKS

Ë. X

Month <u>3/06</u>

۲	-::	<u>.                                    </u>	<del></del>	<del></del>					•
	••	İ						SPM	
-	Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
-	1	82	ļ	0		43	69		KT
-	2	82	ļ	Ø					
-	3	82		8	'		79		
-	4	82		0			69		
_	5	82		10			109		
_	6	82.32		4	1-		69		
	7	82		10			19	٠.,	
_	8	82.		10			69		
	9	82		0		1	69	<del>                                     </del>	
	10	17.7		a			5	<del> </del>	0.10
_	11	18		D		<del> </del>	5		Putonline
	12	18		0		<del> </del> -	3		j.
	13	18		O	1_	<del> </del>	5		
	14	13		Ø	+	<del> </del>	5		
	15	18		8					
	16	18	1.00	Ø	-		5		
	17	33	4.74	12			3		Short m
	18	38		1/2	<del> </del>	<del> </del>	20		
_	19	53		1	<del> </del>	<u> </u>	25		
	20	65	<u>-</u>	12	<del> </del>		40		
	21	83		8			ريخ ک		
$\overline{}$	22	83		2			70		
_	3	86		12			70		- !
	4	73	·	10			67		
		47		9			60		
	5	45		0			58		
	6	19		0			59		:
2	<del>-   •</del>	· 101		8			57		
2		71		0			59		
25		<u> 71  </u>		P			58		
3(		41		Ø			58		
31		71		0		1.	58		
	٠.	/ T	otale			············	UU		

RECEIVED

JUL 28 2006

KCC WICHITA

¥ .

 $\nabla \varphi_{\mathbf{i}}$ 

Well Name: Thur 1-33

Pump	per:			<del>.</del>		-	Month	4/06
<u>'Ÿ</u>	,						SPM	l l
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	71		0	· · · · · · · · · · · · · · · · · · ·		58		51
2	72		Ø	-		139		37
3	73		8			60		5I 8135Am
4	73		Ø			60		SI
5	73		0			60		5I
6	73		0			60		open 2:10pm
7	73	-	0			60		SI
8	74		0			61		SI
9	74		8			61		SI
10	1/4		0	·		01	<del> </del>	5I'
11	74		8			(0)	· · · · · · · · · · · · · · · · · · ·	5F
12	74		0	7		61		SI
13	74		8			61		SF
14	74		Ø			61		5I
15	74		0	•.		61		SI
16	75	•• .•	0			60		5I
17	75		0		•	62		SI
18	75		0			62	••	SI
19	75		0			62		SI
20	75		0			62		SI
21	75		6			62		SI
22	75		0			62		SI
23	75		0			62		SI
24	75		0			62		SI
25	75		0			62		SI
26	75		0			62		5I
27	7.5		0			62		SI
28	75		0			65		31
29	75		0			63		57
30	25		0			62		31
31							1	
	<del>-</del> x , x <sup>(x)</sup> , x	Totals				<u> </u>		

RECEIVED JUL 2 8 2006 KCC WICHITA