KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:		Fil aut la		((See Instruct	tions on Re	verse Side	9)				
Oper	n Flow	図24 h	R SI	Tool Date				ADI	No. 45			
Deliv	verabilty			Test Date 12-10-2					No. 15 -20371-00	- 60		
Company Rosewood	d Resou	ırces, İnc.			***************************************	Lease Irvin				1-33	Well Number	
County Location Sherman SENE/4				Section 33				RNG (E/	W)		Acres Attributed 80	
Field Goodand					Reservoir Niobrara				hering Conn Systems in			
Completion 6/2/2005	n Date			Plug Bac 1381'	k Total Dept	th		Packer S	Set at			
Casing Size 2 7/8"	e	Weig 6.5#		Internal Diameter Set at 2.441 1400'			Perfo 122	rations 0'	To 1246 '			
Tubing Size	е	Weig	ht	Internal Diameter Set at			Perfo	rations	То	То		
Type Comp Single (V	•	,		Type Flui Dry G a	d Production	n		Pump Ur	nit or Traveling	Plunger? Yes	/ No	
Producing Annulus	Thru (Ar	nulus / Tubir	rg)	% C	Carbon Dioxi	de		% Nitrog	en	Gas G	ravity - G _g	
Vertical De	epth(H)				Press Flan	sure Taps de				(Meter	Run) (Prover) S	
Pressure B	Buildup:	Shut in 12	-10 2	05 at 1	2		Taken_12	2-11-	20	05 at 1	(AM) (P)	
Well on Lin	ne:	Started 12	-11 20	05 at 1		(AM) PM			20	05 at 2	(AM) (PI	
					OBSERVE	D SURFAC	E DATA			Duration of Shut-	in 24 H	
Static / Dynamic Property	namic Size Prover Pr		Differential in	ifferential in Flowing Temperature		t (P _w) or (P _t) or		I		Duration (Hours)	Liquid Produc (Barrels)	
Shut-In						70	84.6	psig	рыа			
Flow						70	84.6			24	0	
		····	T		FLOW STR	EAM ATTR	IBUTES	т				
Plate Coeffiecient (F _b) (F _p) Mcfd		Meter or Prover Pressure psia Press Extension Pmxh		Gravity Factor F _g		Flowing femperature Factor F ₁₁	Deviation Factor F _{pv}		Metered Flow R (Mcfd)	y GOR (Cubic Fe Barrel)	l Gravi	
									0			
(P _c) ² =	:	(P _w)² =	•	•	OW) (DELIV) CALCUL 2 - 14.4) +				² = 0.207 ² =	
(P _c) ² - (P _a) or (P _c) ² - (P _d)	,)2 (P _c) ² - (P _w) ²	Choose formula 1 or 2: 1. P _c ² - P _a ² 2. P _c ² - P _c ² divided by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	Backpre Slo	ssure Curve pe = "n" or signed ard Slope	n x l	ГЛ	Antilog	Open Flow Deliverabilit Equals R x An (Mcfd)	
Open Flow			Mcfd @ 14.	65 psia		Deliverat	ility			Mcfd @ 14.65 ps	ia	
			on behalf of the							rt and that he ha	as knowledge o	
	• . •	Witness	(if any)		RECE	IVED		fgr	7 C	Company	er p	
		For Comr	mission		DEC 2	9 2005			Chec	ked by		

KCC WICHITA

	ler penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the fore correct to the bes of equipment inst	going pressure information and statements contained on this application form are true and it of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Irvin 1-33
	rounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
DEC 2 9 /
KCC WICHITA

. 4

Well Name: Truin 1-33

oump	er:						Month	12/05
.:::	-				<u> </u>	<u> </u>	SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	Static	Diii	0	****		70	0,0.0	
2	·		8			70		
3	· · · · · · · · · · · · · · · · · · ·		6			70	1	
4			0			76		
5			Ŏ			90		
6			Ø		_	70		
7			a			76	`	
8	,		0			20		
9			0			20		
10			8			70		Shut in 12p
11			18			70		Open 15
12			B			70		
13								
14								
15			•					
16		'						
17					``			
18								
19								
20								
21								
22								
23		ļ	<u> </u>			ļ		
24								
25				<u> </u>				
26								
27	4			<u> </u>				
28								
29								
30				ļ				
31	1							RECEIVE

DEC 2 9 2305 KCC WICHITA

				·	
tenthly C	Sauge Sheet				
Mell Nam	ne: Truil	n 1-33		Month: 11/05	5
اند					
)ate	MCF	TP	СР	Wb	Remarks
1 -		•	69		·
2			69		
3	Ø		£ 69 92		
4	Ó		69		
5	0		69		
6	0		69		
7	\triangle		69	<u> </u>	
S	\mathcal{O}		100		
9			69		, ^, .
10	Ø		69 2		
11	0		69 82	.887	
12	Ø		109		
13	0		69		
14	Q		70 62	50)	
15	Ø		70		
16	6		70 . 83		co The
17	Or		76		CO The
18	δ		70		
19	O		20		
20	0		70		
21	Q		70	····	
22	0		70	· · · · · · · · · · · · · · · · · · ·	
23	B		6		
24	Ö		20	-	
25	8		4		Can allowant
26	0		00		TO THE CONTRACTOR
27	7		60		
28	0		- 1 /		10 h 10
29	0		20		
30	6		70		1000
31	P		70		·
)	. i i				REC

, k

y the

RECEIVED
DEC 23 2005
KCCWICHITA

onthly	Gauge Sheet				
			·		
ell Nai	me: Trui	n 1-33	3	Month: 10/()5
ate	MCF	TP	СР	1.04	
<u> </u>	MOP	117	CP	Wtr	Remarks
1 .	0		61		
2	Or		101		
3			62 75	·	
4	Ø	-	E 7 76	<u> </u>	
5	Ø		63		
6	0		64 77		
7	W.		64		
8	10		65 77.7	5	
9	Ø		65		• •
10	Ø		65		
11	Ø		66		
12	9	ļ	66		
13			67		
14	<u> </u>	7 .	67		
15	<u> </u>	·.	67		
16	\mathcal{L}		67.		
17	<u> </u>		67	80.158	
18	9		67 80	····	
19	Ø		18 81	-	
20	/		(8) 81		
21	- K-		190		
22 23	(X		1 92		
23	X	, .	100	· · · · · · · · · · · · · · · · · · ·	
25	7		00		
26	0		100		
27	0		(V)		
28	X		(0)	· · · · · · · · · · · · · · · · · · ·	
29	8-		69 82		
30	8		Y 9 = 1	· · · · · · · · · · · · · · · · · · ·	
31	Ď.		64		<u> </u>

÷

DEC 2 9 2016 KCC WIGHITA