KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:				(See Instru	uctio	ns on Rev	rerse Side)					
✓ Op	en Flow				Test Date) :				API	No. 15				
Del	liverabilt	у			7/20/200					15-	181-20416-0	00-00			
Company Rosewoo		ources						Lease G. Ihrig				1	3-20 W	ell Num	ber
County Location Sherman NWSW				Section 20						RNG (E/W) 39W		Acres Attributed 80		ributed	
Field Goodland	d					Reservoir Niobrara					hering Conne Systems Inc				
Completio 3/22/200					Plug Back 1177'	Plug Back Total Depth 1177'			Packer Set at		et at				
Casing Si 2 7/8"			eight 5#		Internal E	Internal Diameter 2 441			Set at 1177.67'		Perforations 1062'		т _о 1098'		
Tubing Siz	ze		eight		Internal D	Internal Diameter			Set at		Perforations		То		
		(Describe)				Type Fluid Production Dry Gas				Pump Ur Flowin	nit or Traveling G	Plunger? Yes No			
		Annulus / T	ubing)		% C	arbon Did	oxide			% Nitrog	en		ias Grav	ity - G _g	
Annulus								Tana					.6 (Meter Run) (Prover) Size		
Vertical D 1098'	epth(H)					Pressure Taps Flange						•)''	, (1.10	VOI, 0120
Pressure	Buildun:	Shut in		26	n at				Taken		20	at		(A	M) (PM)
Well on Li		Started .	7-20	20	06 at 1	1:50	_ (¢	M)(PM)	Taken 7-	-21	20	06 at 12	2:30		M)(PM)
						OBSER	VED	SURFACE	DATA			Duration of	f Shut-in		Hours
Static / Dynamic	Dynamic Size Prover Pressure		Pressure Differential in	Differential Temperature To		Well Head Temperature t Casing Wellhead Pressure (P _w) or (P _t) or (P _o)		Pressure	Tubing Wellhead Pressure (P_w) or (P_1) or (P_0)		Duration (Hours)		Liquid Produced (Barrels)		
Property Shut-in	(inche	psig	(Pm)	Inches H ₂ 0				psig	psia	psig	psia			J	
Flow	1						 	58	72.65			24		0	
<u></u>	L					FLOW S	TRE	AM ATTR	IBUTES						 1
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Press psia	Meter or Extension Prover Pressure		Gravity Factor F _g		Ter	Tomporature		eviation Metered Floractor R F_pv (Mcfd)		w GOR (Cubic Feet Barrel)		v	Flowing Fluid Gravity G _m
											17				
	L.				(OPEN FL	, ,			-				(P _a)² (P _d)²	= 0.20	7
(P _c) ² =	Т			pose formula 1 or 2	1		<u>*</u>		ssure Curv	+ 14.4 =			('a)		en Flow
(P _c) ² - (or (P _c) ² - ((P _c) ² - (P _w)		 P_c² - P_d² P_c² - P_d² 	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	2	Slo As	pe = "n" - or signed lard Slope	n x	LOG	Antilo	g	Deliv Equals	erability R x Antilog Mctd)
		·······	div	ided by: P _o ² - P _w	2 by:			Jiano	ara Siope						
													. 05i-		
Open Flo				Mcfd @ 14				Deliverat				Mcfd @ 14			-daa -t
				behalf of the report is tru						_	he above rep eptember	ort and that	t he has	2, 2	edge of
				•						100	m h		Un	elj	5
		W	itness (if a	ny)			_	-			For	Company			
		Fo	or Commiss	ion							Che	EXEC	LIVI	ED	
												CED a		•	

SEP 2 8 2006 KCC WICHITA

exempt status and that the f correct to the of equipment in I hereby re	under Penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. oregoing pressure information and statements contained on this application form are true and best of my knowledge and belief based upon available production summaries and lease records installation and/or upon type of completion or upon use being made of the gas well herein named. Equest a one-year exemption from open flow testing for the G. Ihrig 13-20 e grounds that said well:
l further a	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D agree to supply to the best of my ability any and all supporting documents deemed by Commission sarry to corroborate this claim for exemption from testing.
Date: 9/30/2	Signature:

Instructions:

5

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test respective.

SEP 2 8 2006 KCC WICHITA Monthly Gauge Sheet

Go Southon Rd Right hand side only one

Well Name: 67. Ihria 13-20

٣.

ÿ

¥

				•	;·			
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\							SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1 ,,	4							
2								
3								
4					,			
5					a.			
6								
7								
8	,						····	
9								
10								
11	1,							
12								
13								
14								
15			•	•.				
16		1						
17		*1			*:			
18								
19							<u> </u>	
20					_			15+605 11:50A@201
21	71		17			58		60#CF
22	70		20			57		
23	76		20			57		
24	68		119		7.	55		
25	(e8		19			کے		
26	67		18			54		
27	607		18			54		
28	66		18			53		
29	100		18			53		
30	Tolo		18			53		
31	65		18			52		
	., w	Totals						RECEIVED

RECEIVED
SEP 2 8 7006

KCC WICHITA

Well Name:

Pumper:

Pumpe	er:	JR	>				MOHEN	
							SPM	
1	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
Day	Static 65		18			52		
1 .	64		18			5		
3	45		18			52		
4	64		17		<u> </u>	51		
5	64					51		
6	64		17		ļ	51		
7	164		117	ļ	 	51		
8	63	\	12		 	50 50		
9	63	<u> </u>	17		 	50		
10	63	_	117	 		50		
11	63		114			50	-	
12	63		10	 		50		
13	177		117			50		BD
14	170	- 	114	-		50		
15	-1-1-2		113			15C)	
16	- - / - / -	<u> </u>	117			49		
17	10	-	177			40		
18)	1	7		40		
2	9 60	2	1	7 -		49		
2	1 6		1/4	2				
 	2 6 7		16			49		
—	3 62	1	16	. 1		- 49	_	
2	4 6	2	- 19			100	> 	
	25 6	61.4	14	<u>,.19</u>		40	3	
	26			ρ		48	3 3	
		(0)		0		- 14	3	
 	28 61			6		49	3	
	29 6	<u> </u>		6		48		
-	30 6	1		6		146		
L_	31 6		tals				÷.	RECEIVED
	•	, `						

SEP 28 2006