KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

	en Flo		• • • • •		Test Dat	•	ctions on Rev	erse Side	•	No. 15				
De	liverat	oilty			12/12/2	006			181	-20457-01-	00			
Company Rosewo	/ od Re	sou	rces, Inc.				Lease Fitzgibb	ons			14-12	Well Number H		
County Location Sherman SWSW/4					Section 12				RNG (E/W) Acres Attrib 39W 80			Acres Attributed 5		
Field Goodlan	d			·····						Gas Gathering Connection Branch Systems Inc.				
Completic 10/2/200		ie			Plug Bac 2737'	k Total Dep	oth		Packer S	Set at				
Casing S 4 1/2"	ize		Weigh 10.5#		Internal I 4.000	Diameter	Set a 2737		Perfo 272	rations 4'	To 2744'			
Tubing Si	ze		Weigh	nt	Internal I	Internal Diameter Set at				rations	То			
Type Con Single (Type Flui	d Productio	n		Pump Ur Flowin	nit or Traveling	g Plunger? Yes	/No		
	Thru		nulus / Tubin	g)	·	Carbon Diox	ide		% Nitrog		Gas Gravity - G _g .6			
Vertical D		4)				Pres	ssure Taps		·			Run) (Prover) Size		
3063'		••				Flan	•				2"	Timi) (Frover) Gize		
Pressure	Buildu	р:	Shut in		20 at		(AM) (PM)	Taken		20	at	(AM) (PM)		
Well on L	ine:	,	Started 12-	12	06 at 2	:45	(AM) PM	Taken 12	2-13	20	06 at 2:45	(AM) (PM)		
						OBSERVE	D SURFACE				Duration of Shut-	in 24 Hours		
Static / Dynamic Property	ynamic Size Meter Di		Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Temperature Temperature		(P _w) or (P _t) or (P _c)		ubing ad Pressure (P _t) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)			
Shut-In			pag (r,	montos 1120			psig 3	psia 17.4	psig	psia				
Flow				q				16.4			24	0.		
						FLOW ST	REAM ATTRI	BUTES						
Plate Coeffiecient (F _b) (F _p) Mcfd		Pro	Circle one: Meter or ver Pressure psia	Press Extension ✓ P _m xh	Extension Factor		Temperature Factor		iation Metered Flow ctor R F (Mctd)		y GOR (Cubic Fe Barrel)	i Granitu i		
				-						0				
(P _c) ² =		_:	(P _w) ² =	:	(OPEN FLO	• •	/ERABILITY)	CALCUL.		:		² = 0.207 ² =		
		(P	_c) ² -(P _w) ²	Choose formula 1 or 1 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	1. P ₂ ² - P ₂ ² LOG of formula 1 or 2: LOG of formula 2. P ₂ ² - P ₀ ² and divide P ₂		Backpressure Curve Slope = "n" or Assigned Standard Slope		nxl	.og	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)		
Open Flow	N			Mcfd @ 14	.65 psia		Deliverabil	ity			Mcfd @ 14.65 ps	a		
The u	ındersi	gned	authority, or		······	tates that h			make th		rt and that he ha			
the facts st	ated th	nereii	n, and that sa	id report is tru	e and correct	t. Executed	this the 14	<u>;</u>	tay of Fe	bruary	11	, 20 07		
· · · · · · · · · · · · · · · · · · ·							1,700m. N	//	m	W	Coelf.	2		
			Witness (i	any)						For C	Company			
 			For Comm	ission			_			Che	RECEIVED			

MAR 0 2 2007

KCC WICHITA

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
correct to the best of equipment insta I hereby reque	oing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records llation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for theFitzgibbons 14-12H ounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
MAR 0 2 2007
KCC WICHITA

Well Name: Fitzgibbons 14-12HV

Pumper: _____ Month _12/06_____

-: 1	· T						SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks .
1.	Statio							
2								
3								
4								
5						-		
6			<u> </u>		ļ	 		
7			<u> </u>		<u> </u>	_		
8	`				-	<u> </u>	 	
9				ļ	 			
10				<u> </u>		 	-	
11	<u> </u>	ļ				 	 	15+6as 2:45p 3#GF meter not working Omef
12				 		1.3	 	meter not wooking Omef
13	1	ļ	10	 	-	13		J .
14	119	-	10	 		3		
15	NO 11	_	8	+		1.3	1	
16	1.7	4	19		+			
17	17	 	18	/	-	3		
18			1		_	3	1	
19		-	10			3		
20	11	-	P			3		
2			D	-		3		
2			D			3	<u> </u>	
2	111		IA			ſ		
—	5 1		0	'		1		
	6 14		10					
_	7 .15	1	Ø					
	8 15		Ø	·		12		
	9 145		0	-		13		
-	30 15		0			1	_	
	31 14		E					
		To	tals					RECEIVED

RECEIVED
MAR 0 2 2007
KCC WICHITA

Well Name:

Fitzgibbons 14-12H

Pump	er:					_	Month	1/07
						-		7
3 3							SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	14		8			1		
2	15		Ø			2		
3	15		0			2		
4	15		0			2		
5	15		0			2		
6	15		0			2		W
7	14		D	, ,		4		
8	15		0			4		
9	15		D			4		
10	17		Ø			4.		
11	76		6			4	-	
12	16		Ó			4		
13	16		0			3		
14	16		,0			3		
15	110		. 7			3		
16	16		0			B	·	
17	15		2050	\mathcal{L}		2		
18	16				·	3		· · · · · · · · · · · · · · · · · · ·
19	16	4 4				3		
20	16		8			3		cp4
21	17		5			a		
22	16		δ			3		
23	16		7			3		
24	16		0			3		
25	17		O			Ú		
26	18		0			3		,
27	18		0	.		Ä		
28	18		7	i		5		
29	77		\forall			\mathcal{L}		
30	19		7350			3/6		
31	77		0			20		
		Totals						

RECEIVED
MAR 0 2 2007
KCC WICHITA

Monthly Gauge Sheet

Well Name:

Fitzgibbons 14-12H

Pump	er:				W	-	Month	2/07	
<u> </u>		1	T	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	T	 	 	/-	
1 1				•	1	ŀ	SPM		
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks	
1.	17		Ŏ			4			hand and the same of the same
2	Ke		Q			3			
3	1.7		0		ļ	7			
4	12		Ö		·	4			
5	18		0			5			
6	18		0			.5			
7	18		0			5			
8	18		0		,	5			•
9	18		0			5 5			
10	18		0			5		·	
11	18		Ø			حسح			
12	17		Ö			.4			
13	18		0			5			Addition to the second
14	17		0			4			
15	18		0	,		5			Commission of the Commission o
16		•							- 1
17									
18	. [
19					***	1	Third said a		
20									
21									***************************************
22									
23		·							
24									
25									
26		1							<u> </u>
27							· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
28									
29								· · · · · · · · · · · · · · · · · · ·	
30		•		*					
31									
		Totals							

RECEIVED MAR 0 2 2007