

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

- Open Flow
 Deliverability

SI

(See Instructions on Reverse Side)

Test Date:
7/22/2008

API No. 15
181-20402-00 - 8

| | | | | | |
|---|------------------|-------------------------------------|-----------------|---|------------------------|
| Company Rosewood Resources | | Lease Trachsel | | Well Number 21-13 | |
| County Sherman | Location NWNE | Section 13 | TWP 7S | RNG (E/W) 39W | Acres Attributed 80 |
| Field Goodland | | Reservoir Niobrara | | Gas Gathering Connection Branch Systems Inc. | |
| Completion Date 2/24/2006 | | Plug Back Total Depth 1145' | | Packer Set at | |
| Casing Size 2 7/8" | Weight 6.5# | Internal Diameter 2.441 | Set at 1146' | Perforations 996' | To 1028' |
| Tubing Size none | Weight | Internal Diameter | Set at | Perforations | To |
| Type Completion (Describe) Single (Conventional) | | Type Fluid Production Dry Gas | | Pump Unit or Traveling Plunger? Yes / No | |
| Producing Thru (Annulus / Tubing) Annulus | | % Carbon Dioxide | | % Nitrogen | |
| Vertical Depth(H) 1150' | | Pressure Taps Flange | | (Meter Run) (Prover) Size 2" | |
| Pressure Buildup: Shut in 7-22 20 08 at 9:00 | | (AM) (PM) Taken 7-23 20 08 at 10:30 | | (AM) (PM) | |
| Well on Line: Started 7-23 20 08 at 10:30 | | (AM) (PM) Taken 7-24 20 08 at 9:27 | | (AM) (PM) | |

OBSERVED SURFACE DATA

Duration of Shut-in **24** Hours

| Static / Dynamic Property | Orifice Size (inches) | Circle one: Meter or Prover Pressure psig (Pm) | Pressure Differential in Inches H ₂ O | Flowing Temperature t | Well Head Temperature t | Casing Wellhead Pressure (P _w) or (P _i) or (P _c) | | Tubing Wellhead Pressure (P _w) or (P _i) or (P _c) | | Duration (Hours) | Liquid Produced (Barrels) |
|---------------------------|-----------------------|--|--|-----------------------|-------------------------|--|-------|--|------|------------------|---------------------------|
| | | | | | | psig | psia | psig | psia | | |
| Shut-In | | | | | | 28.15 | 40.42 | 29.4 | | | |
| Flow | | | | | | 28 | 42.4 | | | 24 | 0 |

FLOW STREAM ATTRIBUTES

| Plate Coefficient (F _s) (F _v) Mcfd | Circle one: Meter or Prover Pressure psia | Press Extension $\sqrt{P_m \times h}$ | Gravity Factor F _g | Flowing Temperature Factor F _t | Deviation Factor F _{pv} | Metered Flow R (Mcfd) | GOR (Cubic Feet/ Barrel) | Flowing Fluid Gravity G _m |
|--|--|---------------------------------------|-------------------------------|---|----------------------------------|-----------------------|--------------------------|--------------------------------------|
| | | | | | | 4 | | |

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

$(P_c)^2 =$ _____ : $(P_w)^2 =$ _____ : $P_d =$ _____ % $(P_c - 14.4) + 14.4 =$ _____ : $(P_o)^2 = 0.207$
 $(P_o)^2 =$ _____

| $(P_c)^2 - (P_o)^2$ or $(P_c)^2 - (P_d)^2$ | $(P_c)^2 - (P_w)^2$ | Choose formula 1 or 2: 1. $P_c^2 - P_o^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$ | LOG of formula 1. or 2. and divide by: $P_c^2 - P_w^2$ | Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope | n x LOG [] | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) |
|--|---------------------|---|--|---|-------------|---------|--|
| | | | | | | | |

Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 23 day of October 2008

Witness (if any)

RECEIVED
KANSAS CORPORATION COMMISSION

Tom W. Roelke
For Company

For Commission

JAN 29 2009

CONSERVATION DIVISION
WICHITA, KS

Checked by

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.

and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Trachsel 21-13 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is not capable of producing at a daily rate in excess of 250 mcf/D


I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 10/23/08

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION
WICHITA, KS

Signature: 

Title: Production Foreman

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2264
 Trachsel 21-13
 North Goodland
 Goodland
 None
 July-08

| DATE | Casing PSI | STATIC | MCF | HRS DOWN | REMARKS (Maximum length 110 characters) |
|-----------|---------------|--------|-----|-------------|--|
| 7/1/2008 | 12 | 25 | | 4 | 0 |
| 7/2/2008 | 12 | 25 | | 4 | 0 |
| 7/3/2008 | 12 | 25 | | 4 | 0 |
| 7/4/2008 | 12 | 25 | | 4 | 0 |
| 7/5/2008 | 12 | 25 | | 4 | 0 |
| 7/6/2008 | 12 | 25 | | 4 | 0 |
| 7/7/2008 | 12 | 25 | | 4 | 0 |
| 7/8/2008 | 12 | 25 | | 4 | 0 |
| 7/9/2008 | 12 | 25 | | 4 | 0 |
| 7/10/2008 | 12 | 25 | | 4 | 0 |
| 7/11/2008 | 12 | 25 | | 4 | 1 |
| 7/12/2008 | 12 | 25 | | 3 | 2 |
| 7/13/2008 | 12 | 25 | | 4 | 0 |
| 7/14/2008 | 12 | 25 | | 4 | 0 |
| 7/15/2008 | 12 | 25 | | 4 | 0 |
| 7/16/2008 | 13 | 26 | | 4 | 0 |
| 7/17/2008 | 13 | 26 | | 4 | 0 |
| 7/18/2008 | 13 | 26 | | 4 | 0 |
| 7/19/2008 | 13 | 26 | | 4 | 6 |
| 7/20/2008 | 13 | 26 | | 4 | 4 |
| 7/21/2008 | 14 | 27 | | 3 | 4 |
| 7/22/2008 | 14 | 27 | | 3 | 0 shut in 9am |
| 7/23/2008 | 18 | 31 | | 0 | 24 |
| 7/24/2008 | 15 | 28 | | 2 | 0 opened 9:27am |
| 7/25/2008 | 14 | 27 | | 4 | 0 |
| 7/26/2008 | 14 | 27 | | 4 | 0 |
| 7/27/2008 | 14 | 27 | | 4 | 0 |
| 7/28/2008 | 14 | 27 | | 4 | 0 |
| 7/29/2008 | 14 | 27 | | 4 | 10 |
| 7/30/2008 | 15 | 28 | | 2 | 0 |
| 7/31/2008 | 14 | 27 | | 3 | 0 |

Total

112

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 29 2009
 CONSERVATION DIVISION
 WICHITA, KS

W2264
 Trachsel 21-13
 North Goodland
 Goodland
 None
 August-08

| DATE | Casing PSI | STATIC | MCF | HRS DOWN | REMARKS (Maximum length 110 characters) |
|-----------|---------------|--------|-----|-------------|--|
| 8/1/2008 | 15 | 28 | | 4 | 2 |
| 8/2/2008 | 15 | 28 | | 4 | 0 |
| 8/3/2008 | 15 | 28 | | 4 | 0 |
| 8/4/2008 | 15 | 28 | | 4 | 0 |
| 8/5/2008 | 15 | 28 | | 4 | 0 |
| 8/6/2008 | 15 | 28 | | 4 | 0 |
| 8/7/2008 | 15 | 28 | | 4 | 5.5 |
| 8/8/2008 | 19 | 32 | | 0 | 5 |
| 8/9/2008 | 19 | 32 | | 0 | 24 |
| 8/10/2008 | 19 | 32 | | 0 | 0 |
| 8/11/2008 | 18 | 31 | | 2 | 0 |
| 8/12/2008 | 18 | 31 | | 3 | 0 |
| 8/13/2008 | 18 | 31 | | 3 | 0 |
| 8/14/2008 | 18 | 31 | | 3 | 0 |
| 8/15/2008 | 18 | 31 | | 3 | 0 |
| 8/16/2008 | 16 | 29 | | 4 | 0 |
| 8/17/2008 | 16 | 29 | | 4 | 0 |
| 8/18/2008 | 17 | 30 | | 2 | 0 |
| 8/19/2008 | 17 | 30 | | 4 | 0 |
| 8/20/2008 | 17 | 30 | | 4 | 0 |
| 8/21/2008 | 18 | 31 | | 2 | 7 |
| 8/22/2008 | 18 | 31 | | 3 | 0 |
| 8/23/2008 | 17 | 30 | | 4 | 0 |
| 8/24/2008 | 17 | 30 | | 4 | 0 |
| 8/25/2008 | 17 | 30 | | 4 | 0 |
| 8/26/2008 | 17 | 30 | | 4 | 0 |
| 8/27/2008 | 17 | 30 | | 5 | 0 |
| 8/28/2008 | 17 | 30 | | 5 | 0 |
| 8/29/2008 | 17 | 30 | | 5 | 0 |
| 8/30/2008 | 17 | 30 | | 5 | 0 |
| 8/31/2008 | 17 | 30 | | 5 | 0 |

Total

106

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 29 2009
 CONSERVATION DIVISION
 WICHITA, KS

W2264
 Trachsel 21-13
 North Goodland
 Goodland
 None
 September-08

| DATE | Casing | | | HRS | | REMARKS (Maximum length 110 characters) |
|-----------|--------|--------|-----|------|---|--|
| | PSI | STATIC | MCF | DOWN | | |
| 9/1/2008 | 16 | 29 | | 5 | 0 | |
| 9/2/2008 | 16 | 29 | | 5 | 0 | |
| 9/3/2008 | 16 | 29 | | 5 | 0 | |
| 9/4/2008 | 18 | 31 | | 2 | 0 | |
| 9/5/2008 | 18 | 31 | | 2 | 0 | |
| 9/6/2008 | 17 | 30 | | 5 | 0 | |
| 9/7/2008 | 17 | 30 | | 5 | 0 | |
| 9/8/2008 | 17 | 30 | | 5 | 0 | |
| 9/9/2008 | 17 | 30 | | 5 | 0 | |
| 9/10/2008 | 17 | 30 | | 5 | 8 | |
| 9/11/2008 | 17 | 30 | | 2 | 0 | |
| 9/12/2008 | 16 | 29 | | 5 | 0 | |
| 9/13/2008 | 16 | 29 | | 5 | 0 | |
| 9/14/2008 | 16 | 29 | | 5 | 0 | |
| 9/15/2008 | 16 | 29 | | 5 | 0 | |
| 9/16/2008 | 16 | 29 | | 5 | 0 | |
| 9/17/2008 | 16 | 29 | | 5 | 0 | |
| 9/18/2008 | 16 | 29 | | 5 | 0 | |
| 9/19/2008 | 16 | 29 | | 5 | 0 | |
| 9/20/2008 | 16 | 29 | | 5 | 0 | |
| 9/21/2008 | 16 | 29 | | 5 | 0 | |
| 9/22/2008 | 16 | 29 | | 5 | 0 | |
| 9/23/2008 | 16 | 29 | | 5 | 0 | |
| 9/24/2008 | 16 | 29 | | 5 | 0 | |
| 9/25/2008 | 16 | 29 | | 5 | 0 | |
| 9/26/2008 | 16 | 29 | | 5 | 0 | |
| 9/27/2008 | 16 | 29 | | 5 | 0 | |
| 9/28/2008 | 16 | 29 | | 5 | 0 | |
| 9/29/2008 | 16 | 29 | | 5 | 0 | |
| 9/30/2008 | 16 | 29 | | 5 | 0 | |
| 10/1/2008 | | | | | 0 | |

Total

141

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 29 2009
 CONSERVATION DIVISION
 WICHITA, KS