KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:		TOM		(See Instructi	ons on Rev	verse Side)					
=	n Flow verabilty	AU	•	Test Date 2/4/2009					No. 15 -20368-01-0	0			
Company	d Reso	urces Inc.				Lease G. Stass	ser			· · · · · · · · · · · · · · · · · · ·	v 1-16H	Vell Num	ber
Rosewood Resources, Inc. County Location Section Sherman NW/4 16				TWP RNG (E/W) 7S 39W				Acres Attributed					
Sherman NW/4 Field Goodland				Reservoir				Gas Gathering Connection Branch Systems Inc.					
Completion 1/27/2005	n Date		The state of the s	Plug Back	c Total Depti	1		Packer S	Set at '				
asing Size Weight " 17#						nt 1'	Perfo	То					
ubing Size	ubing Size Weight			Internal D	Internal Diameter Set at				rations	То			
ype Comp Single (H				Type Fluid Dry Ga	d Production			Pump Ur Flowin	nit or Traveling g	Plunger		/ (No)	
	Thru (A	nnulus / Tubing))	% C	arbon Dioxid	de		% Nitrog	en		.6	avity - G _g	
/ertical De					Press Flang	sure Taps					(Meter F 2"	Run) (Pro	ver) Size
Pressure E	Buildup:	Shut in 2-3	20	20 09 at 4:10 (AM) (FM			Taken 2-	4		at_			M) (M)
Well on Lir	ne:	Started 2-4	20	09 at 4	:25	(AM) (PM)	Taken 2-	-5	20	09 at	5:10	(A	M)(PM)
					OBSERVE			-		Duration	of Shut-	72 T	Hours
Static / Dynamic Property	nic Size Prover Pressure			ential Temperature Temperatur		re (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure $(P_w) \text{ or } (P_t) \text{ or } (P_c)$		Duration (Hours)		Liquid Produced (Barrels)	
Shut-In	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	psig (Pm)	Inches H₂0			psig 13	27.4	psig	psla				
Flow						16	30.4			72		0	
					FLOW STR	EAM ATTE	RIBUTES		T				
Plate Coefficeient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia	Press Extension √ P _m x h	Gravity Factor F _g		Flowing Temperature Factor F ₁₁	F	viation actor F _{pv}	Metered Flow R (Mcfd)		GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
	Wicid							26					
	<u></u>				.OW) (DELIV						-	y² = 0.20	7
(P _c) ² =			Choose formula 1 or 2	P _d =	·	Backpre	P _c - 14.4) essure Curv		[]		(P _d)	Оре	en Flow
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²	 P_c² - P_a² P_c² - P_d² divided by: P_c² - P_d 	formula 1. or 2. and divide	P _c ² - P _w ²	Slope = "n" or Assigned Standard Slope				Ап	itilog	Equals	rerability R x Antilog Mcfd)
				,									
	_			<u> </u>						<u></u>			
Open Flor			Mcfd @ 14			Delivera					14.65 ps		
			on behalf of the					to make to day of _	the above rep November	ort and t	hat he h	as knowi	eage or 20 <u>09</u> .
10013 3								am	W	Company	sel	<u> </u>	RECEN
		Witness	(it any)										

exempt and that correct	eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. at the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records
of equip	oment installation and/or upon type of completion or upon use being made of the gas well herein named. ereby request a one-year exemption from open flow testing for the <u>G. Stasser 1-16H</u>
	Il on the grounds that said well:
staff as	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D urther agree to supply to the best of my ability any and all supporting documents deemed by Commission is necessary to corroborate this claim for exemption from testing.
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results. RECEIVED

NOV 3 0 2009

KCC WICHITA

W429 G. Stasser 1-16H North Goodland Goodland None February-09

	Casing			HR	S	REMARKS
DATE	PSI	STA	TIC MCF	DO	WN	(Maximum length 110 characters)
2/1/2009		13	26	28	0	
2/2/2009		13	26	28	0	
2/3/2009		18	31	14	12	
2/4/2009		18	31	0	24	
2/5/2009		18	31	0	24	
2/6/2009		18	31	0	24	
2/7/2009		18	31	5	10	bp
2/8/2009		16	29	26	0	
2/9/2009		16	29	26	0	
2/10/2009		16	29	21	5	
2/11/2009	9	16	29	22	2	
2/12/2009	9	16	29	26	0	
2/13/2009	9	14	27	26	0	
2/14/2009	9	14	27	26	0	
2/15/2009	9	14	27	26	0	
2/16/2009	9	14	27	26	0	-
2/17/2009	9	14	27	26	0	
2/18/2009	9	15	28	26	0	bp
2/19/2009	9	15	28	26	0	
2/20/2009	9	14	27	26	0	
2/21/2009	9	14	27	26	0	
2/22/2009	9	14	27	26	0	
2/23/2009	9	14	27	26	0	
2/24/2009	9	14	27	26	0	
2/25/2009	9	14	27	26	0	ı
2/26/2009	9	13	26	26	0	
2/27/2009	9	13	26	26	6	
2/28/200	9	13	26	22	6	
3/1/2009)				O)
3/2/2009					C	
3/3/2009	9				C	

Total 608

W429 G. Stasser 1-16H North Goodland Goodland None March-09

	Casing			HRS		REMARKS
DATE	PSI	STATIC	MCF	DOWN		(Maximum length 110 characters)
3/1/2009)	16	29	5	0	
3/2/2009)	16	29	12	0	
3/3/2009)	16	29	17	0	
3/4/2009)	16	29	19	0	
3/5/2009)	16	29	27	0	bp
3/6/2009)	16	29	27	0	
3/7/2009)	16	29	27	0	
3/8/2009)	16	29	27	0	
3/9/2009)	16	29	27	0	
3/10/200	9	16	29	25	0	
3/11/200	9	16	29	25	0	
3/12/200	9	16	29	25	0	
3/13/200	9	14	27	27	0	
3/14/200	9	14	27	27	0	
3/15/200	9	14	27	27	0	
3/16/200	9	14	27	27	0	
3/17/200	19	14	27	27	0	
3/18/200	19	14	27	27	0	
3/19/200	19	14	27	27	0	ı
3/20/200	19	14	27	27	0	
3/21/200)9	14	27	27	0	
3/22/200)9	14	27	27	0	•
3/23/200)9	14	27	27	0	
3/24/200)9	14	27	27	0	
3/25/200)9	14	27	27	0	
3/26/200)9	14	27	27	0	
3/27/200)9	14	27	27	0	
3/28/200)9	14	27	27	0	
3/29/200)9	14	27	26	0	
3/30/200)9	14	27	26	0	
3/31/200)9	14	27	27	C)

Total 774