KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Sherman NW/4	Type Test:		โช7 วนha	> <t< th=""><th>(</th><th>See Instruc</th><th>tions on Re</th><th>everse Side</th><th>9)</th><th></th><th></th><th></th></t<>	(See Instruc	tions on Re	everse Side	9)			
Rosewood Resources, Inc. G. Stasser 1-16H	=		MATIN	C. JA							00	
Sherman NW/4		d Resou	ırces, Inc.					ser				
Completion Date Plug Back Total Depth Packer Set at	-			on							Acres Attributed 80	
8/27/2005 Casing Size		j								•		
Time	•				Plug Bac	k Total Dept	th		Packer S	Set at		
NONE Type Completion (Describe) Type Fluid Production Pump Unit or Traveling Plunger? Yes / No Single (Horizonal) Type Fluid Production Prowing Producing Thru (Annulus / Tubing) Annulus Reflange Pressure Taps (Meter Run) (Prover) Size Pressure Buildup: Shut in 12-10 20 05 at 10:30 (PM) Taken 12-11 20 05 at 10:30 (PM) Well on Line: Started 12-11 20 05 at 10:30 (PM) Taken 12-13- 20 05 at 10:30 (PM) Static / Orifice North Meter Dynamic Property (Inches) Property (Inches) Pressure Pressure Property (Inches) Pressure Property (Inches) Pressure Pressure Pressure Pressure Pressure Pressure Pressure Pressure Property Pressure Property Pressure Pressure Pressure Pressure Pressure Prover Pressure Pressure Prover Pressure Pressure Pressure Prover Pressure	-	:0		t					Perforations		То	
Producing Thru (Annulus / Tubing)	Tubing Size Weight Intern			Internal [Perforations		То		
Producing Thru (Annulus / Tubing)	•		•		2.1		η.				Plunger? Yes	/ No
1018' Flange 2"	Producing			1)			de					avity - G _g
Pressure Buildup: Shut in 12-10 20 05 at 9:30		epth(H)			. ,						•	Run) (Prover) Si
Static / Orifice Size Property (inches) Pressure property (inches) Property (inches) Property		Buildup:	Shut in 12-	10 20	05 at 9			Taken_12	2-11		at	(AM) (PM
Static / Dynamic Property (inches) Static / Dynamic Property (inches) Static / Dynamic Property (inches) Static / Dynamic Prover Pressure Position (inches) Static / Dynamic Prover Pressure Position (inches) Static / Dynamic Prover Pressure Position (inches) Static / Dynamic Prover Pressure (inches) Static / Dynamic Prover Pressure Position (inches) Static / Dynamic Prover Pressure Position (inches) Static / Dynamic Pressure Prover Pressure Position (inches) Static / Dynamic	Well on Lin	16:	Started 12-	11 20	05 at 1	0:30	(PM)	Taken 12	2-13-	20	05 at 10:30	@ (PM
Static / Dynamic Size (inches) Differential in Inches H ₂ 0 Differential Inches						OBSERVE	D SURFAC	E DATA			Duration of Shut-	in 24 Ho
Shut-In	Dynamic	Orifice Meter Differential (inches)		Temperature	emperature t t Well (P,)		willhead Pressure Wellhead Pressure (P_u) or (P_1) or (P_c) (P_w) or (P_1) or		ad Pressure (P _t) or (P _c)		1 '	
FLOW STREAM ATTRIBUTES Plate Coefficient $(F_b)(F_p)$ Mcfd Prover Pressure psia Pmxh Factor Factor Fit Pmxh Pmxh Pmxh Pmxh Pmxh Pmxh Pmxh Pmxh	Shut-In			-			1		paig	paia		
Plate Coefficient (F _b) (F _p) Meter or Prover Pressure psia Plate Plate Plate (OPEN FLOW) (DELIVERABILITY) CALCULATIONS $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Flow						<u> </u>				24	0
Coefficient (F _b) (F _p) Mcfd Meter or Prover Pressure psla Extension P _m xh F _{actor} F _{actor} F _{actor} F _{ft} Deviation Factor F _{pv} (Mcfd) R (Cubic Feet/Barrel) Factor F _{tt} F _{tt} P _{pv} (Mcfd) P _m xh P _m xh (Mcfd) P _m xh (Cubic Feet/Barrel) P _m xh P _m						FLOW STR		RIBUTES	- 			
(OPEN FLOW) (DELIVERABILITY) CALCULATIONS $(P_{\phi})^2 = 0.207$	Coeffiecie (F _b) (F _p)		Meter or over Pressure	Extension	Fac	tor	Factor	Fa	ctor	R	(Cubic Fe	et/ Fluid Gravity
$\langle r_a \rangle = 0.207$										22		
' C'	(P _c)² =	<u></u> :	(P _w) ² =	. <u></u> :	(OPEN FL	• •		•		:	-	
$ (P_c)^2 - (P_a)^2 $ or $ (P_c)^2 - (P_d)^2 $	or		P _c)²- (P _w)²	1. P _c ² -P _a ² 2. P _c ² -P _d ²	formula 1. or 2. and divide	P _c ² - P _w ²	Slo	pe = "n" - or ssigned	n x i	.og []	Antilog	Deliverability Equals R x Anti
Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia	Open Flow			Mcfd @ 14.6	35 psia		Deliveral	oility			Mcfd @ 14.65 psi	a
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and per company that said report is true and per company that said report is true and per company to the forcember the facts stated therein, and that said report is true and per company to the forcember that the is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein, and that said report is true and per company to the facts stated therein the facts stated therein the facts stated therein the facts stated th		-	in, and that sa	id report is true	and de le	CEME	this the 1	_	D	ecember	Moely	ĭ
Witness (if any) For Company For Company Checked by												

I declare under penalty of perjury under the laws of the st exempt status under Rule K.A.R. 82-3-304 on behalf of the opera	•
and that the foregoing pressure information and statements of	ontained on this application form are true and
correct to the best of my knowledge and belief based upon avail	able production summaries and lease records
of equipment installation and/or upon type of completion or upon	use being made of the gas well herein named.
I hereby request a one-year exemption from open flow testing	ng for theG. Stasser 1-16H
gas well on the grounds that said well:	
(Check one)	
is a coalbed methane producer	
is cycled on plunger lift due to water	
is a source of natural gas for injection into ar	oil reservoir undergoing FR
is on vacuum at the present time; KCC appro	
is not capable of producing at a daily rate in	
To not supuble of proceeding at a daily rate in	5.0000 5. 255 ms//2
I further agree to supply to the best of my ability any and al	I supporting documents deemed by Commission
staff as necessary to corroborate this claim for exemption from	
	RECEIVED
Date: 12-13-2005	DES OF THE PROPERTY OF THE PRO
	DEC 2 9 2005
	KCC WICHITA
~ ,	1 12 1/.16
Signature:	om W Welfe
Title: Producti	on Foreman

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

3

Well Name: G. Stasser 1-16H

Day Static Diff MCF Wtr TP CP Cycle Remarks 1	Pump	er:			;	,	-	Month	12/05
Day Static Diff MCF Wtr TP CP Cycle Remarks 1	.:3							SPM	,
1	Dav	Static	Diff	MCF	Wtr	TP	СР		Remarks
2							7		
4				11			1		
5	3	-		17			6		
6	4			17			6		
7	5			17			5		
8	6			17))	5		
9	7			.17			5		
10	8	,		17	•		5		UD 12
11	9			11			11		Up24 -11
11	10						32		Shut in 4:30ACDS/2
13	11	;		II			28		Opla 10130A
14	12			22			17		BP
14 15 16 17 18 19 20 21 22 23 24	13								
15	14		ļ	<u> </u>					
16	15								
17 18 19 20 21 22 23 24	16					<u>.l</u> _			
19 20 21 22 23 24 RECEIVED 25 DEC 2 9 2005 RCC WICHITA 28 29 30 31 31	17	ļ	ļ			<u> </u>			
20 21 22 23 24 RECEIVED 25 26 27 28 29 30 31	18	ļ	-						
21	19					ļ			
22	20	ļ	ļ		ļ		ļ		
23 24 RECEIVED 25 26 27 28 29 30 31	21	<u> </u>	-						
RECEIVED					ļ	<u></u>	ļ		
25 DEC 2 9 2005 CCC WICHITA 28 29 30 31					ļ	ļ	ļ		DEADURA
26		 	 	,		ļ			RECEIVED
26		ļ	ļ	ļ			 		DEC 2 9 2005
28 29 30 31			1						•
29 30 31	-	6.					-	-	* NOC VYICHIA
30 31					 	 			
31					<u> </u>	 	-		
		<u> </u>	-		ļ				
	31		<u> </u>	-	<u> </u>	-	<u> </u>	<u></u>	

				T .	
/onthly	Gauge Sheet				
			•		
	0	10 -	1) / 1)	10	/a ~
Vell Na	me: (7.)	<i>usser</i>	1-16H	Month: 10/	05
				· /	
Date	MCF	TP	СР	Wtr	Remarks
1 .	18		7		•
2	18		7		
3	18		7		
4	18		/	9 .	
5	18		7		
6	13		7 20		
7	18_		0		
8	18		6		,,,
9	12		7		, ,
10	76				
11	18				
12	18		7 20	,	
13	18		7 20		
14	18	<u> </u>	7 20		
15	18		/		
16	18	· •	7		
17	<u> </u>		· /		
18	18		5 20		
19	B 17		7 20		
20	17		<u> </u>		
21	17		-		
22	1-1-5		 		
24	12		 		RECEIVED
25	18		9		DEC 2 9 2005
26	18		1		KCC WICHITA
27	1/2/		1		NOC WICHIA
28	18		8		
29	12		=		
30	15		=		
31	18		 		120

4.5

		1970			
Monthly	/ Gauge Sheet	1			
		X. Ny.	19.15 建		
Well Na	G 51	asser 1	W 16	11/06	<u> </u>
vveii iva	ime: O O	15561	-/6T	Month: 11/05	7
	Lucr.	TO .			
Jale	MCF	TP	CP	Wt	Remarks
•	18	•	2		•
2	12		2		
<u>-</u> 3	10		E Vel		
	18				
4 5	1/2		2		
<u>-:</u> 6	112		2		
7	18		5	· · · · · · · · · · · · · · · · · · ·	
8	18		ζ	· 	
9	10		5		۸, ,
10	18				
11	118		3		
12	18		S		
13	18		5		
14	118		5 5		
15	18		5		
16	18		5		
17	118		5		
18	118		5		
19	118		5		
20	118		3		
21	118		5		RECEIVED
22	18		5		DEC 2 9 2005
23	18		5		KCC MIGHT
24	117		-5		KCC WICHITA
25					BP
26	1,7		5		
27	17		9		
28	17		5	SE;"	CD /2
_29	15		6		CD 8
30	1 15	<u> </u>	6		
31	·:. · · ·		A 在25年3月 日本		

5/4

A.Vic