KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:					(See Instruc	ctions on Re	everse Sid	e)				
✓ Op	en Flo	w		'		Test Date	o.			ΔF	1 No. 15			
De	eliverabi	ilty				11/28/2					31-20453-00	-00		
Company		sour	ces, Inc).				Lease Becke	r			21-14	Well Nu	ımber
County Sherma	n			cation NE/		Section	1	TWP 7S		RNG (E 39W	Ξ/W)		Acres / 80	Attributed
Field Goodlan	nd					Reservoir Niobrara					thering Conn h Systems In			
Completion 10/28/2		е				Plug Bac 3122'	k Total Dep	oth		Packer	Set at			
5				Internal Diameter Set at 4.000 3122'				Perf 30	orations 56'	т _о 3071'	т _о 3071'			
Tubing Si	ize		W	eight		Internal E	Internal Diameter Set at				orations	То		
Type Con Single (***************************************		Type Flui Dry Ga	d Productions	on		Pump U Flowi		Plunger? Yes	/ No	
Producing	-	(Ann	ulus / Tu	ıbing)		% C	arbon Diox	tide		% Nitro	gen	Gas G	ravity - (Э _s
Vertical D	Depth(H)						ssure Taps				(Meter	Run) (P	rover) Size
3178'	D. 11						Flan			·	_	2"		
Pressure Well on L	•											at 06 at _2:40		
•							OBSERVE	ED SURFAC	E DATA	 		Duration of Shut	-in 24	Hour
Static / Dynamic Property	Dynamic Size		Circle one: Pressure Meter Differential Prover Pressure in		Flowing Temperature	Flowing Well Head Femperature		Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing ead Pressure or (P _t) or (P _c)	Duration (Hours)	Liqui	d Produced Barrels)	
Shut-In	(**********	,	psig (f	² m)	Inches H ₂ 0	•		psig psia 53 67.4		psig	psia		-	
Flow								10	24.4			24	0	
							FLOW ST	REAM ATTR	IBUTES					
Plate Coefficcient (F _b) (F _p) Mcfd		,	Circle one: Meter or Prover Pressure psia Press Extension ✓ P _m x h		Fact	Gravity Factor F		Fa	riation actor - pv	Metered Flow R (Mcfd)	V GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m	
											16			
						(OPEN FLO	OW) (DELIV	ERABILITY) CALCUL	ATIONS		(P _a)	² = 0.2	07
(P _o) ² =	Т	<u>-</u> :	(P _w) ² =	;	$P_d =$		% (i	² _c - 14.4) +	14.4 = _		(P ₄)	ı² =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		$ (P_c)^2 - (P_w)^2 $ Choose formula 1 or 2: $ 1. P_c^2 - P_a^2 $ $ 2. P_c^2 - P_d^2 $ $ divided by: P_c^2 - P_w^2 $		LOG of formula 1. or 2. and divide	formula 1. or 2.		Backpressure Curve Slope = "n"or Assigned Standard Slope		LOG	Antilog	Deli Equals	en Flow iverability R x Antilog (Mcfd)		
					- c w				r-					
Open Flov					Medd @ 144	SE polo		Deliversh				M-14 @ 14 0F	<u></u>	
		, m, e, J	as rath da-		Mcfd @ 14.			Deliverat				Mcfd @ 14.65 ps		
					ehalf of the report is true			_		o make to		rt and that he ha		ledge of 20,07.
							MANAGE MANAGE MANAGEMENT		14	Jas	m W	///	rel,	
			Witne	ess (if any	<i>(</i>)	KANS	RE SAS CORP	CEIVED ORATION C	OMBRICO.		ForC	company		
			For C	ommissio	מע	the state of the s) 100 100 C		N	Chec	ked by		

LER 0 5 5003

CONSERVATION DIVISION WICHITA, KS

exempt status und	er penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
_	t of my knowledge and belief based upon available production summaries and lease records
of equipment insta I hereby requ	est a one-year exemption from open flow testing for the Becker 21-14H ounds that said well:
gas well on the gr	ounds that said well.
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D eto supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: 1/28/2007	
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED KANSAS CORPORATION COMMISSION

FEB 0 2 2007

Well Name:

Becker 21-14 H

Pump	er:			Month 11/06									
.:							SPM						
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks					
1.													
2													
3													
4													
5													
6													
7													
8	,												
9													
10													
11													
12					<u> </u>								
13													
14													
15													
16													
17		·						·					
18													
19													
20													
21													
22													
23													
24			-										
25								·					
26													
27	1.				•								
28								15+ gas 2:00p 40 mc					
29	27	1.	20			14		0 53#CP					
30		23	19			12							
31	† –		- - - - - - - - - - 					BECENTO					
	Totals					KANSAS CORPORATION COMMISSION							
						FEB 0 2 2007							

CONSERVATION DIVISION WICHITA, KS Well Name:

ŗ

Becker 21-14 H

Totals

Pump	er:					·	Month	12/06
- Gillip			r			I .		,
.:							SPM	Burnardas
Day	Static	Diff	MCF	Wtr	TP	CP	Cycle	Remarks
1	25		19			12		
2	24		18					
3	24		16			111-		
4	24		16					N P
5	23		16		ļ	10		BP
6	23		15			10		
7	22		16		<u> </u>	19		
8	23		15		<u> </u>	19_	ļ	
9	22		15			9	ļ	
10	22		15			19		
11	22		15			19	ļ	
12	22		15			9	ļ	100
13	22		15			9	<u> </u>	86
14	22		10	ļ		19		c0
15	23		15			10		
16	23		15			10		
17	22		115			9		
18	122		14.			19		100
19	22		14			9	1	BF
20			9			9		
21			9'			9		
22			19			X		
23	2	·	13)		8	<u> </u>	
24	101		12)		8		
25	7 4		14			17		
26			114			7		· · · · · · · · · · · · · · · · · · ·
27			14			7		
21	~	-	15			8		Bl
2			14			7		
3	1 0	1	14			7		DECENTED.
3)	14			17		RECEIVED KANSAS CORPORATION COMMISSIO

FEB 0 2 2007

CONSERVATION DIVISION WICHITA, KS

Monthly Gauge Sheet L

Well Name: BLCCV 21-14 H

Pump	er:				<u></u>	-	Month	1/07
3 7						Ţ	SPM	
Day	Static	Diff	MCF	Wtr	TP	CP	Cycle	Remarks
.1 .	20		13			7		
2	20		14			7		
3	22		13			9		
4	22		14			63		130
5	22		14	- (9		
6	24		11			11		CO
7	22		12			9		
8	12		12			9		
9	22		12			9		
10	22		14		~	9		
11	22		19		***	9		
12	24		12			[1	-	
13	22		15			9		·
14	23		14			q		
15	22		13	· ·		9		
16	15	, ,	12			2	w	
17	73		2			2		
18	-1,4 -1							
19	(c)	11	Q			1		
20	14		1					CO4
21	15		Q			2		
22	17		Q			-		
23	성수		21			9		
24	311		20			8	***************************************	****
25	51		20			200000 V		
26	21		177			× I		
	al		117 +			3		
29	21		18	<u> </u>		D	-	
30	01		ω			0		
31								
31	<u> </u>	T-45!-				<u> </u>	R	SCEIVED
	٠,	Totals				ı	CANSAS CORF	PORATION COMMISSION

CONSERVATION DIVISION WICHITA, KS

FEB 0 2 2007