

15-051-02191-00-01

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas 67202

WELL PLUGGING RECORD

Ellis County, Sec. 17 Twp. 11S Rge. (E) 17 (W)

Location as "NE/CNW/SW" or footage from lines c W/2 NE NW  
Lease Owner Clinton Oil Company  
Lease Name John Carmichael Well No. "C" #6  
Office Address 217 North Water, Wichita, Kansas 67202  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging filed March 28 19 73  
Application for plugging approved March 29 19 73  
Plugging commenced April 14 19 73  
Plugging completed April 14 19 73  
Reason for abandonment of well or producing formation Depleted  
Well TA'd since 1957--

If a producing well is abandoned, date of last production before acquiring  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Leo Massey  
Producing formation Topeka-LKC Depth to top 2473' Bottom 3225' Total Depth of Well 3415 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				15-1/2	40'	None
				10-3/4	1106'	None
				7	3363'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Cemented 10-3/4" annulus with 70 sx 50-50 pox-mix, 6% gel.  
Plugged from 350' to 0'.

Cemented 7" casing with 55 sx 50-50 pox-mix, 6% gel.  
Plugged from 350' to 0'.

Cemented 7" casing with 25 sx 50-50 poz-mix, 6% gel.  
Plugged from 3415' to 3350'.

Plugged 7" casing with 5 sx hulls and 30 sx gel from 3350' to 350'.

RECEIVED  
STATE CORPORATION COMMISSION  
APR 20 1973  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Sun Oil Well Cementing, Inc.  
Address P. O. Box 169, Great Bend, Kansas 67530

STATE OF Kansas, COUNTY OF Sedgwick, ss.  
Ronald E. Rowe (employee of owner) or (~~owner or operator~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Ronald E. Rowe Ronald E. Rowe  
217 North Water, Wichita, Kansas 67202  
(Address)

Subscribed and sworn to before me this 18th day of April, 19 73

Allen A. Denton  
Notary Public.

My commission expires January 24, 1976



THE DICKEY OIL COMPANY  
CARMICHAEL-C #6

COMMENCED: 7/15/41  
COMPLETED: 8/ 5/41

LOCATION: C/W NE NW 17-11-17  
Ellis County, Kansas  
ELEVATION: 1837

Casing Record

40'                    15 1/2"  
1106' 10"            10"  
3363'                 7"

sand and shale	40
shalls	55
shale and shells	500
iron	510
shale	600
water sand	740
red bed	770
red rock and shells	970
red bed	1080
anhydrite	1120
shale and shells	1435
salt	1510
shale and shells	1960
broken lime	1985
broken lime	2214
shale and shells	2295
lime and shale	2350
broken lime and sticky shale	2394
lime	2427
shale and shells	2675
shale and lime shells	2720
lime and shale	2781
shale and shells	2790
(6' correction from Topeka to T.D.)	
Topeka lime	2824
Light oil show 2818-2824	
lime	2867
broken lime, soft	2872
lime	3117
Oil show 2974-2982	
Top K.C. Lime	3117
lime	3291
lime and shale	3336
lime	3339
top Simpson-Dolomite	3339
Light oil show 3339	
shale, top	3351
shale	3363 1/2
top Simpson sand	3363 1/2
sand	3366
top Arbuckle	3366
Arbuckle	3369 T.D.

RECEIVED  
STATE CORPORATION COMMISSION  
MAR 29 1973  
CONSERVATION DIVISION  
Wichita, Kansas