RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:		ONE	POINT 5		(See Instruc					1 120.	NOV 192	
Open Flow X Shut-in		Test Date	Test Date: 10-21-07			API No. 15 -103-21,096			CONSERVATION D WICHITA, K			
	iverabilty	Press	sure		··· -		<u> </u>		1 t		Well Number	
Company Monument Resources, Inc.						Lease C. Hei	m) 11 1 	14		
County Location			Section					/W)		Acres Attributed		
Leavenworth NE, SE, SE			24				21E 40 Gas Gathering Connection					
Field			Reservoir McLout	McLouth/Burgess			COG Transmission					
Completion Date			Plug Back Total Depth				Packer S	Set at				
1-10-89			1288'						<u> </u>			
Casing Siz			Internal Diameter		Set at 1288'		Perforations 1220		то 12 24 '			
4 1/2"			Internal Diameter		Set at		Perforations		То			
100ing 3121 2 3/8"	ubing Size Weight 2.3/8" 4.7#		·		125		***					
Z 3/0 Type Completion (Describe)			Type Fluid Production				Pump Unit or Traveling Plunger? Yes / No					
Gas				Water (Nil)				Pump % Nitrogen		Gos Gu	Gas Gravity - G	
Producing Thru (Annulus / Tubing)			% Carbon Dioxide				% INITOG	E11		Gas Glavily - Gg		
Annulus Vertical Depth(H)				 Pressure Taps						(Meter	(Meter Run) (Prover) Size	
1224'			;				:	·	2"			
		Ob., t		107 at 9	R•00	(AM) VERNA	Taken	10-21	2019	7 at Q • ^	L5 (AM) (RM)	
Pressure B Well on Lin											(AM) (PM)	
									•	.	in i	
		1 6			OBSERVE	D SURFAC		· ·	Tubing	Duration of Shut	-in Hour	
Static / Orilice Dynamic Size Property inches		Prover Pressure in (h)		Flowing Well Head Temperature		Casing Wellhead Pressure		Wellhead Pressure		Duration	Liquid Produced	
				1	t	(P _w) or (P _t) or (P _c)		psig psia		(Hours)	(Barrels)	
Shut-In _										144 +		
Snu-in -					-	40				144 .	 	
Flow		<u> </u>					<u> </u>				1	
					FLOW STR	EAM ATT	RIBUTES					
Plate Coefficeient (F _n) (F _n) Mcfd		Circle one: Meter or Prover Pressure psin Prover Pressure psin Prover Pressure psin		Gravity Factor F		Flowing femperature Factor F _{ff}	Deviation Factor F _{pv}		Metered Flor R (Mcfd)	w GOR (Cubic Fo Barrel)	Vilvere)	
	1											
				(OPEN FL	OW) (DELIV	ERABILITY	() CALCUL	ATIONS		(P_))2 = 0.207	
(P _c) ² =	:	(P _w) ² =	<u> </u>	P _d =		% (!	P _c - 14.4) +	14.4 =	:	(P _d		
(ቦ _ዶ)»- (ቦ,	P (1	P,)"- (P,)"	1. P _c ² - P _s ²	LOG of	Γ		essure Curve ope = "n"		ГЪ		Open Flow	
· or		2. Pc2-P		formula 1. or 2.		Assigned		n x LOG		Antilog	Deliverability Equals R x Antilog	
(P _c)"- (P	.1'			and divide by:	P _c ² -P _w ²	Standard Slope			LJ	L	Mcfd	
Open Flow Mcfd @ 14.6				55 psia Delivera			ility	Mcfd @ 14			a	
											 	
	_	•	behalf of the C				orized to ma <u>h</u> day o		ove report and		viedge of the facts	
	**	Witness (ii any)						A Feat	1 Fall		
								Presi	dent	, ,		
		For Comm	mission						Che	cked by		

declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request
exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Monument Resources, Inc.
and that the foregoing information and statements contained on this application form are true and correct to
the best of my knowledge and belief based upon gas production records and records of equipment installa-
tion and/or of type completion or upon use of the gas well herein named.
I hereby request a permanent exemption from open flow testing for theC. Heim #14
gas well on the grounds that said well:
(Check one)
is a coalbed methane producer
is cycled on plunger lift due to water
is a source of natural gas for injection into an oil reservoir undergoing ER
is on vacuum at the present time; KCC approval Docket No
is incapable of producing at a daily rate in excess of 150 mcf/D
Date:November 15, 2007
Signature: UH Lous
Title: President
Title.

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.