KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

KCC Office Use ONLY

Letter of Confidentiality Received

Confidential Release Date: Wireline Log Received

ALT [] | XII [] III Approved by: Db

Geologist Report Received

UIC Distribution

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and regu-

lations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Date: 11/08/2010

Signature:

Title: Agent

OPERATOR: License # 31280	API No. 15 - 031-22613-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	NW_SE_NE_NW Sec. 23 Twp. 22 S. R. 16 V East West
Address 2:	4,455 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	3,135 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311 - office RECEIVED	□ NE □NW ☑ SE □SW
31280	County: Coffey
Rick Potroloum	Lease Name: Gilbert Well #: 13
Wellsite Geologist: None KCC WICHITA	Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources	Producing Formation: _Squirrel
Designate Type of Completion:	Elevation: Ground: 1027 est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1020 Plug Back Total Depth: 1020
□oil □wsw □swp □slow	Amount of Surface Pipe Set and Cemented at: 47' Feet
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1004
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	(N)
Operator:	B.W. El M. B.
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	
10/21/2010 10/25/201 010/26/2010 Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST

Side Two

Operator Name: Bir	k Petroleum		Lease N	Name: _	Gilbert		Well #:13	3		
Sec. 23 Twp.22	s. R. 16	✓ East	County:							
time tool open and cl	osed, flowing and shi tes if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final chart I well site report.	shut-in press	sure rea	ched static level,	hydrostatic pre	essures, bottom	hole temp	erature, fluid	
Drill Stem Tests Taken Yes (Attach Additional Sheets)					Log Formation (Top), De		epth and Datum		✓ Sample	
Cores Taken		☐ Yes 🗸 No	Yes 🗸 No		Name Squirrel Sand		Тор 1008'		Datum	
		☐ Yes				1555				
List All E. Logs Run:								•		
		CASING Report all strings set-	RECORD	No	_	on, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh Lbs. / I		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives	
Surface	9 7/8"	7"	17#		47'	Portland	12	calcium		
Long String	6 1/8"	2 7/8"	6.5#		1004'	Portland	120			
			.]							
<u> </u>	1	ADDITIONA	L CEMENTING	G / SQL	JEEZE RECORD					
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Percent Additives					
Plug Back TD Plug Off Zone							******			
			<u> </u>				, a ea - a			
Shots Per Foot	PERFORATI Specify				ture, Shot, Ceme nount and Kind of I	nt Squeeze Recor Material Used)	ď	Depth		
None Open hole completion 1004-1020'						R	ECFIVED			
					RECEIVED NOV 1 0 2010 KCC WICHITA					
						V00	* 1 0 ZUIU			
						NCC	WICHIT/	1		
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:					
Date of First, Resumed	Production, SWD or EN	I —				∫Yes ∐ N	0			
pending Estimated Production	Oil I	Flowing Bbls. Gas	Pumping Mcf	Wate		ther (Explain) Is.	Gas-Oil Ratio		Gravity	
Per 24 Hours										
DISPOSITIO	ON OF GAS:		METHOD OF C	OMPLE	TION:		PRODUCTIO	N INTERV	AL:	
Vented Sold		Open Hole Other (Specify)	Perf.	Dually Submit A		mingled nit ACO-4)		•		

		Plant (785) 233-9900	F.O. BOX 847	/ • 1105 N.W.	Lower Silver Lk. Rd. • 7 FAX # 233-9947	opeka, Kansas obol	08 Office (785) 233-242
PLANT	TIME	DATE	ACCOUNT	TRUCK	DRIVER	and the second s	TICKET
12	and the speaking of the second	10-26-10		1 Oak	,		4
CUSTOM	R NAME			DELIVE	RY ADDRESS		
3	TK OIL				1.66-1	13	
PURCHAS	SE ORDER	ORDER#	TAX				SLUMP
OAD QTY	PRODUCT	DESCRIPTION			ORDERED	DELIVERED U	NIT PRICE AMOUNT

LEAVE PLANT ARRIVE JOB SITE START DISCHARGE FINISH DISCHARGE ARRIVE PLANT

DRIVER Note here if water has been added and how much.

NOTE

We are not responsible for concrete freezing after placement.

294249

Caution: FRESH CONCRETE

Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

IMPORTANT

We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.

SUBTOTAL // 2 8, 0 0

TAX 7/, 0 6

PREVIOUS TOTAL 1199.06
GRAND TOTAL _____

Received By

RECEIVED
NOV 1 0 2010
KCC WICHITA