# For KCC Use: 12-14-2010 Effective Date: 2 District #

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Form KSONA-1, Certification of Compliance with the Kansas S		
Expected Spud Date: December 18, 2010	Spot Description:	
month day year	<u>SW - NW</u> Sec. 22 Twp. 17 S. R. 8	Zw
31327 V	(Q/Q/Q/Q) 3,300 feet from N / X S Line of Se	
OPERATOR: License#	4,620 feet from X E / W Line of Se	
Address 1: 314 5th Street	Is SECTION: Regular Irregular?	Cucii
Address 2:	10 020 Holl. Magailar	
City: Claffin State: KS Zip: 67525 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Gary Pauley	County: Elisworth	
Phone: (785) 252-8024	Lease Name: Kohrs Well #. 1	
	Field Name: _Geneseo - Edward s	
CONTRACTOR: License# 33350	Is this a Prorated / Spaced Field?	No
Name: Southwind Drilling Inc.	Target Formation(s): Arbuckle	<u>.,</u>
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
	4700	MSL
⊠Oil Enh Rec ⊠nfield Mud Rotary		
Gas Storage Pool Ext. Air Rotary		No.
Disposal Wildcat Cable	Depth to bottom of fresh water: 120'	71,40
Seismic ; # of Holes Other	· · · · · · · · · · · · · · · · · · ·	
Other:	Depth to bottom of usable water: 280'	
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
	Length of Surface Pipe Planned to be set: 300'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 3300	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ∑ No	Well Farm Pond Other: City of Geneseo	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	71
	DAVIT	<u></u> 11
The undersigned hereby affirms that the drilling, completion and eventual plug	iging of this well will comply with K.S.A. 55 et. seq.	CIVE
It is agreed that the following minimum requirements will be met:		
	DEC (	
Notify the appropriate district office <i>prior</i> to spudding of well;	DEC (	8 2
Notify the appropriate district office <i>prior</i> to spudding of well;	DEC (drilling rig;	
Notify the appropriate district office <i>prior</i> to spudding of well;		
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall the GC</b> W underlying formation.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second o</li></ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall the GC</b> W underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugger.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and the state of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the wunderlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be an extended.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the wunderlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the wunderlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the striction of the shall be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increased.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. i3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be an extended.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing clugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief.  Owner	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. i3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an an animum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the structure of the set in	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Title:  Owner  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification	ICH <sub>I</sub>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the state of the posted of the state of the state of the state of the well is dry hole, an agreement between the operator and the district of the state of the appropriate district office will be notified before well is either plugge of the state of the s	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Title:  OWNET  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be if hereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API #15 - D 5 3 - 2 12 5 6 - OD - OO Gonductor pipe required feet	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Title:  Owner  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	ICH
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the state of the state of the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 5 3 - 2 12 5 6 - OD - OD Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief.  Title:  OWNET  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ICH
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the state of the state of the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the plugged of the spud date or the well shall be in the plugged of the spud date or the well shall be in the plugged of the spud date or the well shall be in the statements made herein are true and to the best of my Date:    December 6,2010   Signature of Operator or Agent:   Signature of Operator or Agent   Sign	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Title:  Owner  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	ICH <sub>I</sub>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the state of the posted of the state of the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the state of the appropriate district office will be notified before well is either plugge of the properties of the plugge of the properties of the well shall be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 5 3 - 2 12 5 6 - OD - OO Gonductor pipe required 10 feet per ALT.  Approved by:  Put 12 - 9 - 2 0 10	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Title:  Owner  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	22 17
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an an anount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 5 3 - 2 12 5 6 - OD - OO feet per ALT.  Minimum surface pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It knowledge and belief.  Where  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	ICH
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the state of the posted of the state of the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the state of the appropriate district office will be notified before well is either plugge of the properties of the plugge of the properties of the well shall be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 5 3 - 2 12 5 6 - OD - OO Gonductor pipe required 10 feet per ALT.  Approved by:  Put 12 - 9 - 2 0 10	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It knowledge and belief.  Where  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	22 17
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an an anount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 5 3 - 2 12 5 6 - OD - OO feet per ALT.  Minimum surface pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief.  W Title:  CWNET  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)	22 17
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an an anount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 5 3 - 2 12 5 6 - OD - OO feet per ALT.  Minimum surface pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Where  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	22 17
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be set of the well is district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API #15 - D 5 3 - 2 12 5 6 - 00 - 00 feet per ALT.  Approved by: Putt 12 - 9 - 2010 feet per ALT.  This authorization expires: 12 - 9 - 2011 (This authorization void if drilling not started within 12 months of approval date.)	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing clugged. In all cases, NOTIFY district office prior to any cementing.  It knowledge and belief.  Where  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or Permit Expired Date:  Well will not be drilled or Permit Expired Date:  Well will not be drilled or Permit Expired Date:	ICH 22 17 8
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be set of the well is district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date:  December 6,2010 Signature of Operator or Agent:  For KCC Use ONLY  API #15 - D 5 3 - 2 12 5 6 - 00 - 00 feet per ALT.  Approved by: Putt 12 - 9 - 2010 feet per ALT.  This authorization expires: 12 - 9 - 2011 (This authorization void if drilling not started within 12 months of approval date.)	drilling rig; y circulating cement to the top; in all cases surface pipe shall the W underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Where  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ICH 22 17 8

For KCC Use ONLY API#15- 053-21256-00-00


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Pauley Oil	Location of Well: County: Ellsworth		
Lease: Kohrs	3,300	_ feet from N / X S Line of Section	
Well Number: 1	4,620	feet from 🔀 E / 🔲 W Line of Section	
Field: Geneseo	Sec. 22 Twp. 17	S. R. <sup>8</sup>	
Number of Acres attributable to well: 160  QTR/QTR/QTR/QTR of acreage: SW _ NW	Is Section: Regular or	Irregular	
	If Section is Irregular, locate Section corner used: NE	e well from nearest corner boundary.  NW SE SW	

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### 15-053-21256-00-00

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 31327	Well Location:
Name: Pauley Oil Address 1: 314 5th Street	County: Ellsworth
Address 2:	Lease Name: Kohrs Well #: 1
City: Claffin State: KS Zip: 67525 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Gary Pauley	the lease below:
Phone: ( 785 ) 252-8024 Fax: ( )	
Phone: ( 785 ) 252-8024 Fax: ( )	_
Surface Owner Information:	
Name: Jane Kohrs	
Name: 3316 ROTIS Address 1: 2335 Hwy 14	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Geneseo State: KS Zip: 67444 +	
the KCC with a plat showing the predicted locations of lease roads,	nthodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C. 1 plate form CR 1 plate or a separate plat may be submitted.
the KCC with a plat showing the predicted locations of lease roads,	
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will to	tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rem being filed is a Form C-1 or Form CB-1, the plat(s) required by this
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will to CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, far I have not provided this information to the surface owner(s).  KCC will be required to send this information to the surface	tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rem being filed is a Form C-1 or Form CB-1, the plat(s) required by this
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, far I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands.	tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form or being filed is a Form C-1 or Form CB-1, the plat(s) required by this ax, and email address.  I acknowledge that, because I have not provided this information, the electron owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form.
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, fare I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands of the second option, submit payment of the \$30.00 hands.	tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form remained by this required by this extra and email address.  I acknowledge that, because I have not provided this information, the example owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form.  It the fee is not received with this form, the KSONA-1 cP-1 will be returned.
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will to CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, far I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands form and the associated Form C-1, Form CB-1, Form T-1, or Form to the surface owner (s).	tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rm being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address.  I acknowledge that, because I have not provided this information, the electrical will be owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1 CP-1 will be returned.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Pauley Oil			License Number: 31327			
Operator Address: 314 5th Street		Claflin KS 67525				
Contact Person: Gary Pauley			Phone Number: (785) 252-8024			
Lease Name & Well No.: Kohrs	1		Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 22 Twp. 17 R. 8 East X West			
Settling Pit X Drilling Pit	If Existing, date constructed:		3,300 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit			4,620 Feet from 🔀 East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 1,200	(bbis)	Ellsworth County			
Is the pit located in a Sensitive Ground Water A	rea? Yes 🔀		Chloride concentration: mg/l			
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)			
Yes No	Yes X	No	How is the pit lined if a plastic liner is not used? Native Mud			
Pit dimensions (all but working pits):	Length (fe	et) 80	Width (feet) N/A: Steel Pits			
Depth fro	Depth from ground level to deepest point: 6 (feet) No Pit					
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining						
material, thickness and installation procedure.		interintegrity, if	ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit: Depth to shallow		west fresh water 40 feet.				
Source of inform						
teet Depth of water well	feet	measured	well owner electric log KDWR			
		over and Haul-Off Pits ONLY: Fresh Mud				
		terial utilized in drilling/workover: 3 working pits to be utilized: 3				
Barrels of fluid produced daily: Abandonment p		Allow to alm and book till				
Does the slope from the tank battery allow all sp		Abandonment	oroccutie.			
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
DEC 0 8 2010						
December 6, 2010  Date  Signature of Applicant or Agent  KCC WICHITA						
KCC OFFICE USE ONLY						
Liner Steel Pit RFAC RFAS						
Date Received: 12-9-10 Permit Numb	per:	Permi	t Date:Lease Inspection:Yes _K No			