#### 

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### **NOTICE OF INTENT TO DRILL**

xpected Spud Date:	December 21, 201	0	Spot Description:	
	month day	y year	SW - SE Sec. 23 Twp. 19	S. R. 3 XE W
	6407		(Q/Q/Q/Q) 660 feet from 1	/ X S Line of Section
PERATOR: License# _ lame: Flowers Production	ion Co., Inc.		1,980 feet from X	/ W Line of Section
ddress 1: P.O. Box 249		· · · · · · · · · · · · · · · · · · ·	is SECTION: Regular Imegular?	
ddress 1. 1.0. Box 2.40	•		<b>—</b> —	un un un n nieln)
ity: El Dorado	State KS 7	rip: 67042 +	(Note: Locate well on the Section Plat on County: Marion	reverse side)
ontact Person: Dallas I		·····	County: Meisinger	Well #: 1-23
hone: 316-321-0550			Lease Name: Meisinger Field Name: Lost Springs	Vveii #: 120
	22701			
ONTRACTOR: License lame: C&G Drilling, Inc.	# <u></u>		Is this a Prorated / Spaced Field?  Target Formation(s): Mississippi	Yes No
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
	_ /		Ground Surface Elevation: 1347	feet MSL
<b>~</b>	h Rec XInfield	Mud Rotary	Water well within one-quarter mile:	∑Yes □No ∕
	prage Pool Ext.	Air Rotary  Cable	Public water supply well within one mile:	☐Yes X No
	sposal Wildcat	Cable .	Depth to bottom of fresh water: Ze・/つゆ	
Seismic ;	# of Holes Other		Depth to bottom of usable water:	
Other:			Surface Pipe by Alternate: X	
f OWWO: old w	ell information as follows:		Length of Surface Pipe Planned to be set: 200+	
			Length of Conductor Pipe (if any):	
•			Projected Total Depth: 2600'	
	D. C. Out-to-		Formation at Total Depth: Mississippi Chert	
Original Completion	Date: Origin	ai lotal Depth.	Water Source for Drilling Operations:	
Directional, Deviated or I	Horizontal wellbore?	Yes No	Well X Farm Pond Other:	
	):		<u> </u>	
			DWR Permit #: (Note: Apply for Permit with DWR	
				Yes No
(00 Ditt ii			Will Cores be taken?	
			If Yes, proposed zone:	DECENTED
		AFF	FIDAVIT	RECEIVED
The undersigned hereb	by affirms that the drilling.	completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.	DEO 0 0 2010
_	lowing minimum requirem			DEC 0 8 2010
		dell after the posted on each	a drilling rig:	KCC WICHIT
Notify the appropriate the appropriate the appropriate to the appropriate	priate district office prior to		ratinity rig,	
2 A conv of the an	proved notice of intent to	onii snaii be posteu on eaci pecified below shall be set	by circulating cement to the top; in all cases surface pip	e shali be set
A copy of the ap     The minimum ar     through all unco	oproved notice of intent to mount of surface pipe as s insolidated materials plus	specified below <b>shall be set</b> a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pip e underlying formation.	
A copy of the ap     The minimum ar     through all unco	oproved notice of intent to mount of surface pipe as s insolidated materials plus	specified below <b>shall be set</b> a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pip e underlying formation.	
<ol> <li>A copy of the ap</li> <li>The minimum ar through all unco</li> <li>If the well is dry</li> <li>The appropriate</li> </ol>	proved notice of intent to mount of surface pipe as s insolidated materials plus hole, an agreement betwe district office will be notifi	specified below <b>shall be set</b> a minimum of 20 feet into the een the operator and the dist ied before well is either pluge	by circulating cement to the top; in all cases surface pip e underlying formation. trict office on plug length and placement is necessary paged or production casing is cemented in;	rior to plugging;
<ol> <li>A copy of the ap</li> <li>The minimum ar through all uncord.</li> <li>If the well is dry</li> <li>The appropriate</li> <li>If an ALTERNAT</li> </ol>	proved notice of intent to mount of surface pipe as s insolidated materials plus hole, an agreement betwo district office will be notifice TEN COMPLETION, produ	specified below shall be set a minimum of 20 feet into the een the operator and the dist ied before well is either plugo action pipe shall be cemente	by circulating cement to the top; in all cases surface pip e underlying formation. trict office on plug length and placement is necessary pr ged or production casing is cemented in; of from below any usable water to surface within 120 DA	rior to plugging;
<ol> <li>A copy of the ap</li> <li>The minimum ar through all uncord.</li> <li>If the well is dry</li> <li>The appropriate</li> <li>If an ALTERNAT Or pursuant to A</li> </ol>	proved notice of intent to mount of surface pipe as sonsolidated materials plus hole, an agreement betweet district office will be notifice! If COMPLETION, production of the	specified below shall be set a minimum of 20 feet into the een the operator and the dist ied before well is either plugg uction pipe shall be cemente insas surface casing order #1	by circulating cement to the top; in all cases surface pipe underlying formation.  brict office on plug length and placement is necessary perged or production casing is cemented in;  defrom below any usable water to surface within 120 DA  133,891-C, which applies to the KCC District 3 area, alter	rior to plugging; NYS of spud date. emate II cementing
<ol> <li>A copy of the ap</li> <li>The minimum ar through all uncord.</li> <li>If the well is dry</li> <li>The appropriate</li> <li>If an ALTERNAT Or pursuant to A must be completed.</li> </ol>	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice If COMPLETION, production of the subsolidation of the subs	specified below shall be set a minimum of 20 feet into the een the operator and the dist ied before well is either plugg uction pipe shall be cemente nsas surface casing order #1 spud date or the well shall be	by circulating cement to the top; in all cases surface pipe underlying formation.  Irrict office on plug length and placement is necessary paged or production casing is cemented in;  d from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to	rior to plugging; NYS of spud date. emate II cementing
<ol> <li>A copy of the ap</li> <li>The minimum ar through all uncord.</li> <li>If the well is dry</li> <li>The appropriate</li> <li>If an ALTERNAT Or pursuant to A must be completed.</li> </ol>	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice If COMPLETION, production of the subsolidation of the subs	specified below shall be set a minimum of 20 feet into the een the operator and the dist ied before well is either plugg uction pipe shall be cemente insas surface casing order #1	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary project or production casing is cemented in;  If from below any usable water to surface within 120 DA  If 33,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to be knowledge and belight.	IYS of spud date. emate II cementing any cementing.
<ol> <li>A copy of the ap</li> <li>The minimum ar through all uncord. If the well is dry</li> <li>The appropriate</li> <li>If an ALTERNAT Or pursuant to A must be completed thereby certify that the</li> </ol>	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice If COMPLETION, producted within 30 days of the see statements made herein	specified below shall be set a minimum of 20 feet into the een the operator and the distinct before well is either plugguction pipe shall be cemente insas surface casing order #1 spud date or the well shall be a are true and to the best of plugging the state of the set of plugging the	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary project or production casing is cemented in;  If from below any usable water to surface within 120 DA (133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to be knowledge and belief.	IYS of spud date. emate II cementing any cementing.
<ol> <li>A copy of the ap</li> <li>The minimum ar through all uncord.</li> <li>If the well is dry</li> <li>The appropriate</li> <li>If an ALTERNAT Or pursuant to A must be completed.</li> </ol>	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice If COMPLETION, producted within 30 days of the see statements made herein	specified below shall be set a minimum of 20 feet into the een the operator and the dist ied before well is either plugg uction pipe shall be cemente nsas surface casing order #1 spud date or the well shall be	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary project or production casing is cemented in;  If from below any usable water to surface within 120 DA  If 33,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to be knowledge and belight.	rior to plugging; NYS of spud date. emate II cementing
A copy of the ap     The minimum ar     through all uncor     If the well is dry     The appropriate     If an ALTERNAT     Or pursuant to A     must be comple I hereby certify that the	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice If COMPLETION, producted within 30 days of the see statements made herein	specified below shall be set a minimum of 20 feet into the een the operator and the distinct before well is either plugguction pipe shall be cemente insas surface casing order #1 spud date or the well shall be a are true and to the best of plugging the state of the set of plugging the	by circulating cement to the top; in all cases surface pipe underlying formation.  Irrict office on plug length and placement is necessary project or production casing is cemented in;  If from below any usable water to surface within 120 DA (133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to be knowledge and belief.	IYS of spud date. emate II cementing any cementing.
A copy of the ap     The minimum ar     through all uncor     If the well is dry     The appropriate     If an ALTERNAT     Or pursuant to A must be comple     Hereby certify that the	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement betwee district office will be notifice If COMPLETION, production of the subsolidation of the subso	specified below shall be set a minimum of 20 feet into the een the operator and the distiled before well is either plugguction pipe shall be cemente nsas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irrict office on plug length and placement is necessary paged or production casing is cemented in; defrom below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to the knowledge and belied.  Title:	rior to plugging;  AYS of spud date amate II cementing any cementing.
A copy of the ap     The minimum ar     through all uncor     If the well is dry     The appropriate     If an ALTERNAT     Or pursuant to A must be completed thereby certify that the completed in the comp	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice If COMPLETION, producted within 30 days of the see statements made herein	specified below shall be set a minimum of 20 feet into the een the operator and the distiled before well is either plugguction pipe shall be cemente nsas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary project of production casing is cemented in; do from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to make the project of the complete pro	rior to plugging;  AYS of spud date emate II cementing any cementing.  ASS DEN
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - //5	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice to COMPLETION, production of the subsolidated within 30 days of the substantial subsolidation.  Signature of Operation 1.2   14   18 - 00	specified below shall be set a minimum of 20 feet into the een the operator and the distinct before well is either plugguction pipe shall be cementensas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irrict office on plug length and placement is necessary paged or production casing is cemented in; defrom below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to the knowledge and belief.  Remember to:  File Certification of Compliance with the Kansas Surface.	erior to plugging;  IVS of spud date.  Ermate II cementing any cementing.  IS den  Ce Owner Notification
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet 1 hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - //5 Conductor pipe require	proved notice of intent to mount of surface pipe as a support of surface will be notificed in the support of su	specified below shall be set a minimum of 20 feet into the een the operator and the distinct before well is either plugguction pipe shall be cementensas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary piped or production casing is cemented in;  If from below any usable water to surface within 120 DA  If 33,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill.  File Completion Form ACO-1 within 120 days of spud	rior to plugging;  IVS of spud date.  Emate II cementing any cementing.  IS DEN  CE Owner Notification  III; date;
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - // 5  Conductor pipe require Minimum surface pipe	proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice. If COMPLETION, production of the subsolidated within 30 days of the subsolidated with	specified below shall be set a minimum of 20 feet into the een the operator and the distinct before well is either plugguction pipe shall be cementensas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  In the complete the complete the complete to plug length and placement is necessary project or production casing is cemented in; deform below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to the complete to:  File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration	rior to plugging;  IVS of spud date. Emate II cementing any cementing.  IVI DEN
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - // 5 Conductor pipe require Minimum surface pipe	proved notice of intent to mount of surface pipe as a support of surface pipe as a support of surface pipe as a support of surface will be notifice if COMPLETION, production of support of	specified below shall be set a minimum of 20 feet into the een the operator and the distinct before well is either plugguction pipe shall be cemente mass surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary piged or production casing is cemented in;  If from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to make the complete of the Kansas Surface (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worke	rior to plugging;  IVS of spud date. emate II cementing any cementing.  IVS of spud date. emate II cementing cementing.
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet I hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - // 5 Conductor pipe require Minimum surface pipe Approved by:	proved notice of intent to mount of surface pipe as a support of surface pipe as a support of surface pipe as a support of surface will be notifice if COMPLETION, production of support of	specified below shall be set a minimum of 20 feet into the een the operator and the distiled before well is either plugguction pipe shall be cemente insas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary piged or production casing is cemented in;  If from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to make the complete of the Kansas Surface (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is complete.	rior to plugging;  IYS of spud date. emate II cementing any cementing.  IST DEN  CE Owner Notification  III; date; n orders; over or re-entry; eted (within 60 days);
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet I hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - // 5 Conductor pipe require Minimum surface pipe Approved by:	proved notice of intent to mount of surface pipe as a support of suppor	specified below shall be set a minimum of 20 feet into the een the operator and the distiled before well is either plugguction pipe shall be cemente insas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary piged or production casing is cemented in;  Id from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to make the complete of the Kansas Surface (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is comple.  Obtain written approval before disposing or injecting s	ce Owner Notification  ill; date; or orders; over or re-entry; eatt water.
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet I hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - // 5 Conductor pipe require Minimum surface pipe Approved by:	proved notice of intent to mount of surface pipe as a support of surface pipe as a support of surface pipe as a support of surface will be notifice if COMPLETION, production of support of	specified below shall be set a minimum of 20 feet into the een the operator and the distiled before well is either plugguction pipe shall be cemente insas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary piged or production casing is cemented in;  Id from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to make the complete of the Kansas Surface (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting selecting selections.	rior to plugging;  IYS of spud date. emate II cementing any cementing.  IST DEN  CE Owner Notification  III; date; n orders; over or re-entry; eted (within 60 days); alt water. thorized expiration date)
2. A copy of the ap 3. The minimum ar through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be complet hereby certify that the Date: 12/06/2010  For KCC Use ONLY API # 15 - // 5  Conductor pipe require Minimum surface pipe Approved by:	proved notice of intent to mount of surface pipe as a support of surface pipe as a support of surface pipe as a support of surface will be notifice if COMPLETION, production of support of	specified below shall be set a minimum of 20 feet into the een the operator and the distiled before well is either plugguction pipe shall be cemente insas surface casing order #1 spud date or the well shall be a are true and to the best of perator or Agent:	by circulating cement to the top; in all cases surface pipe underlying formation.  Irict office on plug length and placement is necessary piged or production casing is cemented in;  Id from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto a plugged. In all cases, NOTIFY district office prior to make the complete of the Kansas Surface (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is comple.  Obtain written approval before disposing or injecting s	ce Owner Notification  iil; date; n orders; over or re-entry; eted (within 60 days); att water. thorized expiration date) below.

For KCC Use ONLY
API # 15 - 115-214/8-0000

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

tor: Flowers Production Co., Inc Meisinger	Location of Well: County: Marion  660feet from N / X S Line of Section
. 1_23	1,980 feet from X E / W Line of Section
lumber: 1-23 Lost Springs	Sec. 23 Twp. 19 S. R. 3 E W
Lost opringo	
er of Acres attributable to well:	Is Section: Regular or Inregular
QTR/QTR/QTR of acreage: _SWSE	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
	PLAT
Show location of the well. Show footage to	the nearest lease or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrica	I lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
	ay attach a separate plat if desired.
	LEGEND
	Tank Battery Location
	Pipeline Location
	: : Electric Line Location
	Lease Road Location
	Lease Noad Location
	EXAMPLE
	EXAMPLE 1980'F
	1980' F
	1980' F

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section CC WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### 15-115-21418-00-00

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 6407	Well Location:
Name: Flowers Production Co., Inc.	SW_SESec. 23 Twp. 19 S. R. 3 XEas West
Address 1: P.O. Box 249	County: Marion
	4.00
Address 2:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Dallas Flowers	the lease below:
Phone: ( 316 ) 321-0550 Fax: ( )	<u> </u>
Email Address:	
Surface Owner Information:	
Name: Richard & Janet Meisinger Address 1: 1522 260th St.	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1: 1522 260th St.	owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Marion State: KS Zip: 66861 +	· <del>-</del>
the KCC with a plat showing the predicted locations of lease roads	Cathodic Protection Borehole Intent), you must supply the surface owners and it, tank batteries, pipelines, and electrical lines. The locations shown on the plat red on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or wil	tice Act (House Bill 2032), I have provided the following to the surface I be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address.
I have not provided this information to the surface owner(s KCC will be required to send this information to the surfa task, I acknowledge that I am being charged a \$30.00 had	<ul> <li>I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this adding fee, payable to the KCC, which is enclosed with this form.</li> </ul>
KCC will be required to send this information to the surfatask, I acknowledge that I am being charged a \$30.00 has lift choosing the second option, submit payment of the \$30.00 has	ce owner(s). To mitigate the additional cost of the KCC performing this adding fee, payable to the KCC, which is enclosed with this form.  If the fee is not received with this form.
KCC will be required to send this information to the surfatask, I acknowledge that I am being charged a \$30.00 had	ce owner(s). To mitigate the additional cost of the KCC performing this adding fee, payable to the KCC, which is enclosed with this form.  If the fee is not received with this for the fee is not received with this form.
KCC will be required to send this information to the surfatask, I acknowledge that I am being charged a \$30.00 had a support of the second option, submit payment of the \$30.00 had	ce owner(s). To mitigate the additional cost of the KCC performing this adding fee, payable to the KCC, which is enclosed with this form.  If the fee is not received with this for ECEIVED-1 in CP-1 will be returned.  DEC 0 8 2010

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

#### APPLICATION FOR SURFACE PIT

Operator Address: P.O. Box 249

Contact Person: Dallas Flowers

Lease Name & Well No.: Meisinger

Burn Pit

X Drilling Pit

Haul-Off Pit

Type of Pit:

Emergency Pit

(If WP Supply API No. or Year Drilled)

Settling Pit

Workover Pit

Submit in Duplicate License Number: 6407 Operator Name: Flowers Production Co., Inc. El Dorado KS 67042 Phone Number: 316-321-0550 1-23 Pit Location (QQQQ): SW \_ SE Pit is: Sec. 23 Twp. 19 R. 3 X East West X Proposed Existing 660 Feet from North / X South Line of Section If Existing, date constructed: 1,980 Feet from X East / West Line of Section Pit capacity: Marion 100 County (bbls) Is the pit located in a Sensitive Ground Water Area? Yes X No mg/l Chloride concentration:\_ (For Emergency Pits and Settling Pits only)

Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a	plastic liner is not us	ed?					
🔀 Yes 🗌 No	Yes X N	lo								
Pit dimensions (all but working pits):	Lengti (lee		Width (feet)		/A: Steel Pits					
Depth fro	m ground level to dee		(feet)	<u> </u>						
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.								
				76						
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water mation:	76 feet.						
600 feet Depth of water well	76 feet	measured		electric log	KDWR					
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:		Drilling, Work	over and Haul-Off Pits (		8					
		Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Let Dry - Squeeze - Backfill								
					Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must	be closed within 365 day	s of spud date.	RECEIVED
					I hereby certify that the above states	ments are true and cor	rect to the best of	f my knowledge and belie	ef.	DEC 0 8 2010
	,	0//./								
12/06/2010	<	I Alla			CC WICHITA					
Date		S	ignature of Applicant or A	Agent						
	ксс	OFFICE USE O	DNLY Liner	Steel Pit	RFAC RFAS					
Date Received: 12.8-10 Permit Nur	nber:	Pern	nit Date: 12 - 15 - 10	Lease Inspection	: XYes No					



Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

December 15, 2010

Flowers Production Co., Inc. PO Box 249 El Dorado, KS 67042

RE:

**Drilling Pit Application** 

Meisinger Lease Well No. 1-23

SE/4 Sec. 23-19S-03E Marion County, Kansas

#### Dear Sir or Madam:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a hauloff pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Havnes

**Environmental Protection and Remediation Department** 

Cc: File

# Kansas Corporation Commission Oil & Gas Conservation Division

## HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISDOSAL	OF DIKE	AND	DIT CONTENTS
82-3-607.	DISPUSAL	OF DIKE	ANU I	PIT CONTENTS.

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
  - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
  - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
  - (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
    - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
    - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
    - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
    - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
  - (1) A \$1,000 penalty for the first violation;
  - (2) a \$2,500 penalty for the second violation; and
  - (3) a \$5,000 penalty and an operator license review for the third violation.

#### Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: ☐ Yes ☐ No
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:  Yes No If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator: Yes No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.