#### For KCC Use: Effective Date: District # SGA?

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Section   Sect	Expected Spud Date:	December	23	2010	Spot Description:
Section   Sect		month	day	year	<u> </u>
Section   Feed		3532 1			
International Content Partway, Birdg 200, 5th B   International Content Partway, Birdg 200, 5th Birdg 200, 5th Birdg 200, 5th Birdg 200, 5th Bir	OPERATOR: License#				990 feet from DE / V W Line of Section
Mote: Locate wall on the Section Flat on revene side)	Name: CMX, Inc.				
State   Stat		ont Parkway, Bldg 30	0, Ste B		is SECTION: Kegularirregular?
Country   Parison   Douglas H McCimmes   1.	Address 2:				
Specific   Name   Note   Not			Zip: _6	57206 +	County:
Field Name   Wilder   Well Class:   Type Equipment:   Season   Field Name   Wilder   Fort   Fort   Season   Field Name   Wilder   Fort   For	840 800 8050	H. McGinness II	. ,		Lease Name: Crist Well #: 31-1
Super Charles   Suppose	Phone: 316-269-9052				Field Name: Wildcat Buerkle Northwest
Target Formation(s);   Mol Diffus for   Mol Class:   Type Equipment:   Well Class:   Type Equipment:   Target Formation(s);   Mol Diffus for   Mol Class:   Mol Disposal   Molecular   M	CONTRACTOR: License#	5929			
Nearest Lease or unit boundary line (in hotage):	Name: Duke Drilling Co., Inc	).			Target Formation(s): KC. Mauriatur, Fort Scott Charoke
Ground Surface Elevation:					Negreet Lease or unit boundary line (in footage): 990
Solution	Well Drilled For:	Well Class:	Тур	ре Equipment:	Count Surface Flourisian 201 Maded 2950
Suisainci:	⊠Oil ✓ ☐ Enh F	Rec ☐Infield	<u>&gt;</u>	✓Mud Rotary	Ground Surface Elevation.
Salaininic   # of Holes   Other   Ot	Gas Stora	ge Pool Ex		<del></del>	
Depth to bottom of fresh water.  Depth to bottom of usable water.  Depth to bottom of the address below.  Part and the depth control of the perber to the usable water.  Depth to bottom of the usable water.  Dep	_ =	~ <del></del>	/	<u></u>	
Depth to bottom of usable water.   Depth to botto		<u> </u>	l		Depth to bottom of fresh water:
Surface Pipe by Alternats:					Depth to bottom of usable water: // 0 -
Length of Surface Pipe Plannal to be set					Surface Pipe by Alternate:
Completion   Completion   Delay   Completion   Delay   Completion   Delay   Completion   Delay   Del	If OWWO: old well	information as follow	NS:		Length of Surface Pipe Planned to be set: 360' AIL I
Well Name. Original Completion Date: Original Total Depth: Original Completion Date: Original Control Repth: Original Completion Date: Original Comp	0				Length of Conductor Pipe (if any): NA
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source for Support Source for Drilling Operations: Water Source for Support Source for Suppo	•				
Water Source for Drilling Operations:  Water Source for Drilling Operation if Yes Note And In Amount in the Drill Source on Part of the Second In Amount in Interest In Interest In Interest Int				al Danth:	
Vest true vertical depth:   DWR Permit #:   Will Cores be taken?   I'Ves. proposed zone:   I	Original Completion Da	ле: С	riginal lota	ai Deptn:	
Yes, true vertical depth:   DWR Permit #:   (Note: Apply for Permit with DWR   Yes   Note	Directional Deviated colle	rizontal wallbara?			
Note: Apply for Permit with DWR   Yes   Note					✓WellFarm Pond <u></u> XIOther:
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  RECEIVED  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAVs of spud date.  7. Or pursuant to Appendix "B'-Eastern Kansas surface casing order #133.891-5, which applies the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  8. Prior KCC Use ONLY  API #15 - 1 - 2 0 - 9 2 0 0 1					
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  RECEIVED  t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe in the set of the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any useful water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and point.  For KCC Use ONLY  API #15 - 171 - 20792000  Conductor pipe required					
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  RECEIVED  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe complete through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and point.  For KCC Use ONLY  API #15 - 171 - 2079 2 - OOO  This authorization expires: Pure 12 - 2[-201]  This authorization expires: Pure 12 - 2[-201]  This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent: Agent: Best within 12 months of approval date.  Spud date: Agent: Best within 12 months of approval date.  Well will not be drilled or permit Expired Date:  Well will not be drilled or permit Expired Date:  Well will not be drilled or Permit Expired.	KCC DK1 #:				─ Will Cores be taken? Yes XN
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  RECEIVED  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe is a specified below shall be set by circulating cement to the top; in all cases surface pipe is a specified below shall be set by circulating cement to the top; in all cases surface pipe is through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Sestern Kansas surface acing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and below.  For KCC Use ONLY  API # 15 - / 77 - 20 7 9 2					If Yes, proposed zone:
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 APS of spud date.  Or pursuant to Appendix "B' - Eastern Kansas surface casing order #133,891"-3, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and beful.  Apple #15.				,	AFFIDAVIT
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 APS of spud date.  Or pursuant to Appendix "B' - Eastern Kansas surface casing order #133,891"-3, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and beful.  Apple #15.	The undersigned hereby	affirms that the dril	ling, comp	oletion and eventua	plugging of this well will comply with K.S.A. 55 et. seq.
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe strice with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and	It is agreed that the follow	ving minimum requi	irements v	will be met:	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe strice with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and to the best of my knowledge and beful plus that the statements made herein are true and	Notify the appropri	ate district office <b>o</b> u	rior to sou	idding of well:	DEC 2.0.2010
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe stations of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-5, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and being the prior of the statements made herein are true and to the best of my knowledge and being the prior of the prior to any cementing.  For KCC Use ONLY  API # 15					
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and point.  For KCC Use ONLY  API # 15					
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and below.  Port KCC Use ONLY  API # 15 - 171 - 20792000  Conductor pipe required					
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-5, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and bejust.  For KCC Use ONLY  API #15 - / 7/ - 20 7 9 2 - 000  Conductor pipe required	4. If the well is dry ho	le, an agreement b	etween th	e operator and the	district office on plug length and placement is necessary prior to plugging;
Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and peight.  Date: 12/15/2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 7 - 20 7 9 2 - 000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I					
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and to the best of my knowledge and part.  Date: 12/15/2010 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 7/ - 20 7 9 2 - 00 00  Conductor pipe required					
hereby certify that the statements made herein are true and to the best of my knowledge and belief  Date: 12/15/2010 Signature of Operator or Abent:  For KCC Use ONLY  API # 15 - / 7/ - 20 7 9 2 - 000  Conductor pipe required					
For KCC Use ONLY  API # 15 / 71 - 20 7 9 2 - 000  Conductor pipe required		=	-		
For KCC Use ONLY  API # 15	I hereby certify that the s	tatements made he	rein are tr	rue and to the best	of my knowledge and belief!
For KCC Use ONLY  API # 15	40(45)0040				1/ NIVIV Agent Page In
For KCC Use ONLY  API # 15 - / 71 - 20 7 9 2 - 000  Conductor pipe required	Date: 12/15/2010	Signature of	Operator	or Algent:	Title: Myoning 1825 1821
For KCC Use ONLY  API # 15 - / 71 - 20 7 9 2 - 000  Conductor pipe required					Remember to:
Act (KSONA-1) with Intent to Drill;  Conductor pipe required		<u>.</u>			
Conductor pipe required	API#15. 1717.	スロフタユ	000	ට ට	,
File Completion Form ACO-1 within 120 days of spud date;  Approved by: Put 12 - 21 - 2010  This authorization expires: Put 12 - 21 - 2011  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:   Well will not be drilled or Permit Expired Date:   Well will not be		None	<del>,</del>		-   · · · · · · · · · · · · · · · · · ·
Approved by: Pull 12-31-2010  This authorization expires: Pull 12-21-2011  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:	Conductor pipe required				- File Completion Form ACO-1 within 120 days of soud date:
Approved by: Putt 12 - 21 - 2010  This authorization expires: Putt 12 - 21 - 2011  (This authorization void if drilling not started within 12 months of approval date.)  Spud date:Agent:	Minimum surface nine ro	,	fer	et per ALT. 🔲 I 🗹	.
This authorization expires: Puth 12 - 21-20    (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent: Agent: Well will not be drilled or Permit Expired Date:	william annace hihe let	1-21-2-010		_	* * *
<ul> <li>(This authorization void if drilling not started within 12 months of approval date.)</li> <li>Spud date: Agent:</li></ul>					
Spud date: Agent:    Well will not be drilled or Permit Expired    Well will not be drilled or Permit Expired    Well will not be drilled or Permit Expired    Mell will not be drilled or Permit	Approved by: Put 16	Pent 12-21	-20II		- Submit plugging report (CP-4) after bludging is completed (within 60 days):
Spud date: Agent: please check the box below and return to the address below m  Well will not be drilled or Permit Expired Date:	Approved by: Purple This authorization expire	s: Pun 12-21	-2011	is of annoual data.	Submit plugging report (CP-4) after plugging is completed (within 60 days);     Obtain written approval before disposing or injecting salt water.
Spud date: Agent:   Well will not be drilled or Permit Expired Date:	Approved by: Purple This authorization expire	s: Pun 12-21	-20  in 12 month	ns of approval date.)	Obtain written approval before disposing or injecting salt water.
	Approved by: Public line   Pub	s: Pcn4 12 -21- trilling not started with	-20   in 12 month	hs of approval date.)	Obtain written approval before disposing or injecting salt water.     If well will not be drilled or permit has expired (See: authorized expiration date)
	Approved by: Public line   Public line   This authorization void if did line   Public	s: Pcn4 12 -21- trilling not started with	-20 [] in 12 month	hs of approval date.)	Obtain written approval before disposing or injecting salt water.      If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
	Approved by: Put 16 This authorization expire (This authorization void if d	s: Pcn4 12 -21- trilling not started with	in 12 month		Obtain written approval before disposing or injecting salt water.      If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

For KCC Use ONLY
API # 15 - 1 71 - 20 7 92 - 00 - 00

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: CMX, Inc.	Location of Well: County: Scott
Lease: Crist	990 feet from N / S Line of Section
Well Number: 31-1	990 feet from X N / S Line of Section 990 feet from E / X W Line of Section
Field: Wildcat	Sec. 31 Twp. 20 S. R. 33 E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SE - NW - NW - NW -	Market Control of Market Control of Market Control of C
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PLA	AT .
Charles of the well. Charles to the accept less	on an emit become any line. Observable and district to a street of

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.

 0		 		LEGEND  O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	
				EXAMPLE	
 	 	 	 	<b>1980'</b>	' FS
 			 	SEWARD CO. 3390' FEL	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED DEC 2 0 2010

KCC WICHITA

15-171-20792-00-00 Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Well Location:  SE_NW_NW Sec. 31Twp. 20S. R. 33Eas \infty West  County: Scott  Lease Name: Crist
County: Scott  Lease Name: Crist  Well #: 31-1  If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:  When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Lease Name: Crist  Well #: 31-1  If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:  When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
the lease below:  When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
owner information can be found in the records of the register of deeds for the
county, and in the real estate property tax records of the county treasurer.
Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.
fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
o the best of my/kn/siv/edge and belief.
Title: Agent RECEIVED
RECEIVED  DEC 2 0 2010  S. Market - Room 2078, Wichita, Kansas 67202  KCC WICHIT
was WICHIT
10 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: CMX, Inc.		License Number: 3532				
Operator Address: 1700 N Waterfront P	arkway, Bldg 300	Wichita KS 67206				
Contact Person: Douglas H. McGin	ness II	Phone Number: 316-269-9052				
Lease Name & Well No.: Crist	31-	-1	Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>SENWNW</u>			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 31 Twp. 20 R. 33 East X West			
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	990 Feet from X North / South Line of Section			
Workover Pit Haul-Off Pit	Dit conceit	7	990 Feet from East / X West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 1,750	(bbls)	Scott			
		. ,	County			
Is the pit located in a Sensitive Ground Water A	ırea? 🗌 Yes 🔀	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	-	How is the pit lined if a plastic liner is not used?			
Yes No	Yes X N	No	clay			
Pit dimensions (all but working pits):	0 Length (fee	et)70	Width (feet)N/A: Steel Pits			
Depth fro	m ground level to dee	epest point:	4 (feet) No Pit			
If the pit is lined give a brief description of the li	ner	Describe proce	dures for periodic maintenance and determining			
material, thickness and installation procedure.		liner integrity, ir	ncluding any special monitoring.			
			į.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water 200 feet.			
934 feet Depth of water well	796 <sub>feet</sub>	measured	mation:  well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worke	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	I utilized in drilling/workover:			
Number of producing wells on lease:		Number of worl	king pits to be utilized:2			
Barrels of fluid produced daily:	<u>.</u>	Abandonment p	orocedure: Allow fluid to evaporate and backfill when sufficiently dried.			
Does the slope from the tank battery allow all s	oilled fluids to					
flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  PEC 2 ! 2010  Date  Signature of Applicant or Agent  KCC WICHT						
12/15/2010	- Committee of the Comm	1000	MCHIT			
Date / Signature of Applicant or Agent KCC WICT						
KCC OFFICE USE ONLY						
Date Perpired: /2 24 4/2 Pormit Number	nor:	Liner Steel Pit RFAC RFAS				
Date Received:/2 -20 -10 Lease Inspection: Yes No						